



gas taps

1

PEL.....	12
alternatives to EGA.....	24
JUNKERS.....	31
alternatives to JUNKERS.....	32
COPRECI.....	32
AB.....	35
STN3R.....	37
SABAF.....	38
MADEC (MP).....	40
GAI.....	42
ECA.....	42
MP.....	43
SIRAL.....	43
SKG.....	44
TEDDINGTON.....	44
miscellaneous.....	44



gas taps

PEL

20N series



1

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101398	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	-	M10x1	8x6.5	22/15	upper	Electrolux Gico Zanussi

20S series



1



2



3



4

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	104774	M16x1.5 (tube ø 10mm)	0	M16x1.5 (tube ø 10/8mm)	M8x1	-	8x6.5	22/15	upper	Cookmax RM-Gastro
1	101958	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	-	8x6.5	40/15	upper	Electrolux Zanussi
1	101094	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	-	8x6.5	22/15	lower	Alpeninox Chergui Electrolux Gico Juno Lotus Mareno Modular Öztiryakiler Roller Grill Rosinox Zanussi
1	101491	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M9x1	-	8x6.5	22/15	lower	Bonnet Chergui GIGA Lotus Morice Roller Grill Silko Star10
2	101068	M16x1.5 (tube ø 10mm)	0.2	1/4" (tube ø 6mm)	M8x1	-	8x6.5	22/15	lower	Angelo-Po Foem
2	101069	M16x1.5 (tube ø 10mm)	0.35	M10x1 IT (tube ø 6mm)	M8x1	-	8x6.5	22/15	left	Ambach
3	106840	pipe flange ø21mm	0	M16x1.5 (tube ø 10/8mm)	M8x1	-	8x6.5	22/15	upper	Cooking-Systems
4	106806	pipe flange ø21mm	0	M16x1.5 (tube ø 10/8mm)	M8x1	-	8x6.5	23/15	upper	Cookmax RM-Gastro
4	103179	pipe flange ø21mm	0	M16x1.5 (tube ø 10/8mm)	M9x1	-	8x6.5	22/15	lower	Angelo-Po
4	106734	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	-	8x6.5	22/15	lower	—
4	106143	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M9x1	-	8x6.5	22/15	lower	—

accessories

bypass nozzles



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106202	0	6	100554	0.45	11	100552	0.7	16	100556	0.95	21	100532	1.2
2	106323	0.2	7	100526	0.5	12	100278	0.75	17	100529	1	22	100394	1.25
3	100778	0.3	8	100550	0.55	13	100555	0.8	18	100557	1.05	23	100533	1.3
4	100408	0.35	9	100551	0.6	14	100527	0.85	19	100530	1.1	24	100549	1.35
5	100553	0.4	10	100548	0.65	15	100528	0.9	20	100531	1.15	25	100534	1.4

gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	101804	6x4.6	30/12.5	upper/lower	5	101874	8x6.5	22/15	right/left	9	101876	8x6.5	39/15	right/left
2	101801	6x4.6	31/23	upper/lower	6	101205	8x6.5	22/15	upper/lower	10	106156	8x6.5	39/15	upper/lower
3	106146	6x4.6	35/28	upper/lower	7	101875	8x6.5	32/25	upper/lower	11	101810	7x8	34/15	upper/lower
4	106149	6x4.6	45/12	upper/lower	8	106147	8x6.5	37/15	upper/lower	12	101809	8x5.5	23/15	right/left

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101450	olive for pipe ø 8mm L 12,7mm Qty 1 pcs ED ø 10mm	6	101040	magnet unit high temperature L 35 mm D1 ø 15,4 mm
2	101451	union nut M16x1,5 tube ø 8mm	7	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium
3	101278	olive for pipe ø 10mm Qty 1 pcs	7	101231	thermocouple nut T1: M9x1 T2: M18x1
4	101300	union nut M16x1,5 tube ø 10mm	7	101290	thermocouple nut T1: M10x1 T2: M18x1
5	101060	magnet unit standard L 39 mm D1 ø 15,4 mm			

21N series



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	109124	M16x1.5 (tube ø 10mm)	0	M16x1.5 (tube ø 10/8mm)	-	M10x1	6x4.6	40/16	lower	Rosinox
2	101894	M16x1.5 (tube ø 10mm)	0	M16x1.5 (tube ø 10/8mm)	-	closed	8x6.5	23/15	upper	GGF OEM
3	101530	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	-	M10x1	8x6.5	22/15	upper	—



21S series




fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106815	M16x1.5 (tube ø 10mm)	0	2x M10x1	M9x1	M10x1	8x6.5	22/15	upper	Bonnet Thirote
2	106817	M16x1.5 (tube ø 10mm)	0	2x M10x1	M9x1	M10x1	8x6.5	22/15	upper	Bonnet Thirote
3	106816	M16x1.5 (tube ø 10mm)	0	M10x1	M9x1	M10x1	8x6.5	22/15	upper	Bonnet Thirote
4	106523	M16x1.5 (tube ø 10mm)	0	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	left	Jemi
4	106875	M16x1.5 (tube ø 10mm)	0	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	39/15	lower	Electrolux
4	101095	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	Ambach Angelo-Po Baron Bertos Cookmax EKU Electrolux Fimar Gico Lotus Mareno Olis Roller Grill Tecnoinox Thielmann Zanussi
4	106292	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	left	—
4	101397	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	lower	Anitec Baron Bertos Bonnet Casta Cookmax Electrolux GIGA Ilsa Lotus Mareno MBM-Italia Modular Morice Nayati Offcar Olis Roller Grill Rosinox Silko Solymac Star10 Thirote Whirlpool Zanussi
4	101356	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M10x1	M10x1	8x6.5	22/15	lower	—
4	101883	M16x1.5 (tube ø 10mm)	0.4	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	—
4	107682	M16x1.5 (tube ø 10mm)	0.4	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Lincar
4	107582	M16x1.5 (tube ø 10mm)	0.45	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Bertos
4	101884	M16x1.5 (tube ø 10mm)	0.5	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	—
4	107581	M16x1.5 (tube ø 10mm)	0.55	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Bertos
4	107681	M16x1.5 (tube ø 10mm)	0.6	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Lincar
4	106298	M16x1.5 (tube ø 10mm)	0.65	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	EKU
4	101918	M16x1.5 (tube ø 10mm)	0.65	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	right	Lotus

Table continues overleaf

   										
fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
4	101693	M16x1.5 (tube ø 10mm)	0.7	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	35/28	right	Cookmax Mareno
4	101919	M16x1.5 (tube ø 10mm)	0.75	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	right	Lotus
4	107680	M16x1.5 (tube ø 10mm)	0.75	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Lincar
4	101885	M16x1.5 (tube ø 10mm)	0.8	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	—
4	101913	M16x1.5 (tube ø 10mm)	0.9	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	35/28	right	Cookmax Krefft Mareno Silko
4	106021	M16x1.5 (tube ø 10mm)	0.95	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	—
4	101220	M16x1.5 (tube ø 10mm)	1	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	right	Lotus
4	107592	M16x1.5 (tube ø 10mm)	1	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Lincar
5	109125	M16x1.5 (tube ø 10mm)	0	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	6x4.6	40/16	lower	Rosinox
6	107365 ¹	M16x1.5 (tube ø 10mm)	0	2x ED 11mm G24 (tube ø 6mm)	M9x1	M10x1	8x6.5	37/15	upper	Garland
7	106138	M16x1.5 (tube ø 10mm)	0.35	M10x1 FT (tube ø 6mm)	M8x1	M10x1	8x6.5	37/15	upper	Garland
8	102557	M16x1.5 (tube ø 10mm)	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	upper	Arris/Grillvapor

¹incl. union nuts and olives

   										
fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
9	106986	pipe flange ø21mm	0	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	30/23	upper	MBM-Italia
9	109515	pipe flange ø21mm	0	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	upper	Angelo-Po
9	101544	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	30/23	upper	—
9	101610	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	30/23	upper	Nayati
9	101897	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	32/25	upper	Electrolux Therna Whirlpool Zanussi
9	101824	pipe flange ø21mm	0.9	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	upper	Baron Mareno Silko
10	106060	pipe flange ø21mm	0	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	45/19	upper	Electrolux Therna
10	101976	pipe flange ø21mm	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	30/17.5	upper	—
10	101671	pipe flange ø21mm	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	30/23	upper	Ascobloc Küppersbusch Palux
10	101628	pipe flange ø21mm	0.7	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	45/19	upper	—
11	106841	pipe flange ø21mm	0	M16x1.5 (tube ø 10mm)	M9x1	M10x1	8x6.5	22/15	right	Cooking-Systems
12	101611	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	6x4.6	30/17.5	upper	Palux
12	106145	pipe flange ø21mm	0.35	M16x1.5 (tube ø 10/8mm)	M9x1	M10x1	8x6.5	22/15	lower	—
12	106231	pipe flange ø21mm	1.05	M16x1.5 (tube ø 10/8mm)	M8x1	M10x1	8x6.5	22/15	lower	Angelo-Po



accessories

bypass nozzles



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106202	0	6	100554	0.45	11	100552	0.7	16	100556	0.95	21	100532	1.2
2	106323	0.2	7	100526	0.5	12	100278	0.75	17	100529	1	22	100394	1.25
3	100778	0.3	8	100550	0.55	13	100555	0.8	18	100557	1.05	23	100533	1.3
4	100408	0.35	9	100551	0.6	14	100527	0.85	19	100530	1.1	24	100549	1.35
5	100553	0.4	10	100548	0.65	15	100528	0.9	20	100531	1.15	25	100534	1.4
26	100558	1.55	27	106608	1.6	28	100559	1.7	29	100547	1.75			

gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	101804	6x4.6	30/12.5	upper/lower	8	101205	8x6.5	22/15	upper/lower
2	101802	6x4.6	30/23	right/left	9	101206	8x6.5	22/15	upper/lower
3	101803	6x4.6	30/23	upper/lower	10	101808	8x6.5	31/15	upper and bottom
4	106146	6x4.6	35/28	upper/lower	11	101875	8x6.5	32/25	upper/lower
5	106149	6x4.6	45/12	upper/lower	12	106147	8x6.5	37/15	upper/lower
6	101807	8x6.5	22/14.5	right/left	13	106929	8x6.5	39/15	upper/lower
7	101874	8x6.5	22/15	right/left	14	101806	8x7	34/15	upper/lower

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101246	olive for pipe ø 4mm Qty 1 pcs	6	101451	union nut M16x1,5 tube ø 8mm
1	106741	olive for pipe ø 4mm Qty 10 pcs	7	101278	olive for pipe ø 10mm Qty 1 pcs
2	100908	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	8	101300	union nut M16x1,5 tube ø 10mm
2	102508	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs	8	100943	union nut M17x1 tube ø 10mm
3	101286	olive ID ø 6mm Qty 1 pcs	9	101060	magnet unit standard L 39 mm D1 ø 15,4 mm
3	102586	olive ID ø 6mm Qty 10 pcs	10	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs	10	101231	thermocouple nut T1: M9x1 T2: M18x1
4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs	10	101290	thermocouple nut T1: M10x1 T2: M18x1
5	101450	olive for pipe ø 8mm L 12,7mm Qty 1 pcs ED ø 10mm			

22N/O series



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101443	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	-	M10x1	10x8	25/17	lower	Bonnet Charvet Mareno
2	101459	pipe flange ø21mm	0.35	M20x1.5 (tube ø 12/10mm)	-	M10x1	8x6.5	39/7	upper	Capic

22N/V series



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101690	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	-	M10x1	10x8	25/17	lower	Electrolux Zanussi

22S/O series



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106818	M20x1.5 (tube ø 12mm)	0	3/8"	M9x1	M10x1	10x8	25/17	lower	Bonnet Thirode
2	107201	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	7x7	16/7	diagonal	Morice
2	106159	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	8x8	46/21	diagonal	Rosinox
3	101510	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	OEM
3	106022	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	6x4.6	45/20	left	Electrolux Therna
3	101089	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	25/17	upper	Gico Mareno
3	101090	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x9	28/13	lower	—

Table continues overleaf



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
3	101086	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	Alpeninox Anitec ATA Baron Bartscher Bonnet CB Charvet Electrolux Emmepi GIGA Giorik Mareno MBM-Italia Modular Morice OEM Offcar Olis Rosinox Silko Solymac Star10 Thirode Universo Zanussi
3	101085	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (flanged tube ø12/10mm)	M8x1	M10x1	10x9	28/13	upper	Angelo-Po
3	109513	M20x1.5 (tube ø 12mm)	1.1	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	25/17	right	Fagor
3	109510	M20x1.5 (tube ø 12mm)	1.3	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	25/17	right	Bonnet Fagor
3	102558	M20x1.5 (tube ø 12mm)	1.8	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	25/17	lower	Arris/Grillvapor
4	101949	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	Ambach
4	101892	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	Firex Offcar
4	107364	M20x1.5 (tube ø 7/16")	0	M20x1.5 (tube ø 7/16")	M9x1	M10x1	10x8	25/17	upper	Garland
5	103210 ¹	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	left	Ambach
5	107129	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	—
5	101950	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	right	Ambach
5	107363 ¹	M20x1.5 (tube ø 7/16")	-	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	8x10	25/17	upper	Garland
6	106384	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	Bourgeois

¹incl. union nuts and olives




fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
7	101469	pipe flange ø21mm	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	8x6.5	39/7	upper	Capic
7	101626	pipe flange ø27mm	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	6x4.6	35/21	upper	Ascobloc
7	101489	pipe flange ø27mm	0.35	M20x1.5 (tube ø 14/10mm)	M8x1	M10x1	8x6.5	39/7	left	Capic

22S/V series



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101798	3/8" (tube ø 10mm)	0.35	3/8" (tube ø 10mm)	M10x1	M10x1	10	24.5	-	—
1	106421	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	lower	Fagor
1	109139	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	right	Falcon
1	101084	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	6x4.6	45/20	left	Electrolux
1	101457	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10	25	-	Angelo-Po Bonnet Imperial-Germany Mareno MKN Silko Zanussi
1	106073	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	35/17	upper	—
1	101157	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	25/17	lower	—
1	107200	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	7x7	16/7	horizontal	Morice
1	101087	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	upper	Ambach Electrolux Emmepi Foem GIGA Juno Nayati Palux Silko Tecninox Universo Zanussi
1	101341	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M10x1	M10x1	10x8	25/17	lower	Emmepi
1	101793	M20x1.5 (tube ø 12mm)	0.9	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	6x4.6	45/20	upper	MKN
2	101887	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	25/17	right	MBM-Italia
2	101981	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	34/26	upper	Electrolux Zanussi
3	107322	pipe flange ø21mm	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	8x6.5	39/7	upper	Capic
4	101661	pipe flange ø21mm	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8.5	28/13	upper	Angelo-Po



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
5	107130	pipe flange ø27mm	0	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	25/17	right	—

accessories

bypass nozzles



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106191	0	3	100281	0.4	5	100390	0.5	7	100392	0.6	9	100429	0.7	11	100409	0.8
2	100259	0.35	4	100414	0.45	6	100391	0.55	8	100428	0.65	10	100432	0.75	12	100410	0.85

Table continues overleaf



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
13	100433	0.9	15	100407	1	17	100436	1.1	19	100438	1.2	21	100413	1.65
14	100434	0.95	16	100435	1.05	18	100437	1.15	20	106499	1.3	22	100776	1.75
23	106656	1.8												

gas tap connecting pieces



fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)
1	101235	M20x1.5	12/10	3	101240	M20x1.5	12/10	5	101365	M20x1.5	12	7	101460		
2	101236	M20x1.5	12/10	4	101241	M20x1.5	12/10	6	101366	M20x1.5	14	8	101461		

gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	101213	6x4.6	45/20	right/left	6	101821	9x6.5	34/15	upper/lower	11	101820	7x8	34/15	upper/lower
2	106154	6x4.6	29/19.5	upper/lower	7	101200	10	25	-	12	101449	8x10	35/17	upper/lower
3	101823	6x4.6	35/21	upper/lower	8	101201	10x8	25/17	upper/lower	13	101202	8x10	25/17	right/left
4	106151	8x6.5	39/7	upper/lower	9	101873	10x8	34/26	upper/lower	14	101203	9x10	28/13	upper/lower
5	106163	8x8	46/21	diagonal	10	101822	10x6.5	34/15	right/left					

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101246	olive for pipe ø 4mm Qty 1 pcs	6	101250	union nut M20x1,5 for pipe ø 10mm
1	106741	olive for pipe ø 4mm Qty 10 pcs	7	101248	olive for pipe ø 12mm Qty 1 pcs
2	100908	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	8	101251	union nut M20x1,5 for pipe ø 12mm
2	102508	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs	9	101331	adapter for flanged cable 10/12mm
3	101286	olive ID ø 6mm Qty 1 pcs	10	101058	magnet unit L 39 mm D1 ø 15,4 mm D2 ø 13,5 mm
3	102586	olive ID ø 6mm Qty 10 pcs	11	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs	11	101231	thermocouple nut T1: M9x1 T2: M18x1
4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs	11	101290	thermocouple nut T1: M10x1 T2: M18x1
5	101249	olive for pipe ø 10mm Qty 1 pcs			

 					
12			13		
fig.	GEV No.	description	fig.	GEV No.	description
12	101536	gasket D1 ø 17mm D2 ø 11,5mm thickness 4,7mm	13	101353	flange M20x1,5 tube ø 27mm suitable for PEL22
13	101237	flange M20x1,5 tube ø 21mm suitable for PEL22			

23S/O series

 										
1			2							
fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	109123	M28x1.5 (tube ø 20mm)	0	M24x1.5 (tube ø 16mm)	M9x1	M10x1	8x8	46/21	diagonal	Rosinox
2	106256	M28x1.5 (tube ø 20mm)	0.35	M24x1.5 (tube ø 16/12mm)	M9x1	M10x1	10x8	25/17	upper	—
2	106033	M28x1.5 (tube ø 20mm)	0.35	M24x1.5 (tube ø 16/12mm)	M10x1	M10x1	10x8	25/17	lower	OEM
2	101893	M28x1.5 (tube ø 20mm)	0.35	M24x1.5 (tube ø 16mm)	M9x1	M10x1	10x8	25/17	lower	Charvet Firex Lincar Modular Offcar
2	101091	M28x1.5 (tube ø 20mm)	0.35	M24x1.5 (tube ø 16mm)	M9x1	M10x1	10x8	35/19	upper	Baron Capic Electrolux Fagor Juno Lotus MBM-Italia Zanussi
2	101092	M28x1.5 (tube ø 20mm)	0.35	M24x1.5 (tube ø 16mm)	M10x1	M10x1	10x8	25/17	upper	Alpeninox Bertos Electrolux Emmepi Foem Gico Nayati Oliis Rosinox Silko Zanussi

Unable to find the right part?



www.gev-online.com
www.gev-online.co.uk

You will find even more
catering spare parts
in the GEV Webshop



23S/V series



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101630	1/2" IT	0.35	1/2" MT (tube ø 14mm)	M10x1	M10x1	10	25	-	Electrolux Heidebrenner Imperial-Germany Juno King Küppersbusch Mareno MKN
1	101093	M28x1.5 (tube ø 20mm)	0.35	M24x1.5 (tube ø 16/12mm)	M10x1	M10x1	10x8	25/17	lower	Bonnet GIGA Mareno Morice Silko Star10
1	109511	M28x1.5 (tube ø 20mm)	1.4	M24x1.5 (tube ø 16/12mm)	M9x1	M10x1	10x8	25/17	lower	Fagor
2	101953	M28x1.5 (tube ø 20mm)	1.15	M24x1.5 (tube ø 16mm)	M10x1	M10x1	10x8	25/17	upper	Ambach

accessories

bypass nozzles



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106201	0	7	100493	0.7	13	100627	1	19	100666	1.3	25	100250	1.6
2	100455	0.35	8	100494	0.75	14	100628	1.05	20	100667	1.35	26	100251	1.65
3	106235	0.4	9	100497	0.8	15	100649	1.1	21	100674	1.4	27	100263	1.7
4	100448	0.5	10	100546	0.85	16	100655	1.15	22	100677	1.45	28	100264	1.75
5	100458	0.6	11	100597	0.9	17	100659	1.2	23	100679	1.5	29	100265	1.8
6	100459	0.65	12	100598	0.95	18	100664	1.25	24	100699	1.55	30	100266	1.85
												31	100267	1.9
												32	100268	1.95
												33	100273	2
												34	106393	2.75

gas tap connecting pieces



fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)
1	101244	M24x1.5	12/16	2	101245	M24x1.5	12/16	3	101462			4	101463		

gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	102767	10	26.5	-	3	106166	10x8	25/17	right/left
2	101336	10x8	35/17	upper/lower	4	101204	10x8	25/17	upper/lower

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101246	olive for pipe ø 4mm Qty 1 pcs	5	101255	olive for pipe ø 12mm Qty 1 pcs
1	106741	olive for pipe ø 4mm Qty 10 pcs	6	101252	union nut M24x1,5 for pipe ø 12mm
2	100908	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	7	101256	olive for pipe ø 16mm Qty 1 pcs
2	102508	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs	6	101253	union nut M24x1,5 PEL for pipe ø 16mm
3	101286	olive ID ø 6mm Qty 1 pcs	8	101257	olive for pipe ø 20mm Qty 1 pcs
3	102586	olive ID ø 6mm Qty 10 pcs	9	101254	union nut M28x1,5 tube ø 20mm
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs	10	101045	magnet unit T1: M9x1 T2: M22x1 L 46 mm ø 18 mm
4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs	10	101059	magnet unit T1: M10x1 T2: M22x1 L 46 mm ø 18 mm

PEL 35S



1

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106253	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10x8	27/17	upper	—
1	107227	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	10x8	27/17	left	Charvet

PEL 36S



1

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106254	M20x1.5 (tube ø 12mm)	0	M20x1.5 (tube ø 12/10mm)	M9x1	-	10x8	24/16	upper	—



alternatives to EGA

GPEL20 series

with nozzle outlet



fig.	GEV No.	type	gas inlet	EN ø (mm)	IN ø (mm)	BN ø (mm)	MPC	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101609	GPEL20D	M15x1 (tube ø 10mm)	2.2	0.6	0.35	M17x1	M8x1	8x5.5	23/15	right	Günther
1	101667	GPEL20D	M15x1 (tube ø 8mm)	2.2	0.6	0.35	M17x1	M8x1	8x5.5	23/15	right	Günther Schöler
1	101675	GPEL20D	M15x1 (tube ø 8mm)	2.6	0.95	0.7	M17x1	M8x1	8x5.5	23/15	right	Raulwing
2	101607	GPEL20D	M15x1 (tube ø 10mm)	-	-	0.35	M17x1	M8x1	6x4.6	31/23	upper	—
2	101617	GPEL20D	M15x1 (tube ø 10mm)	-	-	0.35	M17x1	M8x1	8x5.5	23/15	right	—
2	101797	GPEL20D	M15x1 (tube ø 8mm)	-	-	0.35	M17x1	M8x1	8x5.5	23/15	right	—

with pipe outlet



fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for	Ref. No.
1	101603	GPEL20R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	6x4.6	31/23	upper	Palux	001163
1	101616	GPEL20R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	8x6.5	31/15	upper and bottom	Hertel Grilltechnik GmbH	—
1	101608	GPEL20R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	8x7	34/15	lower	Electrolux Juno	0H6700 0H6700

accessories

external nozzles



technical data:
thread size M12x1
wrench size 14

pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	100974	0.80	10	100243	1.12	19	100700	1.50	28	100740	1.95	37	100294	2.40	46	100752	3.20
2	100279	0.82	11	100663	1.15	20	100301	1.55	29	100291	2.00	38	100749	2.45	47	100296	3.30
3	100249	0.85	12	100306	1.20	21	100665	1.60	30	100303	2.05	39	100326	2.50	48	100297	3.45
4	100283	0.90	13	100975	1.25	22	100239	1.65	31	100292	2.10	40	100416	2.55	49	100298	3.50
5	100280	0.93	14	100286	1.30	23	100288	1.70	32	100744	2.12	41	100304	2.60	50	100299	3.70
6	100282	0.95	15	100300	1.35	24	100878	1.75	33	100308	2.15	42	100295	2.70	51	100763	3.80
7	100284	1.00	16	100669	1.37	25	100289	1.80	34	100293	2.20	43	106329	2.80	52	102794	3.85
8	100662	1.05	17	100307	1.40	26	100302	1.85	35	100309	2.30	44	100305	3.00	53	100762	4.10
9	100285	1.10	18	100287	1.45	27	100290	1.90	36	100668	2.35	45	106281	3.10			

internal nozzles



fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)
1	107006	0.40	1	100393	0.78	1	100312	1.05	1	100322	1.40	1	100244	1.85	1	106860	2.60
1	100657	0.60	1	100311	0.80	1	106757	1.15	1	100773	1.55	1	100314	1.90	1	106861	2.70
1	100310	0.66	1	100624	0.85	1	100313	1.20	1	100318	1.60	1	100274	2.00	2	100927	-
1	107007	0.70	1	100321	0.90	1	106510	1.30	1	100316	1.70	1	100317	2.20			
1	100319	0.75	1	100315	0.95	1	100238	1.35	1	100951	1.75	1	100678	2.50			

bypass nozzles



technical data:
thread size M5x0.5

pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106202	0	6	100526	0.5	11	100278	0.75	16	100529	1	21	100394	1.25	26	106608	1.6
2	100778	0.3	7	100550	0.55	12	100555	0.8	17	100557	1.05	22	100533	1.3	27	100559	1.7
3	100408	0.35	8	100551	0.6	13	100527	0.85	18	100530	1.1	23	100549	1.35	28	100547	1.75
4	100553	0.4	9	100548	0.65	14	100528	0.9	19	100531	1.15	24	100534	1.4			
5	100554	0.45	10	100552	0.7	15	100556	0.95	20	100532	1.2	25	100558	1.55			

gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	101801	6x4.6	31/23	upper/lower	3	101810	7x8	34/15	upper/lower
2	101876	8x6.5	39/15	right/left	4	101809	8x5.5	23/15	right/left

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101450	olive for pipe ø 8mm L 12,7mm Qty 1 pcs ED ø 10mm	5	101060	magnet unit standard L 39 mm D1 ø 15,4 mm
2	100941	union nut M15x1 for pipe ø 8mm	6	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium
3	101278	olive for pipe ø 10mm Qty 1 pcs	6	101231	thermocouple nut T1: M9x1 T2: M18x1
2	100942	union nut M15x1 for pipe ø 10mm	6	101290	thermocouple nut T1: M10x1 T2: M18x1
4	100943	union nut M17x1 tube ø 10mm			



GPEL21 series

with nozzle outlet



fig.	GEV No.	type	gas inlet	EN ø (mm)	IN ø (mm)	BN ø (mm)	MPC	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101983	GPEL21D	M15x1 (tube ø 10mm)	1.35	0.66	0.35	M17x1	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
1	101668	GPEL21D	M15x1 (tube ø 10mm)	1.35	1.2	0.35	M17x1	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
1	101633	GPEL21D	M15x1 (tube ø 10mm)	1.4	0.8	0.35	M17x1	M8x1	M10x1	6x4.6	31/23	left	Krefft Küppersbusch
1	101642	GPEL21D	M15x1 (tube ø 10mm)	1.55	0.8	0.45	M17x1	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
1	101767	GPEL21D	M15x1 (tube ø 10mm)	1.55	1.4	0.45	M17x1	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
1	101634	GPEL21D	M15x1 (tube ø 10mm)	1.85	1.05	0.5	M17x1	M8x1	M10x1	6x4.6	31/23	left	Krefft Küppersbusch
2	106576	GPEL21D	M15x1 (tube ø 10mm)	1.55	1.35	0.4	-	M8x1	M10x1	6x4.6	30/23	upper	MKN
2	101663	GPEL21D	M15x1 (tube ø 10mm)	2.05	1.85	0.5	-	M8x1	M10x1	6x4.6	31/23	upper	MKN
3	101606	GPEL21D	M15x1 (tube ø 10mm)	-	-	0.35	M17x1	M8x1	M10x1	6x4.6	31/23	upper	Ascobloc Blumauer MKN
3	101615	GPEL21D	M15x1 (tube ø 10mm)	-	-	0.35	M17x1	M8x1	M10x1	8x6.5	31/15	upper and bottom	Lohberger
3	101613	GPEL21D	M15x1 (tube ø 10mm)	-	-	0.35	M17x1	M10x1	M10x1	8x7	34/15	lower	—
3	101619	GPEL21D	M15x1 (tube ø 10mm)	-	-	-	M17x1	M8x1	M10x1	6x4.6	31/23	lower	—
4	101735 ¹	GPEL21D	M15x1 (tube ø 10mm)	fixed 4.2	1.4	0.35	M17x1	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch
4	101653 ¹	GPEL21D	M15x1 (tube ø 10mm)	fixed 4.2	1.4	0.85	M17x1	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch
4	101736 ¹	GPEL21D	M15x1 (tube ø 10mm)	fixed 4.2	1.8	0.35	M17x1	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch
4	101654 ¹	GPEL21D	M15x1 (tube ø 10mm)	fixed 4.2	1.8	1.1	M17x1	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch
4	101737 ¹	GPEL21D	M15x1 (tube ø 10mm)	fixed 4.2	2.05	0.35	M17x1	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch
4	101655 ¹	GPEL21D	M15x1 (tube ø 10mm)	fixed 4.2	2.05	1.25	M17x1	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch

¹external nozzle cannot be replaced

with pipe outlet



fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101646 ¹	GPEL20RD	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	31/23	upper	Küppersbusch Wamsler
2	101605	GPEL21R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	30/23	upper	MKN
2	101612	GPEL21R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	22/15	lower	Palux
2	101650	GPEL21R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	31/23	left	Küppersbusch
2	101614	GPEL21R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	8x6.5	22/15	right	—
2	101681	GPEL21R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M8x1	M10x1	8x6.5	31/15	upper and bottom	—

¹with reducer for main gas line

Table continues overleaf



fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
2	101618	GPEL21R	M15x1 (tube ø 10mm)	0.35	M17x1 (tube ø 10mm)	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
2	101643	GPEL21R	M15x1 (tube ø 10mm)	0.45	M17x1 (tube ø 10mm)	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
2	101664	GPEL21R	M15x1 (tube ø 10mm)	0.55	M17x1 (tube ø 10mm)	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno
2	106575	GPEL21R	M15x1 (tube ø 10mm)	0.6	M17x1 (tube ø 10mm)	M8x1	M10x1	6x4.6	30/23	upper	MKN
2	101644	GPEL21R	M15x1 (tube ø 10mm)	0.65	M17x1 (tube ø 10mm)	M10x1	M10x1	8x7	34/15	lower	Electrolux Juno

accessories

external nozzles



technical data:
thread size M12x1
wrench size 14

pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	100974	0.80	10	100243	1.12	19	100700	1.50	28	100740	1.95	37	100294	2.40	46	100752	3.20
2	100279	0.82	11	100663	1.15	20	100301	1.55	29	100291	2.00	38	100749	2.45	47	100296	3.30
3	100249	0.85	12	100306	1.20	21	100665	1.60	30	100303	2.05	39	100326	2.50	48	100297	3.45
4	100283	0.90	13	100975	1.25	22	100239	1.65	31	100292	2.10	40	100416	2.55	49	100298	3.50
5	100280	0.93	14	100286	1.30	23	100288	1.70	32	100744	2.12	41	100304	2.60	50	100299	3.70
6	100282	0.95	15	100300	1.35	24	100878	1.75	33	100308	2.15	42	100295	2.70	51	100763	3.80
7	100284	1.00	16	100669	1.37	25	100289	1.80	34	100293	2.20	43	106329	2.80	52	102794	3.85
8	100662	1.05	17	100307	1.40	26	100302	1.85	35	100309	2.30	44	100305	3.00	53	100762	4.10
9	100285	1.10	18	100287	1.45	27	100290	1.90	36	100668	2.35	45	106281	3.10			

internal nozzles



fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)
1	107006	0.40	1	100311	0.80	1	100313	1.20	1	100316	1.70	1	100678	2.50	3	100927	-
1	100657	0.60	1	100624	0.85	1	106510	1.30	1	100951	1.75	1	106860	2.60			
1	100310	0.66	1	100321	0.90	1	100238	1.35	1	100244	1.85	1	106861	2.70			
1	107007	0.70	1	100315	0.95	1	100322	1.40	1	100314	1.90	2	100395 ¹	1.4			
1	100319	0.75	1	100312	1.05	1	100773	1.55	1	100274	2.00	2	100396 ²	1.8			
1	100393	0.78	1	106757	1.15	1	100318	1.60	1	100317	2.20	2	100397 ³	2.05			

¹suitable for 101735 and 101653 ²suitable for 101736 and 101654 ³suitable for 101737 and 101655

bypass nozzles



technical data:
thread size M5x0.5

pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106202	0	6	100554	0.45	11	100552	0.7	16	100556	0.95	21	100532	1.2	26	100558	1.55
2	106323	0.2	7	100526	0.5	12	100278	0.75	17	100529	1	22	100394	1.25	27	106608	1.6
3	100778	0.3	8	100550	0.55	13	100555	0.8	18	100557	1.05	23	100533	1.3	28	100559	1.7
4	100408	0.35	9	100551	0.6	14	100527	0.85	19	100530	1.1	24	100549	1.35	29	100547	1.75
5	100553	0.4	10	100548	0.65	15	100528	0.9	20	100531	1.15	25	100534	1.4			



gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	101802	6x4.6	30/23	right/left	4	101206	8x6.5	22/15	upper/lower
2	101803	6x4.6	30/23	upper/lower	5	101808	8x6.5	31/15	upper and bottom
3	101807	8x6.5	22/14.5	right/left	6	101806	8x7	34/15	upper/lower

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101246	olive for pipe ø 4mm Qty 1 pcs	6	100941	union nut M15x1 for pipe ø 8mm
1	106741	olive for pipe ø 4mm Qty 10 pcs	7	101278	olive for pipe ø 10mm Qty 1 pcs
2	100908	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	6	100942	union nut M15x1 for pipe ø 10mm
2	102508	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs	8	100943	union nut M17x1 tube ø 10mm
3	101286	olive ID ø 6mm Qty 1 pcs	9	101060	magnet unit standard L 39 mm D1 ø 15,4 mm
3	102586	olive ID ø 6mm Qty 10 pcs	10	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs	10	101231	thermocouple nut T1: M9x1 T2: M18x1
4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs	10	101290	thermocouple nut T1: M10x1 T2: M18x1
5	101450	olive for pipe ø 8mm L 12,7mm Qty 1 pcs ED ø 10mm			

GPEL22 series

with nozzle outlet



fig.	GEV No.	type	gas inlet	EN ø (mm)	IN ø (mm)	BN ø (mm)	MPC	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101665	GPEL22D	M18x1.5 (tube ø 12mm)	1.6	0.8	0.35	M22x1	M8x1	M10x1	9x6.5	34/15	upper and bottom	—
1	101764	GPEL22D	M18x1.5 (tube ø 12mm)	1.6	1	0.35	M22x1	M8x1	M10x1	9x6.5	34/15	upper and bottom	Malag
1	101662	GPEL22D	M18x1.5 (tube ø 12mm)	2.1	1	0.35	M22x1	M8x1	M10x1	6.5x9	34/15	upper and bottom	Malag
1	101649	GPEL22D	M18x1.5 (tube ø 12mm)	2.6	1.35	0.4	M22x1	M8x1	M10x1	8x7	34/15	upper	Electrolux Juno
1	101656	GPEL22D	M18x1.5 (tube ø 12mm)	4.4	2.5	1.65	M22x1	M8x1	M10x1	6x4.6	35/21	upper	Küppersbusch
2	106676	GPEL22D	M18x1.5 (tube ø 12mm)	2	1.3	0.55	M22x1	M8x1	closed	9x6.5	26/15	upper and bottom	Heidebrenner
3	101622	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	M10x1	6x4.6	35/21	upper	Blumauer Küppersbusch MKN Palux
3	101623	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	M10x1	8x7	34/15	lower	—

Table continues overleaf



													
4													
fig.	GEV No.	type	gas inlet	EN ø (mm)	IN ø (mm)	BN ø (mm)	MPC	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
3	101624	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	M10x1	9x6.5	34/15	upper and bottom	Heidebrenner Malag
3	106678	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	M10x1	9x6.5	29/12	right and left	Heidebrenner
3	106679	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	M10x1	9x6.5	34/15	upper and bottom	Heidebrenner
4	106040	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	closed	9x6.5	34/15	upper and bottom	Heidebrenner
4	106041	GPEL22D	M18x1.5 (tube ø 12mm)	-	-	0.35	M22x1	M8x1	closed	9x6.5	34/15	right and left	—

with pipe outlet

											
1											
fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101620	GPEL22R	M18x1.5 (tube ø 12mm)	0.35	M18x1.5 (tube ø 12mm)	M8x1	M10x1	6x4.6	35/21	upper	Blumauer Electrolux
1	106396 ¹	GPEL22R	M18x1.5 (tube ø 12mm)	0.35	M18x1.5 (tube ø 12mm)	M8x1	M10x1	6x4.6	35/21	upper	MKN
1	101636	GPEL22R	M18x1.5 (tube ø 12mm)	0.35	M18x1.5 (tube ø 12mm)	M8x1	M10x1	9x6.5	34/15	upper and bottom	—
1	101666	GPEL22R	M18x1.5 (tube ø 12mm)	0.35	M18x1.5 (tube ø 12mm)	M8x1	M10x1	9x6.5	34/15	right/left	Heidebrenner
2	101657	GPEL22RD	M18x1.5 (tube ø 12mm)	0.5	M18x1.5 (tube ø 12mm)	M8x1	M10x1	6x4.6	35/21	upper	Küppersbusch

¹incl. union nuts and olives

accessories

external nozzles

											
technical data: thread size M15x1 wrench size 17											
pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106579	0.75	5	100453	2.00	9	100456	2.50	13	106961	3.10
2	106578	1.00	6	100338	2.10	10	100457	2.60	14	100339	3.40
3	100451	1.50	7	100330	2.20	11	100331	2.70	15	100334	3.50
4	100337	1.60	8	100333	2.30	12	100698	3.00	16	100406	3.70
									17	100332	3.80
									18	100335	3.90
									19	100336	4.00
									20	100329	4.40

internal nozzles

							
1							
fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.
1	100811	0	1	100492	0.8	1	100341
1	100377	0.65	1	100340	0.85	1	100344
1	100496	0.73	1	100343	1	1	100647
1	100378	0.77	1	100495	1.05	1	100648
						1	100323
						1	100342
						1	100656
						1	100658
						1	100324
						1	100327
						2	100927
							-



bypass nozzles



technical data:

thread size M6x0.5

pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106191	0	5	100390	0.5	9	100429	0.7	13	100433	0.9	17	100436	1.1
2	100259	0.35	6	100391	0.55	10	100432	0.75	14	100434	0.95	18	100437	1.15
3	100281	0.4	7	100392	0.6	11	100409	0.8	15	100407	1	19	100438	1.2
4	100414	0.45	8	100428	0.65	12	100410	0.85	16	100435	1.05	20	106499	1.3
21	100413	1.65	22	100776	1.75	23	106656	1.8						

gas tap front parts



pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat	pos.	GEV No.	shaft ø (mm)	shaft L (mm)	shaft flat
1	101823	6x4.6	35/21	upper/lower	3	101821	9x6.5	34/15	upper/lower	5	101820	7x8	34/15	upper/lower
2	106151	8x6.5	39/7	upper/lower	4	101822	10x6.5	34/15	right/left					

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101246	olive for pipe ø 4mm Qty 1 pcs	4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs
1	106741	olive for pipe ø 4mm Qty 10 pcs	5	101273	olive for pipe ø 12mm L 9,5mm brass Qty 1 pcs
2	100908	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	6	100944	union nut M18x1,5 for pipe ø 12mm
2	102508	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs	7	101058	magnet unit L 39 mm D1 ø 15,4 mm D2 ø 13,5 mm
3	101286	olive ID ø 6mm Qty 1 pcs	8	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium
3	102586	olive ID ø 6mm Qty 10 pcs	8	101231	thermocouple nut T1: M9x1 T2: M18x1
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs	8	101290	thermocouple nut T1: M10x1 T2: M18x1

JUNKERS

fig.	GEV No.	alternative	type	gas inlet	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	nla ¹	101457	CH110	M20x1.5	M20x1.5	M8x1	M10x1	10	20.7	-	Foem Junkers
2	nla ¹	101457	CH120	M20x1.5	M20x1.5	M8x1	M10x1	10	20.7	-	Junkers MKN
2	nla ¹	101798	CH140	3/8"	3/8"	M8x1	M10x1	10	20.7	-	—
3	nla ¹	101630	CH330	1/2" IT	1/2" ET	M10x1	M10x1	10	20.7	-	Junkers Malag Mareno MKN Palux Thielmann
4	nla ¹	101630	CH340	1/2" IT	1/2" ET	M10x1	M10x1	10	20.7	-	Junkers Küppersbusch

¹no longer available

fig.	GEV No.	alternative	type	gas inlet	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
5	nla ¹	-	CH430	3/4" IT	3/4" ET	M10x1		10	20.7	-	Heidebrenner Junkers
6	nla ¹	-	CH440	3/8"	3/8"	M8x1		10	20.7	-	Junkers

¹no longer available

accessories

fig.	GEV No.	description				fig.	GEV No.	description			
1	101284	olive for pipe ø 4mm Qty 1 pcs				6	101233	union nut M10x1 JUNKERS			
2	101285	union screw thread M8x1 for pipe ø 4mm Qty 1 pcs				7	101218	shaft extension JUNKERS			
3	101040	magnet unit high temperature L 35 mm D1 ø 15,4 mm				8	101219	shaft extension L 25mm JUNKERS			
4	101060	magnet unit standard L 39 mm D1 ø 15,4 mm				9	550396	shaft extension L 25mm JUNKERS			
5	101061	magnet unit T1: M10x1 T2: M24x1 L 48 mm ø 16 mm				10	100945	roll pin ø 3,2mm L 10mm			
6	101232	union nut M8x1 JUNKERS				11	345200	microswitch with plunger			



alternatives to JUNKERS



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101798	3/8" (tube ø 10mm)	0.35	3/8" (tube ø 10mm)	M10x1	M10x1	10	24.5	-	—
1	101457	M20x1.5 (tube ø 12mm)	0.35	M20x1.5 (tube ø 12/10mm)	M8x1	M10x1	10	25	-	Angelo-Po Bonnet Imperial-Germany Mareno MKN Silko Zanussi
2	101630	1/2" IT	0.35	1/2" MT (tube ø 14mm)	M10x1	M10x1	10	25	-	Electrolux Heidebrenner Imperial-Germany Juno King Küppersbusch Mareno MKN

COPRECI

CAL-24200



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	109133	pipe flange ø21mm	0	M17x1 (tube ø 10mm)	M8x1	M8x1	7x5	25/14	right	Falcon
1	109173	pipe flange ø21mm	0	M17x1 (tube ø 10mm)	M8x1	M8x1	7x5	43/20	lower	Falcon
1	109132	pipe flange ø21mm	0	M17x1 (tube ø 10mm)	M8x1	M8x1	8x6	43/20	lower	Falcon
1	109155	pipe flange ø21mm	0	M17x1 (tube ø 10mm)	M8x1	M8x1	8x6.5	22/12	right	Falcon
1	109135	pipe flange ø21mm	0.6	M17x1 (tube ø 10mm)	M8x1	-	8x6	48/14	lower	Falcon
1	109156	pipe flange ø21mm	0.6	M17x1 (tube ø 10mm)	M8x1	-	8x6.5	22/12	right	Falcon

CAL-3200



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	109136	M18x1.5 (tube ø 12mm)	0	M18x1.5 (tube ø 12mm)	M10x1	M8x1	7x5	34.5/14	lower	Falcon
1	109131	M18x1.5 (tube ø 12mm)	0	M18x1.5 (tube ø 12mm)	M10x1	M8x1	8x6	43/14	lower	Falcon
1	109137	M18x1.5 (tube ø 12mm)	0	M18x1.5 (tube ø 12mm)	M10x1	M8x1	8x6	68/14	right	Falcon
2	109503	M18x1.5 (tube ø 12mm)	0.55	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	29/12	right	Fagor

Table continues overleaf

										
fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
2	109500	M18x1.5 (tube ø 12mm)	0.55	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	46/12	right	Fagor
2	109109	M18x1.5 (tube ø 12mm)	0.75	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	28/12	right	Repagas
2	109509	M18x1.5 (tube ø 12mm)	0.8	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	29/12	right	Fagor
2	109504	M18x1.5 (tube ø 12mm)	0.9	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	30/12	right	Fagor
2	109501	M18x1.5 (tube ø 12mm)	0.9	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	46/12	right	Fagor
2	109060	M18x1.5 (tube ø 12mm)	1.1	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	29/12	right	Fagor
2	109508	M18x1.5 (tube ø 12mm)	1.2	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	30/12	right	Fagor
2	109502	M18x1.5 (tube ø 12mm)	1.2	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	46/12	right	Fagor
2	109505	M18x1.5 (tube ø 12mm)	1.3	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	29/12	right	Fagor
3	109506	M18x1.5 (tube ø 12mm)	0.9	M18x1.5 (tube ø 12mm)	-	1/8"	10x8	29/12	right	Fagor
3	109049	M18x1.5 (tube ø 12mm)	0.9	M18x1.5 (tube ø 12mm)	-	1/8"	10x8	46/12	right	Fagor
4	109185	pipe flange ø21mm	1	3/8" (tube ø 10mm)	M8x1	1/8"	8x6.4	29/12	upper	Fagor
5	109000	pipe flange ø27mm	0.55	3/8" (tube ø 10mm)	M8x1	1/8"	10x8	30/12	right	Fagor
5	109095	pipe flange ø27mm	1.3	M18x1.5 (tube ø 12mm)	M8x1	1/8"	10x8	29/12	right	Fagor

CAL-5200

										
fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106036	pipe flange ø21mm	0.35	M14x1.5 (tube ø 6mm)	M8x1	-	6x4.6	25/16	lower	Ambassade Bartscher
1	107165	pipe flange ø21mm	1	M16x1.25 (tube ø 6mm)	M8x1	-	8x6.5	27/12	left	Tecno MCM
2	106294	pipe flange ø21mm	0.6	M16x1.25 (tube ø 6mm)	M8x1	-	8x6.5	32/12	right	Repagas
2	107693	pipe flange ø21mm	0.7	3/8"	M8x1	-	8x6.5	32/12	right	Falcon
2	107694	pipe flange ø21mm	0.7	3/8"	M8x1	-	8x6.5	55/12	right	Falcon
3	109138	pipe flange ø21mm	0.76+0.51	M14x1.5 (tube ø 8mm)	M8x1	-	7x5	45/20	lower	Falcon

CPMM18700

										
fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	107469	M10x0.75	-	2x M10x1 (tube ø 5mm)	M8x1	M10x1	6x4.6	17/10	upper	Aliberinox
2	106665	pipe flange ø21mm	0.5	3/8" (tube ø 10mm)	M8x1	M10x1	8x6.5	41/12	upper	Fagor
2	106947	pipe flange ø21mm	0.75	3/8" (tube ø 10mm)	M8x1	M10x1	8x6.5	41/12	upper	Fagor
2	107314	pipe flange ø21mm	0.9	3/8" (tube ø 10mm)	M8x1	M10x1	8x6.5	41/12	right	Fagor
2	106958	pipe flange ø21mm	1.15	3/8" (tube ø 10mm)	M8x1	M10x1	8x6.5	41/12	right	Fagor
2	106948	pipe flange ø21mm	1.45	3/8" (tube ø 10mm)	M8x1	M10x1	8x6.5	41/12	left	Fagor
3	107584	pipe flange ø21mm	0.8	3/8" (tube ø 10mm)	M8x1	closed	8x6.5	37/25	upper	Electrolux



accessories



fig.	GEV No.	description
1	101284	olive for pipe ø 4mm Qty 1 pcs
1	102584	olive for pipe ø 4mm Qty 10 pcs
2	101285	union screw thread M8x1 for pipe ø 4mm Qty 1 pcs
2	102585	union screw thread M8x1 for pipe ø 4mm Qty 10 pcs
2	102454	union screw thread 1/8" for pipe ø 4mm L 11mm
3	101286	olive ID ø 6mm Qty 1 pcs
3	102586	olive ID ø 6mm Qty 10 pcs
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs
4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs
3	101481	olive for pipe ø 1/4" CCT Qty 1 pcs
2	102453	union screw thread 1/8" for pipe ø 1/4" CCT L 12mm

fig.	GEV No.	description
5	101277	olive ID ø 8mm Qty 1 pcs
6	101451	union nut M16x1,5 tube ø 8mm
5	101278	olive for pipe ø 10mm Qty 1 pcs
6	101478	union nut 3/8" for pipe ø 10mm
5	101273	olive for pipe ø 12mm L 9,5mm brass Qty 1 pcs
6	100944	union nut M18x1,5 for pipe ø 12mm
7	106173	magnet unit L 43 mm D1 ø 19 mm D2 ø 15,5 mm
8	104525	flange for gas tap L 42mm
9	107563	flange for gas tap L 48mm
10	107432	knob adapter shaft ø 6x8 to 5x7mm for gas tap

gas taps



fig.	GEV No.	type	gas inlet	gas outlet	TCC	PC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	107916	A12I-95	3/8" BSP	3/8" BSP	M9x1	M10x1	-	8x6	33/17	right/left	Nayati
1	107917	A12I-120	3/8" BSP	3/8" BSP	M9x1	M10x1	-	8x6	33/17	right/left	Nayati
1	107918	A12I-150	3/8" BSP	3/8" BSP	M9x1	M10x1	-	8x6	33/17	right/left	Nayati
2	107900	A50W	M16x1.5 (tube ø 3/8" CC)	1/8" BSP-F	-	closed	-	8x6.5	22/15	upper	Moffat
3	107901	A60	M16x1.5 (tube ø 10mm)	M16x1.5 (tube ø 10mm)	M9x1	M10x1	-	8x6.5	22/15	lower	Kingbetter
3	107904	A60	M16x1.5 (tube ø 10mm)	M16x1.5 (tube ø 10mm)	M9x1	M10x1	-	8x6.5	22/15	lower	MSM
3	107905	A60	M16x1.5 (tube ø 10mm)	M16x1.5 (tube ø 10mm)	M9x1	M10x1	-	8x6.5	22/15	lower	Öztiryakiler
3	107919	A60	M16x1.5 (tube ø 10mm)	M16x1.5 (tube ø 10mm)	M9x1	M10x1	-	8x6.5	22/15	lower	Vesta
3	107906	A60-CL	M16x1.5 (tube ø 10mm)	M16x1.5 (tube ø 10mm)	M9x1	M10x1	M14x1	8x6.5	22/15	lower	Clayovens
4	107903	A60	M16x1.5 (tube ø 10mm)	1/8" BSP-F	M9x1	M10x1	-	8x6.5	22/15	lower	B&S



fig.	GEV No.	type	gas inlet	gas outlet	TCC	PC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
5	107902	A60	M16x1.5 (tube ø 10mm)	1/8" BSP-F	M9x1	closed	-	8x6.5	22/15	upper	Moffat
6	107907	A60S	pipe flange ø21mm	M16x1.5 (tube ø 10mm)	M9x1	M10x1	-	8x6.5	22/15	upper	Stalgast
7	107908	A60U	pipe flange ø27mm	M16x1.5 (tube ø 10mm)	M9x1	M10x1	-	8x6.5	22/15	lower	Nayati
8	107909	A60W	M16x1.5 (tube ø 10mm)	M16x1.5 (tube ø 10/8mm)	M9x1	closed	-	8x6.5	22/15	lower	Vesta



fig.	GEV No.	type	gas inlet	gas outlet	TCC	PC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
9	107910	A62	M20x1.5 (tube ø 12mm)	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	-	10x8	26/16	lower	Öztiryakiler
10	107911	A62	M20x1.5 (tube ø 12mm)	M20x1.5 (tube ø 12/10mm)	M9x1	M10x1	M15x1	10x8	28/16	right	Clayovens
11	107912	A62UV	pipe flange ø27mm	M20x1.5 (tube ø 12mm)	M9x1	M10x1	-	10x8	26/16	right	NT-Gas
12	107920	A62V	M20x1.5 (tube ø 12mm)	M20x1.5 (tube ø 12mm)		M10x1	-	10x8	26/16	lower	B&S Tiyan Gas



13



14



15

fig.	GEV No.	type	gas inlet	gas outlet	TCC	PC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
13	107921	A63	M28x1.5 (tube ø 20mm)	M24x1.5 (tube ø 16mm)	M9x1	M10x1	-	10x8	26/16	lower	—
14	107913	A63C	3/4"x14 BSP-F	3/4"x14 BSP-F	M9x1	M10x1	-	9x7,7	41/15	+25°	Nayati
15	107922	A63V	M28x1.5 (tube ø 20mm)	M24x1.5 (tube ø 16mm)	M9x1	M10x1	-	10x8	26/16	lower	B&S Tiyen Gas

accessories



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106202	0	6	100554	0.45	11	100552	0.7	16	100556	0.95	21	100532	1.2	26	100558	1.55
2	106323	0.2	7	100526	0.5	12	100278	0.75	17	100529	1	22	100394	1.25	27	106608	1.6
3	100778	0.3	8	100550	0.55	13	100555	0.8	18	100557	1.05	23	100533	1.3	28	100559	1.7
4	100408	0.35	9	100551	0.6	14	100527	0.85	19	100530	1.1	24	100549	1.35	29	100547	1.75
5	100553	0.4	10	100548	0.65	15	100528	0.9	20	100531	1.15	25	100534	1.4			



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106191	0	5	100390	0.5	9	100429	0.7	13	100433	0.9	17	100436	1.1	21	100413	1.65
2	100259	0.35	6	100391	0.55	10	100432	0.75	14	100434	0.95	18	100437	1.15	22	100776	1.75
3	100281	0.4	7	100392	0.6	11	100409	0.8	15	100407	1	19	100438	1.2	23	106656	1.8
4	100414	0.45	8	100428	0.65	12	100410	0.85	16	100435	1.05	20	106499	1.3			



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	106201	0	7	100493	0.7	13	100627	1	19	100666	1.3	25	100250	1.6	31	100267	1.9
2	100455	0.35	8	100494	0.75	14	100628	1.05	20	100667	1.35	26	100251	1.65	32	100268	1.95
3	106235	0.4	9	100497	0.8	15	100649	1.1	21	100674	1.4	27	100263	1.7	33	100273	2
4	100448	0.5	10	100546	0.85	16	100655	1.15	22	100677	1.45	28	100264	1.75	34	106393	2.75
5	100458	0.6	11	100597	0.9	17	100659	1.2	23	100679	1.5	29	100265	1.8			
6	100459	0.65	12	100598	0.95	18	100664	1.25	24	100699	1.55	30	100266	1.85			

miscellaneous



fig.	GEV No.	description	fig.	GEV No.	description
1	101246	olive for pipe ø 4mm Qty 1 pcs	3	102586	olive ID ø 6mm Qty 10 pcs
1	106741	olive for pipe ø 4mm Qty 10 pcs	4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs
2	100908	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs
2	102508	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs	5	101450	olive for pipe ø 8mm L 12,7mm Qty 1 pcs ED ø 10mm
3	101286	olive ID ø 6mm Qty 1 pcs	6	101451	union nut M16x1,5 tube ø 8mm

Table continues overleaf

fig.	GEV No.	description	fig.	GEV No.	description
7	101278	olive for pipe ø 10mm Qty 1 pcs	12	101255	olive for pipe ø 12mm Qty 1 pcs
8	101300	union nut M16x1,5 tube ø 10mm	13	101252	union nut M24x1,5 for pipe ø 12mm
9	101249	olive for pipe ø 10mm Qty 1 pcs	14	101256	olive for pipe ø 16mm Qty 1 pcs
10	101250	union nut M20x1,5 for pipe ø 10mm	15	101253	union nut M24x1,5 PEL for pipe ø 16mm
11	101248	olive for pipe ø 12mm Qty 1 pcs	16	101257	olive for pipe ø 20mm Qty 1 pcs
11	101251	union nut M20x1,5 for pipe ø 12mm	16	101254	union nut M28x1,5 tube ø 20mm

fig.	GEV No.	description
17	101060	magnet unit standard L 39 mm D1 ø 15,4 mm
18	101058	magnet unit L 39 mm D1 ø 15,4 mm D2 ø 13,5 mm
19	101230	thermocouple nut T1: M8x1 T2: M18x1 aluminium

fig.	GEV No.	description
19	101231	thermocouple nut T1: M9x1 T2: M18x1
20	101059	magnet unit T1: M10x1 T2: M22x1 L 46 mm ø 18 mm
20	101045	magnet unit T1: M9x1 T2: M22x1 L 46 mm ø 18 mm

STN3R

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for									
1	106178	3/8" (tube ø 10mm)	0	3/8" (tube ø 12mm)	-	closed	10x8	22/18	lower	—									
2	103108	1/2" IT	0	1/2" IT	M9x1	M10x1	10x8	36/19	lower	Charvet									
3	106185	pipe flange ø20mm	0	3/8" (tube ø 12mm)	M9x1	M10x1	7x7	22/6	horizontal	—									
4	106184	pipe flange ø20mm	0	3/8" (tube ø 12mm)	M9x1	M10x1	10x8	21/12	upper	Capic									

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for									
5	106181	pipe flange ø21mm	0	3/8" (tube ø 9mm)	-	M10x1	10x8	23/16.5	upper	—									
6	106053	pipe flange ø23mm	-	M17x1 (tube ø 10mm)	M8x1	M8x1	6x4.6	39/18	lower	Küppersbusch									
7	106186	pipe flange ø27mm	0	1/2"	M9x1	M10x1	7x7	21/12	diagonal	Bonnet									



accessories



fig.	GEV No.	description
1	101284	olive for pipe ø 4mm Qty 1 pcs
1	102584	olive for pipe ø 4mm Qty 10 pcs
2	101285	union screw thread M8x1 for pipe ø 4mm Qty 1 pcs
2	102585	union screw thread M8x1 for pipe ø 4mm Qty 10 pcs
3	101286	olive ID ø 6mm Qty 1 pcs
3	102586	olive ID ø 6mm Qty 10 pcs
4	100909	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs
4	102509	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs

fig.	GEV No.	description
5	101278	olive for pipe ø 10mm Qty 1 pcs
6	100943	union nut M17x1 tube ø 10mm
5	101273	olive for pipe ø 12mm L 9,5mm brass Qty 1 pcs
7	101251	union nut M20x1,5 for pipe ø 12mm
8	101257	olive for pipe ø 20mm Qty 1 pcs
9	101254	union nut M28x1,5 tube ø 20mm
10	101051	magnet unit L 27 mm D1 ø 12,5 mm D2 ø 8,5 mm



fig.	GEV No.	description
11	101058	magnet unit L 39 mm D1 ø 15,4 mm D2 ø 13,5 mm

fig.	GEV No.	description
12	101964	clamping bracket

SABAF



fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	FF	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106581	10	pipe flange ø14mm	0	1/4" (tube ø 8mm)	M13x1	M8x1	8x6.5	31.5/12.5	right	Fiamma
1	104775	10	pipe flange ø14mm	0.56	1/4" (tube ø 8mm)	-	M8x1	8x6.5	32/12.5	right	Cookmax RM-Gastro
1	106843	10	pipe flange ø23mm	0	1/4" (tube ø 8mm)	-	M8x1	8x6.5	47/12.5	right	Cooking-Systems
1	106577	10	pipe flange ø23mm	0.38	1/4" (tube ø 8mm)	-	M8x1	8x6.5	32/12.5	right	Cookmax RM-Gastro
2	101747	10	pipe flange ø14mm	0.4	1/4" (tube ø 8mm)	M13x1	M8x1	6x4.6	23.5/18.5	upper	Tecnoeka
3	101748	10	pipe flange ø14mm	0.5	1/4" (tube ø 8mm)	M13x1	M8x1	6x4.6	24/18	upper	Tecnoeka
3	101749	10	pipe flange ø14mm	0.74	1/4" (tube ø 8mm)	-	M8x1	6x4.6	23/17	upper	Tecnoeka
4	101396	10	pipe flange ø16mm	0	1/4" (tube ø 8mm)	-	M8x1	8x6.5	26/12	lower	Electrolux Tecnoinox Zanussi

											
5	6	7	8								
fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	FF	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
5	101890	10	pipe flange ø16mm	0	1/4" (tube ø 8mm)	-	plug-in connection	8x6.5	26/12	upper	MBM-Italia
5	101357	10	pipe flange ø16mm	0.52	1/4" (tube ø 8mm)	-	plug-in connection	8x6.5	26/12	lower	Bertos
6	107382	10	pipe flange ø16mm	0.24	M13x1 IT (tube ø 8mm)	-	plug-in connection	6x4.6	35/16	upper	Indesit
6	107379	10	pipe flange ø16mm	0.27	M13x1 IT (tube ø 8mm)	-	plug-in connection	6x4.6	35/15	upper	Indesit
6	107381	10	pipe flange ø16mm	0.38	M13x1 IT (tube ø 8mm)	-	plug-in connection	6x4.6	35/15	upper	Indesit
6	107380	10	pipe flange ø16mm	0.52	M13x1 IT (tube ø 8mm)	-	plug-in connection	6x4.6	35/15	upper	Indesit
7	106062	10	pipe flange ø16mm	0.25	M13x1 IT (tube ø 8mm)	-	plug-in connection	8x6.5	45/12	lower	Bartscher Lofra
8	101994	10	pipe flange ø16mm	0.65	1/4" (tube ø 8mm)	-	plug-in connection	8x6.5	26/12	lower	CB Modular

											
9											
fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	FF	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
9	101458	11	1/4" (tube ø 6mm)	0	1/4" (tube ø 8mm)	-	plug-in connection	8x6.5	40/15	upper	Emmepi

accessories

fig.	GEV No.	description				fig.	GEV No.	description			
1	106587	bypass nozzle bore ø 0,8mm M4x0,5 SABAF				6	106723	magnet unit L 29 mm D1 ø 12,5 mm D2 ø 8,5 mm			
2	101277	olive ID ø 8mm Qty 1 pcs				7	106724	magnet unit L 30 mm D1 ø 12,5 mm D2 ø 8,5 mm			
3	101477	union screw M13x1 tube ø 8mm Qty 1 pcs				8	106725	magnet unit L 35 mm D1 ø 12,5 mm D2 ø 8,5 mm			
4	520656	union nut 1/4" tube ø 6/8mm				9	101376	gasket ID ø 8mm ED ø 12mm H 3/5mm			
5	520668	union nut 1/4" WS 14 DN 8mm				10	101751	bracket			

											
11											
fig.	GEV No.	description									
11	112933	shaft extension ø 8mm shaft ø 6x4,6mm									



MADEC (MP)

with nozzle outlet



fig.	GEV No.	gas inlet	EN ø (mm)	IN ø (mm)	BN ø (mm)	MPC	TCC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101374	M12x1 (tube ø 8mm)	0.85	-	0.5	M17x1	M8x1	M12x1	6x4.6	27.5/20	upper	—
1	101381	M12x1 (tube ø 8mm)	0.85	-	0.5	M17x1	M8x1	M12x1	6x4.6	29.5/21	left	Wilm
1	101198	M12x1 (tube ø 8mm)	2	0.7	0.35	M17x1	M8x1	M12x1	6x4.6	28/21	right	—
1	101631	M12x1 (tube ø 8mm)	2.2	1.2	0.55	M17x1	M8x1	M12x1	6x4.6	37/17	lower	Kreff Küppersbusch
1	101632	M12x1 (tube ø 8mm)	2.2	1.4	0.7	M17x1	M8x1	M12x1	6x4.6	37/17	lower	Kreff Küppersbusch
2	101073	M12x1 (tube ø 8mm)	-	-	0.35	M17x1	M8x1	M12x1	8x5	23/13.5	right	Heidebrenner Jünger Kroll Energy
2	101193	M12x1 (tube ø 8mm)	-	-	0.35	M17x1	M8x1	M12x1	8x5	23/13.5	left	Jünger KSF
2	106034	M12x1 (tube ø 8mm)	-	-	0.35	M17x1	M8x1	M12x1	8x5	28.5/13.5	upper	—
3	101635	M12x1 (tube ø 8mm)	-	-	0.55	M17x1	M8x1	M12x1	6x4.6	37/17	upper	—
4	101192	M12x1 (tube ø 8mm)	-	-	-	M17x1	M8x1	M12x1	8x5	23/13.5	lower	Kroll Energy
4	106019	M12x1 (tube ø 8mm)	-	-	-	M17x1	M8x1	-	6x4.6	28/21	left	Raulwing

with pipe outlet



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101074	M12x1 (tube ø 8mm)	0.35	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	28/21	right	IME Turbo
1	101072	M12x1 (tube ø 8mm)	0.35	M12x1 (tube ø 8mm)	M8x1	M12x1	8x5	29.5/13.5	left	KSF
2	103202 ¹	M12x1 (tube ø 8mm)	0.65	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	29.5/21	right	Cookmax Potis
2	103203 ¹	M12x1 (tube ø 8mm)	1	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	29.5/21	right	Cookmax Potis
3	101638	M12x1 (tube ø 8mm)	1	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	29.5/21	right	Potis Suprema
4	109516	pipe flange ø16mm	0.6	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	18/10	lower	Polydor

¹incl. thermocouple and knob





fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	FF	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
5	103204 ¹	pipe flange ø16mm	0.65	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	27/20	lower	Potis
5	103205 ¹	pipe flange ø16mm	1	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	27/20	lower	Potis
6	106020	pipe flange ø16mm	1.4	M12x1 (tube ø 8mm)	M8x1	M12x1	6x4.6	27/20	right	Naomi-Grills

¹incl. thermocouple and knob

accessories

external nozzles


technical data:
thread size M12x1
wrench size 14

pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	100974	0.80	10	100243	1.12	19	100700	1.50	28	100740	1.95	37	100294	2.40	46	100752	3.20
2	100279	0.82	11	100663	1.15	20	100301	1.55	29	100291	2.00	38	100749	2.45	47	100296	3.30
3	100249	0.85	12	100306	1.20	21	100665	1.60	30	100303	2.05	39	100326	2.50	48	100297	3.45
4	100283	0.90	13	100975	1.25	22	100239	1.65	31	100292	2.10	40	100416	2.55	49	100298	3.50
5	100280	0.93	14	100286	1.30	23	100288	1.70	32	100744	2.12	41	100304	2.60	50	100299	3.70
6	100282	0.95	15	100300	1.35	24	100878	1.75	33	100308	2.15	42	100295	2.70	51	100763	3.80
7	100284	1.00	16	100669	1.37	25	100289	1.80	34	100293	2.20	43	106329	2.80	52	102794	3.85
8	100662	1.05	17	100307	1.40	26	100302	1.85	35	100309	2.30	44	100305	3.00	53	100762	4.10
9	100285	1.10	18	100287	1.45	27	100290	1.90	36	100668	2.35	45	106281	3.10			

internal nozzles



pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)	pos.	GEV No.	ø (mm)
1	100325	0.7	3	100421	0.8	5	100788	0.95	7	100422	1.2	9	100423	1.4
2	100419	0.75	4	100774	0.85	6	100449	1	8	100772	1.3	10	100771	1.55

bypass nozzles



fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)	fig.	GEV No.	ø (mm)
1	100360	0.35	1	100782	0.5	1	100781	0.6	1	100427	0.7	1	100454	1
1	100425	0.45	1	100426	0.55	1	103206	0.65	1	100424	0.8			



miscellaneous



fig.	GEV No.	description
1	101277	olive ID ø 8mm Qty 1 pcs
2	101296	union nut M12x1 for pipe ø 8mm
3	101051	magnet unit L 27 mm D1 ø 12,5 mm D2 ø 8,5 mm

fig.	GEV No.	description
4	101234	union nut T1: M8x1 T2: M15
5	101299	nut M12x1

GAI



fig.	GEV No.	gas inlet	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	107320	3/8" (tube ø 10mm)	3/8" (tube ø 10mm)	M9x1	M10x1	8x6.5	35/12	right	Lupianez
1	107319	3/8" (tube ø 10mm)	3/8" (tube ø 10mm)	M9x1	M10x1	10x8	36/15	right	Lupianez
1	107318	1/2" (tube ø 13mm)	1/2" (tube ø 10mm)	M9x1	M10x1	8x6.5	31/12	left	Lupianez
1	106566	1/2" (tube ø 13mm)	1/2" (tube ø 10mm)	M9x1	M10x1	10x8	38/15	right	Lupianez
2	107316	3/8" (tube ø 10mm)	3/8" / M10x1	-	M10x1	8x6.5			Lupianez
3	107576	1/2" (tube ø 8mm)	1/2" (tube ø 10mm)	M9x1	M10x1	10x8	34/15	upper	Lupianez
4	106506	pipe flange ø23mm	3/8" (tube ø 5mm)	2x M8x1	-	8x6.5	36/12	upper	Jemi



fig.	GEV No.	gas inlet	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
5	106855	pipe flange ø23mm	M16x1.25 / M7x0.75	M8x1	-	8x6.5	36/12	upper	Jemi
6	107317	pipe flange ø30mm	3/8" (tube ø 10mm)	M9x1	M10x1	8x6.5	34/12	upper	Lupianez
6	106565	pipe flange ø30mm	3/8" (tube ø 10mm)	M9x1	M10x1	10x8	39/15	upper	Lupianez
7	107321	pipe flange ø30mm	3/8" / M10x1	-	M10x1	8x6.5			Lupianez

ECA



fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	FF	suitable for
1	109096	pipe flange ø21mm	0.55	1/4" (tube ø 8mm)	M8x1	8x6.5	19/13	upper	M13x1	Öztiryakiler
1	106013	pipe flange ø21mm	0.55	1/4" (tube ø 8mm)	M8x1	8x6.5	20/13	upper	M13x1	Inoksan

accessories



fig.	GEV No.	description	fig.	GEV No.	description
1	101277	olive ID ø 8mm Qty 1 pcs	3	101051	magnet unit L 27 mm D1 ø 12,5 mm D2 ø 8,5 mm
2	520656	union nut 1/4" tube ø 6/8mm	4	101351	mounting strap for gas tap

MP

gas taps



1

fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	EN ø (mm)	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106895	7KPa	pipe flange ø23mm	-	ø 18mm	1.03	M8x1	8x6.5	23/11	lower	DUD Gasgeräte

SIRAL



1

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101699	pipe flange ø16mm	0.85	1/4" (tube ø 8mm)	M8x1	8x6.5	23/12	upper	Anitec North Star10
1	107387	pipe flange ø20mm	0.42	1/4" (tube ø 8mm)	M8x1	6x4.6	19/15	upper	Bonnet

accessories



fig.	GEV No.	description	fig.	GEV No.	description	fig.	GEV No.	description
1	101277	olive ID ø 8mm Qty 1 pcs	2	520656	union nut 1/4" tube ø 6/8mm	3	101351	mounting strap for gas tap


SKG

1

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	TCC	PC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	101829	pipe flange ø16mm	0.32/0.57	2x M13x1 (tube ø 8mm)	M8x1	-	6x4.6	30/13	upper	Lotus


accessories


fig.	GEV No.	description		fig.	GEV No.	description	
1	101277	olive ID ø 8mm Qty 1 pcs		5	101827	gasket	
2	101477	union screw M13x1 tube ø 8mm Qty 1 pcs		6	101376	gasket ID ø 8mm ED ø 12mm H 3/5mm	
3	101040	magnet unit high temperature L 35 mm D1 ø 15,4 mm		7	101351	mounting strap for gas tap	
4	101060	magnet unit standard L 39 mm D1 ø 15,4 mm					

TEDDINGTON

1
2

fig.	GEV No.	type	gas inlet	BN ø (mm)	gas outlet	PC	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106369	TESA2394/8L	flange (tube ø 1/4") left	-	3/8"x27 UNF	1/4" CCT	ASA 11/32	8.7x6.2	17/9	left	Imperial-USA
1	106717	TESA2394/15L	flange (tube ø 1/4") left	-	3/8"x27 UNF	-	ASA 11/32	8.7x6.2	17/9	left	Imperial-USA
2	106941	TESA2394/8R	flange (tube ø 1/4") right	-	3/8"x27 UNF	1/4" CCT	ASA 11/32	8.7x6.2	17/9	right	Imperial-USA
2	106377	TESA2394/15R	flange (tube ø 1/4") right	-	3/8"x27 UNF	-	ASA 11/32	8.7x6.2	17/9	right	Imperial-USA

miscellaneous

1
2

fig.	GEV No.	gas inlet	BN ø (mm)	gas outlet	PC	TCC	shaft ø (mm)	shaft L (mm)	shaft flat	suitable for
1	106573	pipe flange ø16mm	0.39	M13x1 IT	-	plug-in connection	6x4.6	32.5/20.5	upper	GIGA
2	109121	pipe flange ø23mm	0.45	M14x1.5 (tube ø 6mm)	-	-	6x4.6	35/24	upper	Rosinox