



# Spare Parts for Combi Ovens



Spare parts suitable for

# MODULAR

# 2018

Find the complete and up-to-date range of products in our GEV Webshop



## heating elements

### heating elements for convection



1

|                                                                                   |                                                                                                                                                                                                                                                                              |                 |                            |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|
| <b>GEV No.</b>                                                                    | 415966                                                                                                                                                                                                                                                                       | <b>Ref. No.</b> | M563000800                 |
| <b>description</b>                                                                | heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange |                 |                            |
| <b>spare parts for</b>                                                            | 415966                                                                                                                                                                                                                                                                       |                 |                            |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                               | 510368          | <b>Ref. No.</b> 553.008.00 |
|                                                                                   | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element                                                                                                                                                                                 |                 |                            |
| <b>accessories for</b>                                                            | 415966                                                                                                                                                                                                                                                                       |                 |                            |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                               | 510368          | <b>Ref. No.</b> 553.008.00 |
|                                                                                   | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element                                                                                                                                                                                 |                 |                            |




1

|                    |                                                                                                                                                                                                                                                                                                  |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 418020                                                                                                                                                                                                                                                                                           | <b>Ref. No.</b> | 999.22.042 |
| <b>description</b> | heating element 7800W 230V heating circuits 3 ID ø 264mm ED ø 277mm L 315mm H 100mm L1 35mm W1 101mm H1 29mm H2 67mm flange length 142mm flange width 23mm hole distance 63mm connection M4 connection length 75mm tube ø 6.3mm convection heating element mounting thread M4 rectangular flange |                 |            |

### accessories

#### sealing washers


#### fibre gaskets



1

|                    |                                                               |                 |            |
|--------------------|---------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 510404                                                        | <b>Ref. No.</b> | 953.031.00 |
| <b>description</b> | flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs |                 |            |

#### O-rings



1

|                    |                                                  |                 |            |
|--------------------|--------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 510408                                           | <b>Ref. No.</b> | 0835534701 |
| <b>description</b> | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs |                 |            |

#### flange gaskets



1

|                    |                                                                                              |                 |            |
|--------------------|----------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 510368                                                                                       | <b>Ref. No.</b> | 553.008.00 |
| <b>description</b> | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element |                 |            |

## energy regulators

### EGO

#### 1-circuit



1

|                    |                                                                                                                                                     |                 |          |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 380015                                                                                                                                              | <b>Ref. No.</b> | 66105800 |
| <b>description</b> | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 |                 |          |
| <b>For models:</b> | 60/30CPE                                                                                                                                            |                 |          |


## thermostats

### control and safety thermostats


#### EGO

#### control thermostats

##### 55.10/19\_series



|                    |                                                                                                                                                                                                                                    |                 |            |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 375201                                                                                                                                                                                                                             | <b>Ref. No.</b> | RRC2190-00 |
| <b>description</b> | thermostat t.max. 270°C temperature range 50-270°C 1-pole 1CO 16A probe ø 3mm probe L 219mm capillary pipe 3000mm capillary pipe isolated 2500mm gland nut M10x1 shaft L 23mm shaft position upper rotation 270° probe material SS |                 |            |



|                    |                                                                                                                                                                                                            |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 375216                                                                                                                                                                                                     | <b>Ref. No.</b> | 66107300 |
| <b>description</b> | thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318° |                 |          |
| <b>For models:</b> | 60/60CFE, 60/60CFGE                                                                                                                                                                                        |                 |          |




|                    |                                                                                                                                                                                                                  |                 |            |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 375945                                                                                                                                                                                                           | <b>Ref. No.</b> | 661.121.00 |
| <b>description</b> | thermostat t.max. 470°C temperature range 90-470°C 1-pole 1NO 16A probe ø 3.9mm probe L 163mm capillary pipe 870mm capillary pipe isolated 600mm shaft ø 4.5x6mm shaft L 23mm shaft position upper rotation 270° |                 |            |

##### 55.34\_series




|                    |                                                                                                                                                                                                                                 |                 |          |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 375143                                                                                                                                                                                                                          | <b>Ref. No.</b> | 66100500 |
| <b>description</b> | thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |          |
| <b>For models:</b> | 65/70BME, 70/70BME                                                                                                                                                                                                              |                 |          |



|                    |                                                                                                                                                                                                                          |                 |                      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>     | 375192                                                                                                                                                                                                                   | <b>Ref. No.</b> | 66102700<br>66111400 |
| <b>description</b> | thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |                      |
| <b>For models:</b> | 65/110CFGE, 65/70CFE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/70CFE, 70/70CFEQ, 70/70CFGE, 70/70CFVE                                                                                                                          |                 |                      |

#### safety thermostats

##### 55.10/19\_series



|                    |                                                                                                                                                                                  |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 375968                                                                                                                                                                           | <b>Ref. No.</b> | 56104600 |
| <b>description</b> | safety thermostat switch-off temp. 360°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolated 660mm gland nut M10x1 probe probe material SS M8x1 |                 |          |

55.14\_series



| GEV No.     | 375610                                                                                                                                                   | Ref. No. | 2198.00<br>RRC2198-00 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|
| description | safety thermostat switch-off temp. 340°C 1-pole 16A probe ø 3.03mm probe L 144mm capillary pipe 880mm capillary pipe isolated 750mm gland nut M9x1 probe |          |                       |

55.32\_series



| GEV No.     | 375262                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Ref. No. | 66104500 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe                                                                                                                                                                                                                                                                                                         |          |          |
| For models: | 60/30FTE, 60/30FTE-CR, 60/30FTRE, 60/30FTRE-CR, 60/60FTE, 60/60FTE-CR, 60/60FTRE, 60/60FTRE-CR, 60/60FTRRE, 60/60FTRRE-CR, 65/110CFGE, 65/40FTE, 65/40FTRE, 65/70CFE, 65/70FTE, 65/70FTRE, 65/70FTRRE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/40FTE, 70/40FTRE-CR, 70/40FTES, 70/40FTRE, 70/40FTRE-CR, 70/70BRE, 70/70BREM, 70/70CFE, 70/70CFEQ, 70/70CFGE, 70/70CFVE, 70/70FTE, 70/70FTRE-CR, 70/70FTES, 70/70FTRE, 70/70FTRE-CR, 70/70FTRRE, 70/70FTRRE-CR |          |          |



| GEV No.     | 375684                                                                                                                                                                             | Ref. No. | 561.022.00 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1 |          |            |

accessories



| GEV No.     | 551083                                | Ref. No. | 66103600 |
|-------------|---------------------------------------|----------|----------|
| description | cap for safety thermostat thread M8x1 |          |          |

IMIT / TEMPOMATIC / ARTERMO


control thermostats



| GEV No.     | 390399                                                                                                                                                                                                     | Ref. No. | 461.003.00 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | thermostat t.max. 90°C temperature range°C 1-pole 1CO 16A probe ø 6.5mm probe L 110mm capillary pipe 1500mm capillary pipe isolated 1450mm shaft ø 6x4.6mm shaft L 19mm shaft position +135° rotation 270° |          |            |

CAEM

control thermostats



| GEV No.     | 375609                                                                                                                                                                      | Ref. No. | RRC2185-00 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 95mm capillary pipe 1600mm capillary pipe isolated 1550mm shaft ø 6x4.6mm rotation 270° |          |            |

CAMPINI

safety thermostats



| GEV No.     | 375892                                                                                                                                                            | Ref. No. | 561.036.00 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | safety thermostat switch-off temp. 318°C 1-pole 16A probe ø 3mm probe L 137mm capillary pipe 1260mm capillary pipe isolated 710mm gland nut probe SS type Ty 95-H |          |            |

## accessories

## connecting bows



|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 550060                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>Ref. No.</b> | 66101300 |
| <b>description</b> | connecting bow long for thermostat Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |          |
| <b>For models:</b> | 60/30BME, 60/30FRE, 60/30FTE, 60/30FTE-CR, 60/30FTRE, 60/30FTRE-CR, 60/60BME, 60/60FRE, 60/60FTE, 60/60FTRE, 60/60FTRE-CR, 60/60FTRE, 60/60FTRE-CR, 65/110CFGE, 65/40BME, 65/40FRE, 65/40FTE, 65/40FTRE, 65/70BME, 65/70CFE, 65/70FRE, 65/70FTE, 65/70FTRE, 65/70FTRE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/40BME, 70/40FRE10, 70/40FTE, 70/40FTE-CR, 70/40FTES, 70/40FTRE, 70/40FTRE-CR, 70/70BME, 70/70BRE, 70/70BREM, 70/70CFE, 70/70CFEQ, 70/70CFGE, 70/70CFVE, 70/70FRE10, 70/70FTE, 70/70FTE-CR, 70/70FTES, 70/70FTRE, 70/70FTRE-CR, 70/70FTRE, 70/70FTRE-CR |                 |          |

## switches and momentary switches

## rocker/momentary rocker switches

## 19x13mm



|                        |                                                                                                                                              |                 |          |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>         | 301066                                                                                                                                       | <b>Ref. No.</b> | 66107200 |
| <b>description</b>     | rocker switch mounting measurements 19x13mm black 2NO 250V 6A 0-1 connection male faston 4.8mm ambient temperature max. 85°C protection IP40 |                 |          |
| <b>For models:</b>     | 60/60CFE, 60/60CFGE                                                                                                                          |                 |          |
| <b>accessories for</b> | 301066                                                                                                                                       |                 |          |
|                        |                                                                                                                                              | <b>GEV No.</b>  | 301064   |
|                        |                                                                                                                                              | <b>Ref. No.</b> | —        |
|                        | protective cover for pressure switch external size 23.4x17.4mm internal size 19x13mm H 7.5mm clear mounting measurementsmm                   |                 |          |

## 30x11mm



|                    |                                                                                                                                               |                 |            |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 347350                                                                                                                                        | <b>Ref. No.</b> | RRC2206-00 |
| <b>description</b> | rocker switch mounting measurements 30x11mm black 1CO 250V 16A I/O connection male faston 6.3mm ambient temperature max. 90°C protection IP40 |                 |            |

## 30x22mm

## labelled



|                        |                                                                                                                                                                      |                 |            |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>         | 301164                                                                                                                                                               | <b>Ref. No.</b> | 763.001.00 |
| <b>description</b>     | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap |                 |            |
| <b>accessories for</b> | 301164                                                                                                                                                               |                 |            |
|                        |                                                                                                                                                                      | <b>GEV No.</b>  | 301036     |
|                        |                                                                                                                                                                      | <b>Ref. No.</b> | —          |
|                        | protective cover internal size 30x22mm for rocker switch mounting measurementsmm                                                                                     |                 |            |

## push/momentary push switches

## 30x22mm



|                    |                                                                                                                                                                       |                 |            |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 301086                                                                                                                                                                | <b>Ref. No.</b> | M561003500 |
| <b>description</b> | push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar |                 |            |

## ø25mm



|                        |                                                                                                                                                            |                 |            |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>         | 345039                                                                                                                                                     | <b>Ref. No.</b> | 961.049.00 |
| <b>description</b>     | protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm                                                        |                 |            |
| <b>accessories for</b> | 345039                                                                                                                                                     |                 |            |
|                        |                                                                                                                                                            | <b>GEV No.</b>  | 345001     |
|                        |                                                                                                                                                            | <b>Ref. No.</b> | —          |
|                        | momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65 |                 |            |

## microswitches

## lever actuated



|                    |                                                                                                                                                                      |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 345773                                                                                                                                                               | <b>Ref. No.</b> | 76100400 |
| <b>description</b> | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm |                 |          |



|                    |                                                                                                                                                                          |                 |          |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 345044                                                                                                                                                                   | <b>Ref. No.</b> | 66101500 |
| <b>description</b> | microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 71mm |                 |          |



## roller-lever actuated

## microswitches



1

|             |                                                                                                                                                                                                  |          |          |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| GEV No.     | 345250                                                                                                                                                                                           | Ref. No. | 66105200 |
| description | microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm L 27mm L1 36mm ambient temperature max. 125°C mounting distance 22mm type RL6-1-FGE-P12-5-L actuating force: 90g |          |          |
| For models: | 70/70BRE, 70/70BREM, 70/70BRGM                                                                                                                                                                   |          |          |

## pin-plunger actuated

## M10



1

|             |                                                                                                                                                                                                             |          |            |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| GEV No.     | 347216                                                                                                                                                                                                      | Ref. No. | 961.021.00 |
| description | microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g |          |            |



1

|             |                                                                                                                                                                                                         |          |            |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| GEV No.     | 345032                                                                                                                                                                                                  | Ref. No. | RRC6018-00 |
| description | microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g |          |            |

## cam switches


## 7-position



1

|             |                                                                                                                                               |          |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| GEV No.     | 300106                                                                                                                                        | Ref. No. | 96100000 |
| description | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper |          |          |

## 4 operating positions



1


|             |                                                                                                                                 |          |            |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| GEV No.     | 300010                                                                                                                          | Ref. No. | 661.117.00 |
| description | cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic |          |            |

## operation switches



1

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| GEV No.         | 300080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Ref. No. | 66100000            |
| description     | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |                     |
| For models:     | 60/30FRE, 60/30FTE, 60/30FTE-CR, 60/30FTRE, 60/30FTRE-CR, 60/30SPE, 60/60BME, 60/60FRE, 60/60FTE, 60/60FTE-CR, 60/60FTRE, 60/60FTRE-CR, 60/60FTRRE, 60/60FTRRE-CR, 65/110CFGE, 65/40BME, 65/40FRE, 65/40FTE, 65/40FTRE, 65/40SPE, 65/70BME, 65/70CFE, 65/70FRE, 65/70FTE, 65/70FTRE, 65/70FTRRE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/40BME, 70/40FRE10, 70/40FTE, 70/40FTE-CR, 70/40FTES, 70/40FTRE, 70/40FTRE-CR, 70/40SPE, 70/70BME, 70/70BRE, 70/70BREM, 70/70CFE, 70/70CFEQ, 70/70CFGE, 70/70CFVE, 70/70FRE10, 70/70FTE, 70/70FTE-CR, 70/70FTES, 70/70FTRE, 70/70FTRE-CR...(Other models you can see in the webshop) |          |                     |
| accessories for | 300080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |                     |
|                 | GEV No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 551456   | Ref. No. 953.020.00 |
|                 |  gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                     |



1

|                 |                                                                                                                                                  |          |                     |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| GEV No.         | 300001                                                                                                                                           | Ref. No. | 661.093.00          |
| description     | cam switch operation switch 16A sequence 0-1 shaft ø 6x4.6mm connection male faston 6.3mm 2-pole                                                 |          |                     |
| accessories for | 300001                                                                                                                                           |          |                     |
|                 | GEV No.                                                                                                                                          | 551456   | Ref. No. 953.020.00 |
|                 |  gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white |          |                     |

## rotary switches

## TECNOMATIC



1

|                    |                                                                                                                                          |                 |            |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 347610                                                                                                                                   | <b>Ref. No.</b> | RRC5500-00 |
| <b>description</b> | rotary switch 4 0-1-2-3 sets of contacts 6 type HD16X143AR000 600V 16A shaft ø 6mm shaft L 22mm shaft round connection male faston 6.3mm |                 |            |

## encoders and potentiometers



1

|                    |                            |                 |            |
|--------------------|----------------------------|-----------------|------------|
| <b>GEV No.</b>     | 401169                     | <b>Ref. No.</b> | 999.23.038 |
| <b>description</b> | encoder cable length 125mm |                 |            |



1

|                    |                                                                                       |                 |          |
|--------------------|---------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 300187                                                                                | <b>Ref. No.</b> | 99923037 |
| <b>description</b> | potentiometer 4.7kOhm rotation 310° shaft ø 0.6x4.5mm shaft L 20mm cable length 650mm |                 |          |

## lamps

## indicator lights

## indicator lights 2-piece (lens and indicator lamp)

## indicator light lenses

## ø10mm (type SRZ-3)



1

|                                                                                     |                                                                                                      |                 |                 |            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------|-----------------|------------|
| <b>GEV No.</b>                                                                      | 359123                                                                                               | <b>Ref. No.</b> | M568000200      |            |
| <b>description</b>                                                                  | indicator light housings mounting measurements ø10mm green round Qty 1 pcs                           |                 |                 |            |
| <b>accessories for</b>                                                              | 359123                                                                                               |                 |                 |            |
|  | <b>GEV No.</b>                                                                                       | 359132          | <b>Ref. No.</b> | M568000300 |
|                                                                                     | indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C |                 |                 |            |

## indicator lamps for socket type SRZ / SDK / SDY / SFK



1

|                    |                                                                                                      |                 |            |
|--------------------|------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 359132                                                                                               | <b>Ref. No.</b> | M568000300 |
| <b>description</b> | indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C |                 |            |

## indicator lights (complete)

## ø10mm

## with plug-in socket



1

|                    |                                                                          |                 |            |
|--------------------|--------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 359139                                                                   | <b>Ref. No.</b> | 463.014.00 |
| <b>description</b> | indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs |                 |            |



1

|                    |                                                                           |                 |            |
|--------------------|---------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 359140                                                                    | <b>Ref. No.</b> | 463.012.00 |
| <b>description</b> | indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs |                 |            |

## ø12mm

## with screw socket



1

|                    |                                                                |                 |            |
|--------------------|----------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 359027                                                         | <b>Ref. No.</b> | 963.012.00 |
| <b>description</b> | indicator light ø 12mm 250V green connection male faston 6.3mm |                 |            |



1

|                    |                                                                                                                                                                                                                                          |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 359291                                                                                                                                                                                                                                   | <b>Ref. No.</b> | 66304300 |
| <b>description</b> | indicator light ø 12mm 400V green connection male faston 6.3mm                                                                                                                                                                           |                 |          |
| <b>For models:</b> | 60/30BME, 60/30CPE, 60/30FRE, 60/30FTE, 60/30FTE-CR, 60/30FTRE, 60/30FTRE-CR, 60/30PCE, 60/30SPE, 60/60BME, 60/60CFG, 60/60CFGE, 60/60CPE, 60/60FRE, 60/60FTE, 60/60FTE-CR, 60/60FTRE, 60/60FTRE-CR, 60/60FTRRE, 60/60FTRRE-CR, 60/60PCE |                 |          |



1

|                    |                                                                                                                                                                                                  |                 |          |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 359290                                                                                                                                                                                           | <b>Ref. No.</b> | 66304400 |
| <b>description</b> | indicator light ø 12mm 400V yellow connection male faston 6.3mm                                                                                                                                  |                 |          |
| <b>For models:</b> | 60/30CPE, 60/30FRE, 60/30FTE, 60/30FTE-CR, 60/30FTRE, 60/30FTRE-CR, 60/60BME, 60/60CFE, 60/60CFGE, 60/60CPE, 60/60FRE, 60/60FTE, 60/60FTE-CR, 60/60FTRE, 60/60FTRE-CR, 60/60FTRRE, 60/60FTRRE-CR |                 |          |



1

|                    |                                                                          |                 |          |
|--------------------|--------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 360763                                                                   | <b>Ref. No.</b> | 96301400 |
| <b>description</b> | indicator light ø 12mm red 230V connection male faston 6.3mm with O-ring |                 |          |

ø13mm

with screw socket



1

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                 |                              |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| <b>GEV No.</b>                                                                      | 359049                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Ref. No.</b> | 66300000                     |
| <b>description</b>                                                                  | indicator light ø 13mm 400V green                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                 |                              |
| <b>For models:</b>                                                                  | 65/110CFGE, 65/40BME, 65/40FRE, 65/40FTE, 65/40FTRE, 65/40PCE, 65/40PVE, 65/40SPE, 65/70BME, 65/70CFE, 65/70FRE, 65/70FTE, 65/70FTRE, 65/70FTRRE, 65/70PCE, 65/70PVE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/40BME, 70/40CPE, 70/40FRE10, 70/40FTE, 70/40FTE-CR, 70/40FTES, 70/40FTRE, 70/40FTRE-CR, 70/40PCE, 70/40PCEQ, 70/40PVE, 70/40SPE, 70/70BME, 70/70BRE, 70/70BREM, 70/70CFE, 70/70CFEQ, 70/70CFGE, 70/70CFVE, 70/70CPE, 70/70FRE10, 70/70FTE, 70/70FTE-CR, 70/70FTES, 70/70FTRE, 70/70FTRE-CR, 70/70FTRRE, 70/70FTRRE-CR, 70/70PCE, 70/70PCEQ, 70/70PEI...(Other models you can see in the webshop) |                 |                              |
| <b>accessories for</b>                                                              | 359049                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                              |
|    | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 510302          | <b>Ref. No.</b> 0835.17124.1 |
|                                                                                     | O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |                              |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 511505          | <b>Ref. No.</b> —            |
|                                                                                     | O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                              |



1

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                              |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| <b>GEV No.</b>                                                                      | 359050                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Ref. No.</b> | 66300100                     |
| <b>description</b>                                                                  | indicator light ø 13mm 400V yellow                                                                                                                                                                                                                                                                                                                                                                              |                 |                              |
| <b>For models:</b>                                                                  | 65/110CFGE, 65/40BME, 65/40FRE, 65/40FTE, 65/40FTRE, 65/70BME, 65/70CFE, 65/70FRE, 65/70FTE, 65/70FTRE, 65/70FTRRE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/40BME, 70/40FRE10, 70/40FTE, 70/40FTE-CR, 70/40FTES, 70/40FTRE, 70/40FTRE-CR, 70/70BME, 70/70BRE, 70/70BREM, 70/70CFE, 70/70CFEQ, 70/70CFGE, 70/70CFVE, 70/70FRE10, 70/70FTE, 70/70FTE-CR, 70/70FTES, 70/70FTRE, 70/70FTRE-CR, 70/70FTRRE, 70/70FTRRE-CR |                 |                              |
| <b>accessories for</b>                                                              | 359050                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                              |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                                  | 510302          | <b>Ref. No.</b> 0835.17124.1 |
|                                                                                     | O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                             |                 |                              |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                                  | 511505          | <b>Ref. No.</b> —            |
|                                                                                     | O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs                                                                                                                                                                                                                                                                                                                                                            |                 |                              |

## screw-on/push-on fit

## light bulbs

## for ovens



1

|                    |                                                                                                  |                 |          |
|--------------------|--------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 359610                                                                                           | <b>Ref. No.</b> | 66304500 |
| <b>description</b> | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |                 |          |
| <b>For models:</b> | 60/60CFE, 60/60CFG, 60/60CFGE                                                                    |                 |          |



1

|                    |                                                                                     |                 |                          |
|--------------------|-------------------------------------------------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>     | 357153                                                                              | <b>Ref. No.</b> | 999.22.000<br>RRC2104-03 |
| <b>description</b> | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type |                 |                          |

## oven lamps

## universal oven lamps

## mounting diameter 35.5mm



1

|                                                                                     |                                                                                                            |                 |                   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 359718                                                                                                     | <b>Ref. No.</b> | 66304700          |
| <b>description</b>                                                                  | oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas |                 |                   |
| <b>For models:</b>                                                                  | 60/60CFE, 60/60CFG, 60/60CFGE                                                                              |                 |                   |
| <b>spare parts for</b>                                                              | 359718                                                                                                     |                 |                   |
|  | <b>GEV No.</b>                                                                                             | 359701          | <b>Ref. No.</b> — |
|                                                                                     | lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W                         |                 |                   |
|  | <b>GEV No.</b>                                                                                             | 359740          | <b>Ref. No.</b> — |
|                                                                                     | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT                 |                 |                   |

| 55x100mm                                                                                         |                                                                    |          |                        |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|----------|------------------------|
|                 |                                                                    |          |                        |
| 1                                                                                                |                                                                    |          |                        |
| GEV No.                                                                                          | 359698                                                             | Ref. No. | C2272-01<br>RRC2104-01 |
| description                                                                                      | lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm |          |                        |
| spare parts for                                                                                  | 359698                                                             |          |                        |
|                 | GEV No.                                                            | 358119   | Ref. No. —             |
| frame L 118mm W 72mm mounting distance 143mm for bulb socket                                     |                                                                    |          |                        |
|                 | GEV No.                                                            | 358122   | Ref. No. —             |
| gasket L 112mm W 68mm silicone thickness 3mm for bulb socket                                     |                                                                    |          |                        |
|                 | GEV No.                                                            | 358123   | Ref. No. —             |
| lamp glass L 112mm W 68mm                                                                        |                                                                    |          |                        |
|                 | GEV No.                                                            | 359612   | Ref. No. —             |
| light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips |                                                                    |          |                        |
|                 | GEV No.                                                            | 359714   | Ref. No. —             |
| gasket silicone L 140mm W 75mm for bulb socket                                                   |                                                                    |          |                        |
|               | GEV No.                                                            | 359715   | Ref. No. —             |
| lamp glass L 110mm W 65mm thickness 5mm                                                          |                                                                    |          |                        |
|               | GEV No.                                                            | 359716   | Ref. No. —             |
| frame for bulb socket                                                                            |                                                                    |          |                        |
| accessories for                                                                                  | 359698                                                             |          |                        |
|               | GEV No.                                                            | 359612   | Ref. No. —             |
| light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips |                                                                    |          |                        |
|               | GEV No.                                                            | 359938   | Ref. No. —             |
| borosilicate glass L 115mm W 69mm                                                                |                                                                    |          |                        |

|  |                                                                    |          |                        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|----------|------------------------|
| 1                                                                                   |                                                                    |          |                        |
| GEV No.                                                                             | 359698                                                             | Ref. No. | C2272-01<br>RRC2104-01 |
| description                                                                         | lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm |          |                        |
| spare parts for                                                                     | 359698                                                             |          |                        |
|  | GEV No.                                                            | 358119   | Ref. No. —             |
| frame L 118mm W 72mm mounting distance 143mm for bulb socket                        |                                                                    |          |                        |
|  | GEV No.                                                            | 358122   | Ref. No. —             |
| gasket L 112mm W 68mm silicone thickness 3mm for bulb socket                        |                                                                    |          |                        |
|  | GEV No.                                                            | 358123   | Ref. No. —             |
| lamp glass L 112mm W 68mm                                                           |                                                                    |          |                        |

| spare parts for                                                                                  | 359698  |        |            |
|--------------------------------------------------------------------------------------------------|---------|--------|------------|
|                 | GEV No. | 359612 | Ref. No. — |
| light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips |         |        |            |
|                 | GEV No. | 359714 | Ref. No. — |
| gasket silicone L 140mm W 75mm for bulb socket                                                   |         |        |            |
|                 | GEV No. | 359715 | Ref. No. — |
| lamp glass L 110mm W 65mm thickness 5mm                                                          |         |        |            |
|                 | GEV No. | 359716 | Ref. No. — |
| frame for bulb socket                                                                            |         |        |            |
| accessories for                                                                                  | 359698  |        |            |
|                 | GEV No. | 359612 | Ref. No. — |
| light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips |         |        |            |
|                 | GEV No. | 359938 | Ref. No. — |
| borosilicate glass L 115mm W 69mm                                                                |         |        |            |

lamps

light bulbs



1

|                    |                                                                                                  |                 |          |
|--------------------|--------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 359610                                                                                           | <b>Ref. No.</b> | 66304500 |
| <b>description</b> | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |                 |          |
| <b>For models:</b> | 60/60CFE, 60/60CFG, 60/60CFGE                                                                    |                 |          |



1

|                    |                                                                                     |                 |                          |
|--------------------|-------------------------------------------------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>     | 357153                                                                              | <b>Ref. No.</b> | 999.22.000<br>RRC2104-03 |
| <b>description</b> | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type |                 |                          |

## timers

### programme timers



1

|                    |                                                                                                |                 |            |
|--------------------|------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 360528                                                                                         | <b>Ref. No.</b> | 561.035.00 |
| <b>description</b> | timer CDC 11902F3 engines 1 chambers 2 operation time 450s 230V motor type M48L ATS voltage AC |                 |            |

### electric timers

#### with time spread



1

|                    |                                                                                                                                                                                                                                |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 350074                                                                                                                                                                                                                         | <b>Ref. No.</b> | RRC5365-00 |
| <b>description</b> | timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower |                 |            |

### mechanical timers



1

|                                                                                     |                                                                                                                                                                   |                 |                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 350186                                                                                                                                                            | <b>Ref. No.</b> | 561.041.00        |
| <b>description</b>                                                                  | timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm |                 |                   |
| <b>accessories for</b>                                                              | 350186                                                                                                                                                            |                 |                   |
|  | <b>GEV No.</b>                                                                                                                                                    | 112627          | <b>Ref. No.</b> — |
|                                                                                     | knob time 120min ø 58mm shaft ø 6x4.6mm shaft flat lower                                                                                                          |                 |                   |

### audible timers




1

|                    |                                                                                               |                 |            |
|--------------------|-----------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 350036                                                                                        | <b>Ref. No.</b> | RRC2191-00 |
| <b>description</b> | audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm |                 |            |

## alarm devices

### buzzer boards



1

|                    |                                               |                 |            |
|--------------------|-----------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 350076                                        | <b>Ref. No.</b> | 256.052.00 |
| <b>description</b> | buzzer board 12V connection male faston 6.3mm |                 |            |

## contactors

### ABB

#### power contactors



1

|                    |                                                                                                                                               |                 |            |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 380092                                                                                                                                        | <b>Ref. No.</b> | M560003900 |
| <b>description</b> | power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 4NO auxiliary contacts connection screw connection type B7-40-00 |                 |            |

### ISKRA (FANAL)

#### power contactors



1

|                    |                                                                                                                                                                          |                 |                          |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>     | 380547                                                                                                                                                                   | <b>Ref. No.</b> | 461.021.00<br>461.051.00 |
| <b>description</b> | power contactor resistive load 20A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal DSL3 01 type ISKRA K03M 01 |                 |                          |

## LOVATO

## power contactors



1

|                    |                                                                                                                                                      |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 380087                                                                                                                                               | <b>Ref. No.</b> | 66106600 |
| <b>description</b> | power contactor resistive load 16A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0610A230 |                 |          |
| <b>For models:</b> | 70/70BRE, 70/70BREM                                                                                                                                  |                 |          |



1

|                    |                                                                                                                                                    |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 380704                                                                                                                                             | <b>Ref. No.</b> | 66101700 |
| <b>description</b> | power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG0901A230 |                 |          |

## relays

## power relays

## with bracket mounting



1

|                    |                                                                                                              |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 380808                                                                                                       | <b>Ref. No.</b> | 461.063.00 |
| <b>description</b> | power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm bracket mounting manuf. no. 62.83.8.230.0000 |                 |            |

## relay sockets



1

|                    |                                                                            |                 |            |
|--------------------|----------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 380638                                                                     | <b>Ref. No.</b> | 961.037.00 |
| <b>description</b> | relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26 |                 |            |

## probes

## universal probes

## temperature probes



1

|                    |                                                                                                                               |                 |         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 379222 <sup>1</sup>                                                                                                           | <b>Ref. No.</b> | 6000083 |
| <b>description</b> | temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø4x110mm cable length 1.4m 3-wire |                 |         |

<sup>1</sup>3-wire

1

|                                                                                   |                                                                                                                                                                                                                                                                    |                 |                 |   |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|---|
| <b>GEV No.</b>                                                                    | 379051                                                                                                                                                                                                                                                             | <b>Ref. No.</b> | 561.044.00      |   |
| <b>description</b>                                                                | temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire                                                                      |                 |                 |   |
| <b>accessories for</b>                                                            | 379051                                                                                                                                                                                                                                                             |                 |                 |   |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                     | 379877          | <b>Ref. No.</b> | — |
|                                                                                   | electronic controller HONEYWELL type DC10N-400 mounting measurements 92x92mm 24/230V voltage AC TC (J) relay outputs 1 CO-10A(6) TC (J) universal built-in depth 55mm protection IP54 accuracy 1% built-in version defr. funct. no 0 up to +400°C display 3 digits |                 |                 |   |

## producer-specific probes

## core probes



1

|                    |                                                                                                                                                                                  |                 |            |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 379597                                                                                                                                                                           | <b>Ref. No.</b> | RRC2209-22 |
| <b>description</b> | core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread cable length 1.7m handle ø 10mm handle length 80mm |                 |            |

## electronics

## PCBs



1

|                    |                                               |                 |            |
|--------------------|-----------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 350076                                        | <b>Ref. No.</b> | 256.052.00 |
| <b>description</b> | buzzer board 12V connection male faston 6.3mm |                 |            |

## solenoid valves

### solenoid valves (water)

#### ELBI

##### straight



1

| GEV No.                                                                             | 373021                                                                                      | Ref. No. | 462.002.00 |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------|------------|
| description                                                                         | solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm output 1x 4.7l/min DN10 ELBI |          |            |
| spare parts for                                                                     | 373021                                                                                      |          |            |
|    | GEV No.                                                                                     | 370467   | Ref. No. — |
| solenoid valve filter suitable for ELBI                                             |                                                                                             |          |            |
|    | GEV No.                                                                                     | 371263   | Ref. No. — |
| reducer ELBI flow rate 4.7l/min pressure range 0 up to 10bar tolerance ±15/25% grey |                                                                                             |          |            |



1

| GEV No.                                                                             | 373017                                                                   | Ref. No. | 462.000.00<br>462.010.00 |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------|--------------------------|
| description                                                                         | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI |          |                          |
| spare parts for                                                                     | 373017                                                                   |          |                          |
|  | GEV No.                                                                  | 370467   | Ref. No. —               |
| solenoid valve filter suitable for ELBI                                             |                                                                          |          |                          |



1

| GEV No.                                                                             | 373025                                                                   | Ref. No. | 462.004.00 |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------|------------|
| description                                                                         | solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI |          |            |
| spare parts for                                                                     | 373025                                                                   |          |            |
|  | GEV No.                                                                  | 370467   | Ref. No. — |
| solenoid valve filter suitable for ELBI                                             |                                                                          |          |            |



1

| GEV No.     | 370357                                                                                                     | Ref. No. | 61115000 |
|-------------|------------------------------------------------------------------------------------------------------------|----------|----------|
| description | solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm plastic flow regulating valve outlet A 0.25 |          |          |
| For models: | 65/70GRG                                                                                                   |          |          |

#### spare parts and accessories

##### reducers

##### inlet side



1

| GEV No.     | 371065                                                                                                 | Ref. No. | 471.002.00 |
|-------------|--------------------------------------------------------------------------------------------------------|----------|------------|
| description | reducer ELBI type EATON (INVENSYS) flow rate 12l/min pressure range 0 up to 10bar tolerance ±15% brown |          |            |

## fans

### axial fans

#### ebm-papst



1

| GEV No.                                                                                            | 601030 <sup>1</sup>                                                                                                                                                      | Ref. No. | 6033175    |
|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                                        | axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C |          |            |
| accessories for                                                                                    | 601030                                                                                                                                                                   |          |            |
|                 | GEV No.                                                                                                                                                                  | 550898   | Ref. No. — |
| connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan |                                                                                                                                                                          |          |            |
|                 | GEV No.                                                                                                                                                                  | 692497   | Ref. No. — |
| guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm                                   |                                                                                                                                                                          |          |            |


<sup>1</sup>with ball bearings

## hot air motors




1

|                    |                                                                                                                                         |                 |          |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 602014                                                                                                                                  | <b>Ref. No.</b> | 56403914 |
| <b>description</b> | fan motor 208-240V 1 phase 50/60Hz 0.19-0.26/0.34-0.35kW<br>2800/3450rpm speeds 2 L1 98mm L2 33mm D1 ø 8mm M5 1-1.2/1.7-1.5A type MFA80 |                 |          |

1

|                                                                                     |                                                                                                                                                                                                                          |                 |                   |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 500640                                                                                                                                                                                                                   | <b>Ref. No.</b> | 6032122           |
| <b>description</b>                                                                  | fan motor 220-240V 1 phase 50Hz 0.05/0.25HP 1400/2700rpm<br>speeds 2 L1 145mm L2 65mm L3 35mm D1 ø 15mm D2 ø 12mm<br>M10L ET 1.1/0.55A suitable capacitor 12.5µF/450V at 50Hz<br>1400/2700rpm type 2758D2253 no. 6032122 |                 |                   |
| <b>spare parts for</b>                                                              | 500640                                                                                                                                                                                                                   |                 |                   |
|  | <b>GEV No.</b>                                                                                                                                                                                                           | 560280          | <b>Ref. No.</b> — |
|                                                                                     | nut thread M10L H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673<br>Qty 1 pcs                                                                                                                                              |                 |                   |

1

|                    |                                                                                                                                                                       |                 |                        |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------|
| <b>GEV No.</b>     | 500630                                                                                                                                                                | <b>Ref. No.</b> | C2901-00<br>RRC2901-00 |
| <b>description</b> | fan motor 230/400V 3 phase 50Hz 0.37kW 2600rpm speeds 1 L1<br>175mm L2 50mm L3 28mm D1 ø 17mm D2 ø 12mm M8R IT 1.1/1.9A<br>Cos(φ) 0.75 at 50Hz 2600rpm type 1020.5450 |                 |                        |



1

|                                                                                   |                                                                                                                                                                       |                 |                      |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>                                                                    | 601178                                                                                                                                                                | <b>Ref. No.</b> | 66400000<br>66403400 |
| <b>description</b>                                                                | fan motor 230V 1 phase 50Hz 0.12kW 1400rpm speeds 1 L1 120mm<br>L2 77mm D1 ø 12mm 1.1A suitable capacitor at 50Hz 230V type<br>MA71TYP01DX                            |                 |                      |
| <b>For models:</b>                                                                | 65/110CFGE, 65/70CFE, 65/80BFE, 65/80TFE, 70/110CFGE, 70/70CFE,<br>70/70CFEQ, 70/70CFGE, 70/70CFVE                                                                    |                 |                      |
| <b>spare parts for</b>                                                            | 601178                                                                                                                                                                |                 |                      |
|  | <b>GEV No.</b>                                                                                                                                                        | 365013          | <b>Ref. No.</b> —    |
|                                                                                   | operating capacitor capacity 8µF 400V tolerance 5%Hz ambient tem-<br>perature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection<br>male faston 6.3mm protection |                 |                      |



1

|                                                                                     |                                                                                                                                                                                  |                 |                   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 601993                                                                                                                                                                           | <b>Ref. No.</b> | 564.039.00        |
| <b>description</b>                                                                  | fan motor 230V 1 phase 50Hz 0.18/0.12kW 2800rpm speeds 1 L1<br>85mm L2 65mm L3 23mm D1 ø 8mm D2 ø 6mm M5x0.8 0.8A suitable<br>capacitor 5µF/450V                                 |                 |                   |
| <b>accessories for</b>                                                              | 601993                                                                                                                                                                           |                 |                   |
|  | <b>GEV No.</b>                                                                                                                                                                   | 365017          | <b>Ref. No.</b> — |
|                                                                                     | operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz<br>ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic<br>connection male faston 6.3mm 16.10.08 protection |                 |                   |



1


|                    |                                                                       |                 |            |
|--------------------|-----------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 601819                                                                | <b>Ref. No.</b> | 644.000.00 |
| <b>description</b> | fan wheel D1 ø 160mm H1 60mm blades 36 D2 ø 12mm D3 ø 12mm<br>H2 23mm |                 |            |

## hot air fans

### miscellaneous




1



| GEV No.                                                                             | 601699                                                                                                                               | Ref. No. | 66402500   |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b>                                                                  | hot air fan 220/240V 30W 50/60Hz L1 57mm L2 13mm L3 25mm L4 87mm fan wheel ø 150mm IMS type 7100VRD150H2023 fan wheel mounting 6x5mm |          |            |
| <b>For models:</b>                                                                  | 60/60CFE, 60/60CFGE                                                                                                                  |          |            |
| <b>spare parts for</b>                                                              | 601699                                                                                                                               |          |            |
|  | GEV No.                                                                                                                              | 601441   | Ref. No. — |
|                                                                                     | fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7                                                               |          |            |
| <b>accessories for</b>                                                              | 601699                                                                                                                               |          |            |
|  | GEV No.                                                                                                                              | 601441   | Ref. No. — |
|                                                                                     | fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7                                                               |          |            |



1



| GEV No.            | 601273                                                                                                      | Ref. No. | M569010100 |
|--------------------|-------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b> | hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 155mm FIME type C20X0E01/15CLH |          |            |

## condensators & interference suppression filters

### operating capacitors

#### plastic



1

| GEV No.            | 365014                                                                                                                                                                       | Ref. No. | 464.016.00 |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b> | operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection |          |            |



1

| GEV No.            | 365021                                                                                                                                                                              | Ref. No. | 464.110.00 |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b> | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection |          |            |



1

| GEV No.            | 365019                                                                                                                                                                         | Ref. No. | 464.029.00 |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b> | operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection |          |            |

### filters

#### interference suppression filters



1

| GEV No.            | 365044                                                                                                                                       | Ref. No. | 464.067.00<br>661.064.00 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|
| <b>description</b> | interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs |          |                          |

## electric accessories

## terminals

## connection terminals with screw/faston connections



1

|             |                                                                                                              |          |            |
|-------------|--------------------------------------------------------------------------------------------------------------|----------|------------|
| GEV No.     | 550278                                                                                                       | Ref. No. | M566050000 |
| description | power terminal block 3-pole max. 40A max 400V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² |          |            |



1

|             |                                                                                                              |          |            |
|-------------|--------------------------------------------------------------------------------------------------------------|----------|------------|
| GEV No.     | 550411                                                                                                       | Ref. No. | M566050500 |
| description | power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² |          |            |

## connection terminals with screw connection



1

|             |                                                                                    |          |          |
|-------------|------------------------------------------------------------------------------------|----------|----------|
| GEV No.     | 550507                                                                             | Ref. No. | 66303600 |
| description | power terminal block 4-pole max. 40A max 450V connection M6/M6 temp.-resist. 150°C |          |          |

## gas thermostats

## PEL

## 25ST series



1

|                                                      |                                                                                                                                                                                                                                                                                       |          |                      |
|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|
| GEV No.                                              | 101172                                                                                                                                                                                                                                                                                | Ref. No. | 67103400<br>67108100 |
| description                                          | gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper |          |                      |
| For models:                                          | 60/30FTG-CR, 60/30FTRG-CR, 60/60FTG-CR, 60/60FTRG-CR, 60/60FTRRG-CR, 70/70FTG-CR, 70/70FTRG-CR, 70/70FTRRG-CR                                                                                                                                                                         |          |                      |
| spare parts for                                      | 101172                                                                                                                                                                                                                                                                                |          |                      |
|                                                      | GEV No.                                                                                                                                                                                                                                                                               | 100259   | Ref. No. —           |
| bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5 |                                                                                                                                                                                                                                                                                       |          |                      |

|                                                                                     |         |        |                   |
|-------------------------------------------------------------------------------------|---------|--------|-------------------|
| spare parts for                                                                     | 101172  |        |                   |
|                                                                                     | GEV No. | 101060 | Ref. No. —        |
| magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA |         |        |                   |
|                                                                                     | GEV No. | 106200 | Ref. No. —        |
| nut thread M9x1 suitable for PEL 24/25S                                             |         |        |                   |
| accessories for                                                                     | 101172  |        |                   |
|                                                                                     | GEV No. | 100908 | Ref. No. 67301300 |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                   |         |        |                   |
|                                                                                     | GEV No. | 100909 | Ref. No. —        |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                   |         |        |                   |
|                                                                                     | GEV No. | 101246 | Ref. No. 67300400 |
| olive for pipe ø 4mm Qty 1 pcs                                                      |         |        |                   |
|                                                                                     | GEV No. | 101278 | Ref. No. 67300100 |
| olive for pipe ø 10mm Qty 1 pcs                                                     |         |        |                   |
|                                                                                     | GEV No. | 101286 | Ref. No. —        |
| olive ID ø 6mm Qty 1 pcs                                                            |         |        |                   |
|                                                                                     | GEV No. | 101300 | Ref. No. —        |
| union nut thread M16x1.5 tube ø 10mm                                                |         |        |                   |
|                                                                                     | GEV No. | 101450 | Ref. No. —        |
| olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm                                   |         |        |                   |
|                                                                                     | GEV No. | 101451 | Ref. No. —        |
| union nut thread M16x1.5 tube ø 8mm                                                 |         |        |                   |
|                                                                                     | GEV No. | 110079 | Ref. No. —        |
| knob dial plate gas thermostat 1-8 silver                                           |         |        |                   |
|                                                                                     | GEV No. | 110081 | Ref. No. —        |
| knob ø 70mm shaft ø 8x6.5mm shaft flat universal                                    |         |        |                   |




## gas valves and ignition boxes

## gas control valves

SIT

NOVASIT



1

| GEV No.                                                                                                                                   | 101162                                                                                                                                                                                                                                   | Ref. No. | RMC222500           |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description                                                                                                                               | gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010 |          |                     |
| spare parts for                                                                                                                           | 101162                                                                                                                                                                                                                                   |          |                     |
|                                                          | GEV No.                                                                                                                                                                                                                                  | 101065   | Ref. No. —          |
| magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT                                                                    |                                                                                                                                                                                                                                          |          |                     |
|                                                          | GEV No.                                                                                                                                                                                                                                  | 101313   | Ref. No. —          |
| solenoid coil 230V 50Hz                                                                                                                   |                                                                                                                                                                                                                                          |          |                     |
| accessories for                                                                                                                           | 101162                                                                                                                                                                                                                                   |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 100006   | Ref. No. —          |
| piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm                                               |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101305   | Ref. No. —          |
| gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm                   |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101306   | Ref. No. —          |
| gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL   |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101307   | Ref. No. —          |
| gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101308   | Ref. No. —          |
| gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL   |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101312   | Ref. No. 968.501.00 |
| microswitch                                                                                                                               |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101314   | Ref. No. —          |
| solenoid coil 24V 50Hz                                                                                                                    |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101317   | Ref. No. —          |
| plug with cable L 1000mm suitable for NOVASIT                                                                                             |                                                                                                                                                                                                                                          |          |                     |
|                                                        | GEV No.                                                                                                                                                                                                                                  | 101318   | Ref. No. —          |
| cover cap for solenoid coil suitable for NOVASIT                                                                                          |                                                                                                                                                                                                                                          |          |                     |



1

| GEV No.                                                                                                                                   | 101908                                                                                                                                                                                                                                                                                                             | Ref. No. | 256.331.00<br>256.335.00 |
|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|
| description                                                                                                                               | gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.018 output pilot burner M10x1 input pressure max. 60bar setting range 3-30bar |          |                          |
| spare parts for                                                                                                                           | 101908                                                                                                                                                                                                                                                                                                             |          |                          |
|                                                          | GEV No.                                                                                                                                                                                                                                                                                                            | 101065   | Ref. No. —               |
| magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT                                                                    |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                          | GEV No.                                                                                                                                                                                                                                                                                                            | 101313   | Ref. No. —               |
| solenoid coil 230V 50Hz                                                                                                                   |                                                                                                                                                                                                                                                                                                                    |          |                          |
| accessories for                                                                                                                           | 101908                                                                                                                                                                                                                                                                                                             |          |                          |
|                                                          | GEV No.                                                                                                                                                                                                                                                                                                            | 100006   | Ref. No. —               |
| piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm                                               |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101305   | Ref. No. —               |
| gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm                   |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101306   | Ref. No. —               |
| gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL   |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101307   | Ref. No. —               |
| gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101308   | Ref. No. —               |
| gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL   |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101312   | Ref. No. 968.501.00      |
| microswitch                                                                                                                               |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101314   | Ref. No. —               |
| solenoid coil 24V 50Hz                                                                                                                    |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101317   | Ref. No. —               |
| plug with cable L 1000mm suitable for NOVASIT                                                                                             |                                                                                                                                                                                                                                                                                                                    |          |                          |
|                                                        | GEV No.                                                                                                                                                                                                                                                                                                            | 101318   | Ref. No. —               |
| cover cap for solenoid coil suitable for NOVASIT                                                                                          |                                                                                                                                                                                                                                                                                                                    |          |                          |



|                                                                                                                                                                                                                       |                                                                                                                                                                                                                                          |                 |                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|
|                                                                                                                                      |                                                                                                                                                                                                                                          |                 |                            |
| 1                                                                                                                                                                                                                     |                                                                                                                                                                                                                                          |                 |                            |
| <b>GEV No.</b>                                                                                                                                                                                                        | 101967                                                                                                                                                                                                                                   | <b>Ref. No.</b> | RRC5350-00                 |
| <b>description</b>                                                                                                                                                                                                    | gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection perforated equiv. no. 0.822.110 |                 |                            |
| <b>spare parts for</b>                                                                                                                                                                                                | 101967                                                                                                                                                                                                                                   |                 |                            |
|                                                                                                                                      | <b>GEV No.</b>                                                                                                                                                                                                                           | 101313          | <b>Ref. No.</b> —          |
| solenoid coil 230V 50Hz                                                                                                                                                                                               |                                                                                                                                                                                                                                          |                 |                            |
|                                                                                                                                      | <b>GEV No.</b>                                                                                                                                                                                                                           | 101542          | <b>Ref. No.</b> —          |
| solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V                                                                                                                                                         |                                                                                                                                                                                                                                          |                 |                            |
| <b>accessories for</b>                                                                                                                                                                                                | 101967                                                                                                                                                                                                                                   |                 |                            |
|                                                                                                                                      | <b>GEV No.</b>                                                                                                                                                                                                                           | 100904          | <b>Ref. No.</b> 671.011.00 |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs                                                                                                                                                                          |                                                                                                                                                                                                                                          |                 |                            |
|                                                                                                                                     | <b>GEV No.</b>                                                                                                                                                                                                                           | 100905          | <b>Ref. No.</b> —          |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs                                                                                                                                                                          |                                                                                                                                                                                                                                          |                 |                            |
|  | <b>GEV No.</b>                                                                                                                                                                                                                           | 101305          | <b>Ref. No.</b> —          |
| gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm                                                                                                |                                                                                                                                                                                                                                          |                 |                            |
|                           | <b>GEV No.</b>                                                                                                                                                                                                                           | 101306          | <b>Ref. No.</b> —          |
| gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL                                                                                |                                                                                                                                                                                                                                          |                 |                            |
|                           | <b>GEV No.</b>                                                                                                                                                                                                                           | 101307          | <b>Ref. No.</b> —          |
| gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL                                                                              |                                                                                                                                                                                                                                          |                 |                            |
|                           | <b>GEV No.</b>                                                                                                                                                                                                                           | 101308          | <b>Ref. No.</b> —          |
| gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL                                                                                |                                                                                                                                                                                                                                          |                 |                            |
|                                                                                                                                    | <b>GEV No.</b>                                                                                                                                                                                                                           | 101503          | <b>Ref. No.</b> —          |
| O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs                                                                                                                                                                         |                                                                                                                                                                                                                                          |                 |                            |
|                                                                                                                                    | <b>GEV No.</b>                                                                                                                                                                                                                           | 101924          | <b>Ref. No.</b> —          |
| plug with cable L 1090mm suitable for NOVA 822/826/827                                                                                                                                                                |                                                                                                                                                                                                                                          |                 |                            |

## accessories

|                                                                                     |             |                 |            |
|-------------------------------------------------------------------------------------|-------------|-----------------|------------|
|  |             |                 |            |
| 1                                                                                   |             |                 |            |
| <b>GEV No.</b>                                                                      | 101312      | <b>Ref. No.</b> | 968.501.00 |
| <b>description</b>                                                                  | microswitch |                 |            |

## ignition boxes

### SIT



1

|                    |                                                                                                                  |                 |            |
|--------------------|------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 102346                                                                                                           | <b>Ref. No.</b> | 572.015.00 |
| <b>description</b> | ignition box SIT type 577DBC electrodes 2 waiting time 1.5s safety time 6s 220/240V 20VA 50/60Hz protection IP40 |                 |            |

## miscellaneous



1

|                    |              |                 |            |
|--------------------|--------------|-----------------|------------|
| <b>GEV No.</b>     | 401171       | <b>Ref. No.</b> | 999.23.033 |
| <b>description</b> | ignition box |                 |            |

## ignition parts

### pilot burners

### SIT

#### 100 series



1

|                                                                                     |                                                                             |                 |                            |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|----------------------------|
| <b>GEV No.</b>                                                                      | 106902                                                                      | <b>Ref. No.</b> | 67206900                   |
| <b>description</b>                                                                  | pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm |                 |                            |
| <b>For models:</b>                                                                  | 65/110TPFG, 65/70TPFG, 65/70TPG, 70/110TPFG, 70/70TPFG, 70/70TPG            |                 |                            |
| <b>spare parts for</b>                                                              | 106902                                                                      |                 |                            |
|  | <b>GEV No.</b>                                                              | 100245          | <b>Ref. No.</b> —          |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75               |                                                                             |                 |                            |
|  | <b>GEV No.</b>                                                              | 100842          | <b>Ref. No.</b> —          |
| pilot burner cap 2 flames Qty 1 pcs                                                 |                                                                             |                 |                            |
|  | <b>GEV No.</b>                                                              | 100885          | <b>Ref. No.</b> 972.031.00 |
| air mixing sleeve for pilot burner Qty 1 pcs                                        |                                                                             |                 |                            |
|  | <b>GEV No.</b>                                                              | 100916          | <b>Ref. No.</b> —          |
| compression spring for pilot burner Qty 1 pcs                                       |                                                                             |                 |                            |

Table continues overleaf



|                                                                                     |         |        |          |                        |
|-------------------------------------------------------------------------------------|---------|--------|----------|------------------------|
| <b>spare parts for</b> 106902                                                       |         |        |          |                        |
|    | GEV No. | 100917 | Ref. No. | —                      |
| gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm    |         |        |          |                        |
|    | GEV No. | 100918 | Ref. No. | —                      |
| screw for pilot burner                                                              |         |        |          |                        |
|    | GEV No. | 107161 | Ref. No. | —                      |
| pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs                                     |         |        |          |                        |
|    | GEV No. | 107701 | Ref. No. | 672.094.00<br>97202900 |
| pilot burner bottom part SIT 100 series nozzle ø 0.2mm                              |         |        |          |                        |
| <b>accessories for</b> 106902                                                       |         |        |          |                        |
|    | GEV No. | 100246 | Ref. No. | 672.059.00             |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75              |         |        |          |                        |
|    | GEV No. | 100904 | Ref. No. | 671.011.00             |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs                                        |         |        |          |                        |
|    | GEV No. | 100905 | Ref. No. | —                      |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs                                        |         |        |          |                        |
|    | GEV No. | 102110 | Ref. No. | 97514000               |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                 |         |        |          |                        |
|   | GEV No. | 102111 | Ref. No. | —                      |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                 |         |        |          |                        |
|  | GEV No. | 107171 | Ref. No. | 672.058.00             |
| pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs                  |         |        |          |                        |
|  | GEV No. | 107700 | Ref. No. | —                      |
| pilot burner bottom part SIT 100 series nozzle ø 0.25mm                             |         |        |          |                        |
|  | GEV No. | 107702 | Ref. No. | —                      |
| pilot burner bottom part SIT 100 series nozzle ø 0.35mm                             |         |        |          |                        |

1

| GEV No.                                                                             | 106907                                                                       | Ref. No. | 67205700 |            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------|----------|------------|
| description                                                                         | pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm |          |          |            |
| spare parts for                                                                     | 106907                                                                       |          |          |            |
|  | GEV No.                                                                      | 100246   | Ref. No. | 672.059.00 |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75              |                                                                              |          |          |            |
|  | GEV No.                                                                      | 100855   | Ref. No. | —          |
| pilot burner bracket triple                                                         |                                                                              |          |          |            |
|  | GEV No.                                                                      | 100885   | Ref. No. | 972.031.00 |
| air mixing sleeve for pilot burner Qty 1 pcs                                        |                                                                              |          |          |            |
|  | GEV No.                                                                      | 100916   | Ref. No. | —          |
| compression spring for pilot burner Qty 1 pcs                                       |                                                                              |          |          |            |

|                                                                                     |         |        |          |                        |
|-------------------------------------------------------------------------------------|---------|--------|----------|------------------------|
| <b>spare parts for</b> 106907                                                       |         |        |          |                        |
|    | GEV No. | 100917 | Ref. No. | —                      |
| gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm    |         |        |          |                        |
|    | GEV No. | 100918 | Ref. No. | —                      |
| screw for pilot burner                                                              |         |        |          |                        |
|    | GEV No. | 107162 | Ref. No. | —                      |
| pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs                                     |         |        |          |                        |
|    | GEV No. | 107702 | Ref. No. | —                      |
| pilot burner bottom part SIT 100 series nozzle ø 0.35mm                             |         |        |          |                        |
| <b>accessories for</b> 106907                                                       |         |        |          |                        |
|    | GEV No. | 100245 | Ref. No. | —                      |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75               |         |        |          |                        |
|    | GEV No. | 100904 | Ref. No. | 671.011.00             |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs                                        |         |        |          |                        |
|    | GEV No. | 100905 | Ref. No. | —                      |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs                                        |         |        |          |                        |
|    | GEV No. | 102110 | Ref. No. | 97514000               |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                 |         |        |          |                        |
|   | GEV No. | 102111 | Ref. No. | —                      |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                 |         |        |          |                        |
|  | GEV No. | 107171 | Ref. No. | 672.058.00             |
| pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs                  |         |        |          |                        |
|  | GEV No. | 107700 | Ref. No. | —                      |
| pilot burner bottom part SIT 100 series nozzle ø 0.25mm                             |         |        |          |                        |
|  | GEV No. | 107701 | Ref. No. | 672.094.00<br>97202900 |
| pilot burner bottom part SIT 100 series nozzle ø 0.2mm                              |         |        |          |                        |

accessories

pilot burner bottom parts



1

|                                                                                     |                                                        |          |                        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------|----------|------------------------|
| GEV No.                                                                             | 107701                                                 | Ref. No. | 672.094.00<br>97202900 |
| description                                                                         | pilot burner bottom part SIT 100 series nozzle ø 0.2mm |          |                        |
| spare parts for                                                                     | 107701                                                 |          |                        |
|  | GEV No.                                                | 100245   | Ref. No. —             |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75               |                                                        |          |                        |
|  | GEV No.                                                | 100916   | Ref. No. —             |
| compression spring for pilot burner Qty 1 pcs                                       |                                                        |          |                        |


Table continues overleaf

|                                                                                   |         |        |          |            |
|-----------------------------------------------------------------------------------|---------|--------|----------|------------|
| <b>spare parts for</b> 107701                                                     |         |        |          |            |
|  | GEV No. | 100917 | Ref. No. | —          |
| gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm  |         |        |          |            |
|  | GEV No. | 100918 | Ref. No. | —          |
| screw for pilot burner                                                            |         |        |          |            |
| <b>accessories for</b> 107701                                                     |         |        |          |            |
|  | GEV No. | 100246 | Ref. No. | 672.059.00 |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75            |         |        |          |            |
|  | GEV No. | 100904 | Ref. No. | 671.011.00 |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs                                      |         |        |          |            |
|  | GEV No. | 100905 | Ref. No. | —          |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs                                      |         |        |          |            |
|  | GEV No. | 102110 | Ref. No. | 97514000   |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                               |         |        |          |            |
|  | GEV No. | 102111 | Ref. No. | —          |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                               |         |        |          |            |
|  | GEV No. | 102742 | Ref. No. | 67434600   |
| pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs                           |         |        |          |            |

### pilot burner nozzles

|                                                                                                            |                                                                        |          |            |  |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------|------------|--|
| <div><div>1</div></div> |                                                                        |          |            |  |
| GEV No.                                                                                                    | 100246                                                                 | Ref. No. | 672.059.00 |  |
| description                                                                                                | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 |          |            |  |

### ignition electrodes

|                                                                                     |                                                                  |                 |          |  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------|----------|--|
|  |                                                                  |                 |          |  |
| <b>GEV No.</b>                                                                      | 100706                                                           | <b>Ref. No.</b> | 67206000 |  |
| <b>description</b>                                                                  | ignition electrode connection M4 Qty 1 pcs                       |                 |          |  |
| <b>For models:</b>                                                                  | 65/110TPFG, 65/70TPFG, 65/70TPG, 70/110TPFG, 70/70TPFG, 70/70TPG |                 |          |  |

### miscellaneous

|                                                                                              |        |          |            |
|----------------------------------------------------------------------------------------------|--------|----------|------------|
| <div></div> |        |          |            |
| 1                                                                                            |        |          |            |
| GEV No.                                                                                      | 100885 | Ref. No. | 972.031.00 |
| description air mixing sleeve for pilot burner Qty 1 pcs                                     |        |          |            |

### 140 - 145 -150 series



1

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                        |                                                    |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------|----------------------------------------------------|
| <b>GEV No.</b>                                                                      | 107836                                                                                                                                                                                                                                                                                                                                                                                               | <b>Ref. No.</b> | 672.173.00<br>67201300 |                                                    |
| <b>description</b>                                                                  | pilot burner SIT type 140 series 2 flames nozzle ø 0.40/0.38mm complete                                                                                                                                                                                                                                                                                                                              |                 |                        |                                                    |
| <b>For models:</b>                                                                  | 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRRG, 60/60FTRRG-CR, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/70FTG, 65/70FTRG, 65/70GRL, 70/40CPG, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70BRG, 70/70BRGM, 70/70CPG, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PGI |                 |                        |                                                    |
| <b>spare parts for</b>                                                              | 107836                                                                                                                                                                                                                                                                                                                                                                                               |                 |                        |                                                    |
|   | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 100207          | <b>Ref. No.</b>        | 674.091.00                                         |
|                                                                                     | pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series                                                                                                                                                                                                                                                                                                           |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 100701          | <b>Ref. No.</b>        | 256.017.00<br>256.060.00<br>67201500<br>672.028.00 |
|                                                                                     | ignition electrode connection M4 Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                           |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 100897          | <b>Ref. No.</b>        | 67300300                                           |
|                                                                                     | olive for pipe ø 4mm Qty 1 pcs for pilot burner                                                                                                                                                                                                                                                                                                                                                      |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 100906          | <b>Ref. No.</b>        | 67301400                                           |
|                                                                                     | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10                                                                                                                                                                                                                                                                                                                           |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 100909          | <b>Ref. No.</b>        | —                                                  |
|                                                                                     | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                    |                 |                        |                                                    |
| <b>accessories for</b>                                                              | 107836                                                                                                                                                                                                                                                                                                                                                                                               |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 100801          | <b>Ref. No.</b>        | —                                                  |
|                                                                                     | gasket for pilot burner Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                    |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 102110          | <b>Ref. No.</b>        | 97514000                                           |
|                                                                                     | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                                                                                                                                                                                                                                                                                                                                  |                 |                        |                                                    |
|  | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                       | 102111          | <b>Ref. No.</b>        | —                                                  |
|                                                                                     | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                                                                                                                                                                                                                                                                                                                                  |                 |                        |                                                    |



|                                                                                                      |                                                                       |                 |                                                                     |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------|---------------------------------------------------------------------|
|                     |                                                                       |                 |                                                                     |
| <b>GEV No.</b>                                                                                       | 107114 <sup>1</sup>                                                   | <b>Ref. No.</b> | 67201400                                                            |
| <b>description</b>                                                                                   | pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm |                 |                                                                     |
| <b>spare parts for</b>                                                                               | 107114                                                                |                 |                                                                     |
|                     | <b>GEV No.</b>                                                        | 100907          | <b>Ref. No.</b> —                                                   |
| screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple                              |                                                                       |                 |                                                                     |
| <b>accessories for</b>                                                                               | 107114                                                                |                 |                                                                     |
|                     | <b>GEV No.</b>                                                        | 100204          | <b>Ref. No.</b> —                                                   |
| pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series             |                                                                       |                 |                                                                     |
|                     | <b>GEV No.</b>                                                        | 100205          | <b>Ref. No.</b> 67400100                                            |
| pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for 140 series             |                                                                       |                 |                                                                     |
|                     | <b>GEV No.</b>                                                        | 100206          | <b>Ref. No.</b> 67400000                                            |
| pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series |                                                                       |                 |                                                                     |
|                     | <b>GEV No.</b>                                                        | 100207          | <b>Ref. No.</b> 674.091.00                                          |
| pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series           |                                                                       |                 |                                                                     |
|                    | <b>GEV No.</b>                                                        | 100216          | <b>Ref. No.</b> —                                                   |
| pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series      |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100701          | <b>Ref. No.</b> 256.017.00<br>256..060.00<br>67201500<br>672.028.00 |
| ignition electrode connection M4 Qty 1 pcs                                                           |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100801          | <b>Ref. No.</b> —                                                   |
| gasket for pilot burner Qty 1 pcs                                                                    |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100897          | <b>Ref. No.</b> 67300300                                            |
| olive for pipe ø 4mm Qty 1 pcs for pilot burner                                                      |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100898          | <b>Ref. No.</b> —                                                   |
| olive for pipe ø 6mm Qty 1 pcs for pilot burner                                                      |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100906          | <b>Ref. No.</b> 67301400                                            |
| screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10                           |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100908          | <b>Ref. No.</b> 67301300                                            |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                                    |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 100909          | <b>Ref. No.</b> —                                                   |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                                    |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 102110          | <b>Ref. No.</b> 97514000                                            |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                                  |                                                                       |                 |                                                                     |
|                   | <b>GEV No.</b>                                                        | 102111          | <b>Ref. No.</b> —                                                   |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                                  |                                                                       |                 |                                                                     |

<sup>1</sup>incl. thermocouple fitting

## 160 series



|                                                                                           |                                                                       |                 |                                                                     |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------|---------------------------------------------------------------------|
| <b>GEV No.</b>                                                                            | 100056                                                                | <b>Ref. No.</b> | 672042<br>67204200                                                  |
| <b>description</b>                                                                        | pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm |                 |                                                                     |
| <b>For models:</b>                                                                        | 60/30FRG, 60/60FRG, 65/40FRG, 65/70FRG, 70/40FRG13, 70/70FRG13        |                 |                                                                     |
| <b>spare parts for</b>                                                                    | 100056                                                                |                 |                                                                     |
|          | <b>GEV No.</b>                                                        | 100907          | <b>Ref. No.</b> —                                                   |
| screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple                   |                                                                       |                 |                                                                     |
| <b>accessories for</b>                                                                    | 100056                                                                |                 |                                                                     |
|          | <b>GEV No.</b>                                                        | 100202          | <b>Ref. No.</b> —                                                   |
| pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm                         |                                                                       |                 |                                                                     |
|          | <b>GEV No.</b>                                                        | 100203          | <b>Ref. No.</b> —                                                   |
| pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm                                 |                                                                       |                 |                                                                     |
|          | <b>GEV No.</b>                                                        | 100701          | <b>Ref. No.</b> 256.017.00<br>256..060.00<br>67201500<br>672.028.00 |
| ignition electrode connection M4 Qty 1 pcs                                                |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 100801          | <b>Ref. No.</b> —                                                   |
| gasket for pilot burner Qty 1 pcs                                                         |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 100869          | <b>Ref. No.</b> —                                                   |
| pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 100870          | <b>Ref. No.</b> 673.007.00                                          |
| olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner                   |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 100906          | <b>Ref. No.</b> 67301400                                            |
| screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10                |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 100908          | <b>Ref. No.</b> 67301300                                            |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                         |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 100909          | <b>Ref. No.</b> —                                                   |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                         |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 101287          | <b>Ref. No.</b> —                                                   |
| olive for pipe ø 6mm Qty 1 pcs                                                            |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 102110          | <b>Ref. No.</b> 97514000                                            |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                       |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 102111          | <b>Ref. No.</b> —                                                   |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                       |                                                                       |                 |                                                                     |
|        | <b>GEV No.</b>                                                        | 107650          | <b>Ref. No.</b> 674052<br>674.052.00                                |
| pilot burner nozzle SIT LPG code 30 Qty 1 pcs                                             |                                                                       |                 |                                                                     |

## electrodes

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                     |          |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------|----------|
|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                     |          |
| <b>GEV No.</b>                                                             | 100701                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Ref. No.</b> | 256..060.00<br>256.017.00<br>672.028.00<br>67201500 |          |
| <b>description</b>                                                         | ignition electrode connection M4 Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                                   |                 |                                                     |          |
| <b>For models:</b>                                                         | 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/70FTG, 65/70FTRG, 65/70GRG, 65/70GRL, 70/40CPG, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70BRG, 70/70BRGM, 70/70CPG, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PGI |                 |                                                     |          |
| <b>accessories for</b>                                                     | 100701                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |                                                     |          |
|                                                                            | <b>GEV No.</b>                                                                                                                                                                                                                                                                                                                                                                                                               | 100906          | <b>Ref. No.</b>                                     | 67301400 |
| screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 |                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                     |          |

|                    |                                                                  |                 |          |
|--------------------|------------------------------------------------------------------|-----------------|----------|
|                    |                                                                  |                 |          |
| <b>GEV No.</b>     | 100706                                                           | <b>Ref. No.</b> | 67206000 |
| <b>description</b> | ignition electrode connection M4 Qty 1 pcs                       |                 |          |
| <b>For models:</b> | 65/110TPFG, 65/70TPFG, 65/70TPG, 70/110TPFG, 70/70TPFG, 70/70TPG |                 |          |

|                    |                                                                                                                                                       |                 |                          |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------|
|                    |                                                                                                                                                       |                 |                          |
| <b>GEV No.</b>     | 102315                                                                                                                                                | <b>Ref. No.</b> | 999.22.037<br>RRC2497-00 |
| <b>description</b> | ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 5mm BL1 30mm BL2 23mm connection F 2.8x0.8mm fixing dimensions ø5x4mm with flange |                 |                          |

|                    |                                                                                                                                                                    |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
|                    |                                                                                                                                                                    |                 |            |
| <b>GEV No.</b>     | 102316                                                                                                                                                             | <b>Ref. No.</b> | 999.22.036 |
| <b>description</b> | ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 5mm BL1 30mm BL2 24mm connection F 6.3 cable length 800mm fixing dimensions ø5x4mm with flange |                 |            |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |          |
| <b>GEV No.</b>     | 100906                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Ref. No.</b> | 67301400 |
| <b>description</b> | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10                                                                                                                                                                                                                                                                                                                                                                                 |                 |          |
| <b>For models:</b> | 60/30FRG, 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FRG, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRRG, 60/60FTRRG-CR, 65/40FRG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/70FRG, 65/70FTG, 65/70FTRG, 65/70GRG, 70/40CPG, 70/40FRG13, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70BRG, 70/70BRGM, 70/70CPG, 70/70FRG13, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PGI |                 |          |



## ignition cables

### pre-assembled cables



| GEV No.     | 100018                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Ref. No. | 66600100 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | ignition cable cable length 600mm connection $\varnothing 2.4\text{mm}$ / $\varnothing 4\text{mm}$ permanent temperature 200°C                                                                                                                                                                                                                                                                                                                                                                          |          |          |
| For models: | 60/30FRG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FRG, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 65/110TPFG, 65/40FRG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/70FRG, 65/70FTG, 65/70FTRG, 65/70GRG, 65/70GRL, 65/70TPFG, 65/70TPG, 70/110TPFG, 70/40CPG, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70CPG, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PGI, 70/70TPFG, 70/70TPG |          |          |



| GEV No.     | 100025                                                                         | Ref. No. | 66605100 |
|-------------|--------------------------------------------------------------------------------|----------|----------|
| description | ignition cable cable length 600mm connection $\varnothing 4\text{mm}$ / F6.3mm |          |          |
| For models: | 70/40FRG13, 70/70BRG, 70/70BRGM, 70/70FRG13                                    |          |          |



| GEV No.     | 100178                                                                           | Ref. No. | 66600000 |
|-------------|----------------------------------------------------------------------------------|----------|----------|
| description | ignition cable cable length 900mm connection F2.8mm / $\varnothing 2.4\text{mm}$ |          |          |
| For models: | 65/110CFG, 65/110CFGE, 65/110TPFG, 65/40PCG, 65/70CFG, 65/70PCG                  |          |          |


## piezoelectric igniters

### mounting diameter 22mm



| GEV No.         | 100013                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Ref. No. | 672.006.00 |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description     | piezoelectric igniter body plastic blowing mounting $\varnothing 22\text{mm}$ connection $\varnothing 2.4\text{mm}$ cable lengthmm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |          |            |
| For models:     | 60/30FRG, 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/30PCG, 60/60FRG, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 60/60PCG, 65/110CFG, 65/110CFGE, 65/110CFGG, 65/110TPFG, 65/40FRG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/40PCG, 65/70CFG, 65/70FRG, 65/70FTG, 65/70FTRG, 65/70GRG, 65/70GRL, 65/70PCG, 65/70TPFG, 65/70TPG, 70/110CFG, 70/110TPFG, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70CFG, 70/70CPG, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG...(Other models you can see in the webshop) |          |            |
| accessories for | 100013                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |            |
|                 | GEV No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 100023   | Ref. No.   |
|                 | female bullet size 2.3mm 0.5-1.5mm <sup>2</sup> CuZn t.max. 125°C Qty 20 pcs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |            |

## ignition units



| GEV No.     | 101012                                                                                                                       | Ref. No. | 96103000 |
|-------------|------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | ignition unit outputs 2 230VAC dimensions 48x32x32mm mounting distance 56mm inlet F2.8x0.8 outlet F2.8x0.8 type ZIG2 50-60Hz |          |          |



| GEV No.     | 101002                                                                                                                   | Ref. No. | 661.118.00 |
|-------------|--------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz |          |            |



| GEV No.     | 101023                                                                                                                              | Ref. No. | 66304200 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | ignition unit outputs 4 230VAC dimensions 111x28x34mm mounting distance 98mm inlet F6.3x0.8 outlet F2.8x0.8 type ZAG4 0.3VA 50-60Hz |          |          |
| For models: | 60/60CFG, 60/60CFGE                                                                                                                 |          |          |

| accessories for | 101023                                                                                                                                         |        |          |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|
|                 | GEV No.                                                                                                                                        | 103257 | Ref. No. |
|                 | ignition unit outputs 4 230VAC dimensions 111x28x34mm mounting distance 98mm inlet F6.3x0.8 outlet F2.8x0.8 type FZ4 set 6-piece 0.3VA 50-60Hz |        |          |


## thermocouples

### plug-in thermocouples

#### plug-in thermocouples standard

#### with barrel socket $\varnothing 6(6.5)\text{mm}$

#### thermocouples SIT



| GEV No.     | 107613                                                                         | Ref. No. | 672.154.00 |
|-------------|--------------------------------------------------------------------------------|----------|------------|
| description | thermocouple SIT M9x1 L 1200mm plug connection $\varnothing 6.0(6.5)\text{mm}$ |          |            |

|                    |                                                            |                 |                        |
|--------------------|------------------------------------------------------------|-----------------|------------------------|
|                    |                                                            |                 |                        |
| <b>GEV No.</b>     | 107614                                                     | <b>Ref. No.</b> | 672.179.00<br>67210400 |
| <b>description</b> | thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm |                 |                        |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------|
|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                      |
| <b>GEV No.</b>     | 107608                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Ref. No.</b> | 67200100<br>67202500 |
| <b>description</b> | thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                      |
| <b>For models:</b> | 60/30FTRG, 60/60FRG, 60/60FTG, 60/60FTG-CR, 60/60FTRG-CR, 60/60FTRRG-CR, 65/40FRG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/40PG-40P, 65/70FRG, 65/70FTG, 65/70FTRG, 65/70GRG, 65/70GRL, 65/70TPFG, 65/70TPG, 70/110CFG, 70/110CFGE, 70/110PCG, 70/110TPFG, 70/40CPG, 70/40FRG13, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/40PCG, 70/70BRG, 70/70BRGM, 70/70CFG, 70/70CFGE, 70/70CPG, 70/70FRG13, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PCG, 70/70TPFG, 70/70TPG |                 |                      |

|                    |                                                           |                 |                      |
|--------------------|-----------------------------------------------------------|-----------------|----------------------|
|                    |                                                           |                 |                      |
| <b>GEV No.</b>     | 107611                                                    | <b>Ref. No.</b> | 67208300<br>67209900 |
| <b>description</b> | thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm |                 |                      |
| <b>For models:</b> | 70/70PGI                                                  |                 |                      |

### plug-in thermocouples with interruption


|                    |                                                                               |                 |            |
|--------------------|-------------------------------------------------------------------------------|-----------------|------------|
|                    |                                                                               |                 |            |
| <b>GEV No.</b>     | 107177                                                                        | <b>Ref. No.</b> | 672.055.00 |
| <b>description</b> | thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm |                 |            |


### threaded thermocouples

#### threaded thermocouples standard

with socket with thread M8x1

SIT

|                                                                                    |                                                                                                    |                 |                   |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------|-------------------|
|  |                                                                                                    |                 |                   |
| <b>GEV No.</b>                                                                     | 107633                                                                                             | <b>Ref. No.</b> | 67201800          |
| <b>description</b>                                                                 | thermocouple SIT M8x1 L 1200mm M8x1                                                                |                 |                   |
| <b>For models:</b>                                                                 | 65/110CFG, 65/110CFGG, 65/110TPFG, 65/70CFG, 65/70TPFG, 70/110CFG, 70/110TPFG, 70/70CFG, 70/70TPFG |                 |                   |
| <b>accessories for</b>                                                             | 107633                                                                                             |                 |                   |
|   | <b>GEV No.</b>                                                                                     | 102067          | <b>Ref. No.</b> — |
| nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1                                   |                                                                                                    |                 |                   |

|                                                                                     |                                                                                                    |                 |                   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------|-------------------|
|   |                                                                                                    |                 |                   |
| <b>GEV No.</b>                                                                      | 107630                                                                                             | <b>Ref. No.</b> | 67200000          |
| <b>description</b>                                                                  | thermocouple SIT M8x1 L 600mm M8x1                                                                 |                 |                   |
| <b>For models:</b>                                                                  | 65/110CFG, 65/110CFGE, 65/110CFGG, 65/110TPFG, 65/40PCG, 65/70CFG, 65/70PCG, 70/70K, CEG110, CEG70 |                 |                   |
| <b>accessories for</b>                                                              | 107630                                                                                             |                 |                   |
|  | <b>GEV No.</b>                                                                                     | 102067          | <b>Ref. No.</b> — |
| nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1                                    |                                                                                                    |                 |                   |

### extensions

|                    |                                                   |                 |            |
|--------------------|---------------------------------------------------|-----------------|------------|
|                    |                                                   |                 |            |
| <b>GEV No.</b>     | 102811                                            | <b>Ref. No.</b> | 672.100.00 |
| <b>description</b> | thermocouple extension thread M9x1 - M9x1 L 600mm |                 |            |

### accessories

#### screws

|                    |                                            |                 |            |
|--------------------|--------------------------------------------|-----------------|------------|
|                    |                                            |                 |            |
| <b>GEV No.</b>     | 101260                                     | <b>Ref. No.</b> | 672.002.00 |
| <b>description</b> | thermocouple fitting thread M8x1 Qty 1 pcs |                 |            |



## interrupters



1

|                    |                                        |                 |          |
|--------------------|----------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 101265                                 | <b>Ref. No.</b> | 67202000 |
| <b>description</b> | interrupter thread M9x1                |                 |          |
| <b>For models:</b> | 60/30FRG, 60/60FRG, 65/40FRG, 65/70FRG |                 |          |

## gas burners

### bar burners

#### bar burners



1

|                    |                                                                                                   |                 |            |
|--------------------|---------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 105776                                                                                            | <b>Ref. No.</b> | 999.23.050 |
| <b>description</b> | bar burner ø 50mm Wmm Hmm L 305mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm |                 |            |

### accessories

#### nozzle holders



1

|                                                                                     |                                                                                    |                 |                            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------|----------------------------|
| <b>GEV No.</b>                                                                      | 104108                                                                             | <b>Ref. No.</b> | 67302300                   |
| <b>description</b>                                                                  | nozzle holder nozzle mounting M10x1 tube ø 10mm gas inlet M16x1.5 gas outlet M14x1 |                 |                            |
| <b>accessories for</b>                                                              | 104108                                                                             |                 |                            |
|  | <b>GEV No.</b>                                                                     | 102382          | <b>Ref. No.</b> 673.024.00 |
|                                                                                     | nut thread M14x1 H 3.5mm WS 18 brass Qty 1 pcs                                     |                 |                            |
|  | <b>GEV No.</b>                                                                     | 104105          | <b>Ref. No.</b> —          |
|                                                                                     | burner lower part for burner cap ø 80mm 3.5kW                                      |                 |                            |
|  | <b>GEV No.</b>                                                                     | 104107          | <b>Ref. No.</b> —          |
|                                                                                     | burner lower part for burner cap ø 100mm 6.4kW                                     |                 |                            |

## gas nozzles

### main nozzles

#### gas nozzles M10x1



1

|                    |                                                      |                 |          |
|--------------------|------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 101975                                               | <b>Ref. No.</b> | 67407200 |
| <b>description</b> | gas injector thread M10x1 bore ø 1.55mm L 30mm WS 12 |                 |          |



1

|                    |                                              |                 |          |
|--------------------|----------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 100816                                       | <b>Ref. No.</b> | 67407100 |
| <b>description</b> | gas injector thread M10x1 bore ø 1.5mm WS 12 |                 |          |

### pilot burner nozzles

#### pilot burner nozzles SIT

##### 100 series



1

|                    |                                                                        |                 |            |
|--------------------|------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 100246                                                                 | <b>Ref. No.</b> | 672.059.00 |
| <b>description</b> | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 |                 |            |



1

|                    |                                                                    |                 |            |
|--------------------|--------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 107171                                                             | <b>Ref. No.</b> | 672.058.00 |
| <b>description</b> | pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs |                 |            |

##### 140/150 series



1

|                    |                                                                                              |                 |          |
|--------------------|----------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 100205                                                                                       | <b>Ref. No.</b> | 67400100 |
| <b>description</b> | pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series |                 |          |



1

|                    |                                                                                            |                 |            |
|--------------------|--------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 100207                                                                                     | <b>Ref. No.</b> | 674.091.00 |
| <b>description</b> | pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series |                 |            |



1

|                    |                                                                                                      |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 100206                                                                                               | <b>Ref. No.</b> | 67400000 |
| <b>description</b> | pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series |                 |          |


**160 series**


1

|                    |                                               |                 |          |
|--------------------|-----------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 107172                                        | <b>Ref. No.</b> | 67405400 |
| <b>description</b> | pilot burner nozzle SIT LPG code 25 Qty 1 pcs |                 |          |
| <b>For models:</b> | K4/240                                        |                 |          |



1

|                    |                                               |                 |                      |
|--------------------|-----------------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>     | 107650                                        | <b>Ref. No.</b> | 674.052.00<br>674052 |
| <b>description</b> | pilot burner nozzle SIT LPG code 30 Qty 1 pcs |                 |                      |



1

|                    |                                                       |                 |            |
|--------------------|-------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 107174                                                | <b>Ref. No.</b> | 674.053.00 |
| <b>description</b> | pilot burner nozzle SIT natural gas code 41 Qty 1 pcs |                 |            |



1

|                    |                                                                               |                 |            |
|--------------------|-------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 107175                                                                        | <b>Ref. No.</b> | 674.051.00 |
| <b>description</b> | pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series |                 |            |

**screw connections**
**olives**


1

|                        |                                 |                 |          |
|------------------------|---------------------------------|-----------------|----------|
| <b>GEV No.</b>         | 101278                          | <b>Ref. No.</b> | 67300100 |
| <b>description</b>     | olive for pipe ø 10mm Qty 1 pcs |                 |          |
| <b>accessories for</b> | 101278                          |                 |          |



|                                    |        |                 |   |
|------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                     | 100943 | <b>Ref. No.</b> | — |
| union nut thread M17x1 tube ø 10mm |        |                 |   |



|                                      |        |                 |   |
|--------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                       | 101300 | <b>Ref. No.</b> | — |
| union nut thread M16x1.5 tube ø 10mm |        |                 |   |



|                                       |        |                 |   |
|---------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                        | 101478 | <b>Ref. No.</b> | — |
| union nut thread 3/8" for pipe ø 10mm |        |                 |   |



1

|                        |                                                                      |                 |                          |
|------------------------|----------------------------------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>         | 101273                                                               | <b>Ref. No.</b> | 673.006.00<br>673.008.00 |
| <b>description</b>     | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal |                 |                          |
| <b>accessories for</b> | 101273                                                               |                 |                          |



|                                          |        |                 |   |
|------------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                           | 100944 | <b>Ref. No.</b> | — |
| union nut thread M18x1.5 for pipe ø 12mm |        |                 |   |



|                                               |        |                 |   |
|-----------------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                                | 101276 | <b>Ref. No.</b> | — |
| union screw thread 3/8" tube ø 12mm Qty 1 pcs |        |                 |   |



1

|                                              |                                 |                 |          |
|----------------------------------------------|---------------------------------|-----------------|----------|
| <b>GEV No.</b>                               | 101256                          | <b>Ref. No.</b> | 67302700 |
| <b>description</b>                           | olive for pipe ø 16mm Qty 1 pcs |                 |          |
| <b>accessories for</b>                       | 101256                          |                 |          |
| <b>GEV No.</b>                               | 101253                          | <b>Ref. No.</b> | 67302800 |
| union nut thread M24x1.5 PEL for pipe ø 16mm |                                 |                 |          |



1

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |          |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>                                    | 101246                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Ref. No.</b> | 67300400 |
| <b>description</b>                                | olive for pipe ø 4mm Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                 |          |
| <b>For models:</b>                                | 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FTG, 60/60FTG-CR, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 65/110TPFG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/40PG-40P, 65/70FTG, 65/70FTRG, 65/70GRG, 65/70GRL, 65/70TPFG, 65/70TPG, 70/110CFGE, 70/110PCG, 70/110TPFG, 70/40CPG, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/40PCG, 70/70BRG, 70/70BRGM, 70/70CFG, 70/70CPG, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70K, 70/70PCG, 70/70PGI |                 |          |
| <b>accessories for</b>                            | 101246                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |          |
| <b>GEV No.</b>                                    | 100908                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Ref. No.</b> | 67301300 |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |          |



1


|                    |                                                                                                                                                                                                                                                                                                                                                                                      |                 |          |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 100897                                                                                                                                                                                                                                                                                                                                                                               | <b>Ref. No.</b> | 67300300 |
| <b>description</b> | olive for pipe ø 4mm Qty 1 pcs for pilot burner                                                                                                                                                                                                                                                                                                                                      |                 |          |
| <b>For models:</b> | 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 65/40FTG, 65/40FTRG, 65/70FTG, 65/70FTRG, 70/40CPG, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70BRG, 70/70BRGM, 70/70CPG, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PGI |                 |          |



1


| GEV No.     | 100870                                                                  | Ref. No. | 673.007.00 |
|-------------|-------------------------------------------------------------------------|----------|------------|
| description | olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner |          |            |

## union nuts



1

| GEV No.                         | 101253                                       | Ref. No. | 67302800          |
|---------------------------------|----------------------------------------------|----------|-------------------|
| description                     | union nut thread M24x1.5 PEL for pipe ø 16mm |          |                   |
| accessories for                 | 101253                                       |          |                   |
|                                 | GEV No.                                      | 101256   | Ref. No. 67302700 |
| olive for pipe ø 16mm Qty 1 pcs |                                              |          |                   |



1

| GEV No.                         | 101254                               | Ref. No. | 67303000   |
|---------------------------------|--------------------------------------|----------|------------|
| description                     | union nut thread M28x1.5 tube ø 20mm |          |            |
| accessories for                 | 101254                               |          |            |
|                                 | GEV No.                              | 101257   | Ref. No. — |
| olive for pipe ø 20mm Qty 1 pcs |                                      |          |            |

## union screws



1

| GEV No.     | 100904                                       | Ref. No. | 671.011.00 |
|-------------|----------------------------------------------|----------|------------|
| description | locking screw M10x1 for pipe ø 4mm Qty 1 pcs |          |            |



1

| GEV No.     | 100906                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Ref. No. | 67301400 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10                                                                                                                                                                                                                                                                                                                                                                                               |          |          |
| For models: | 60/30FRG, 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FRG, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 65/40FRG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/70FRG, 65/70FTG, 65/70FTRG, 65/70GRG, 70/40CPG, 70/40FRG13, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/70BRG, 70/70BRGM, 70/70CPG, 70/70FRG13, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG, 70/70GRL, 70/70PGI |          |          |



1

| GEV No.                                         | 100908                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Ref. No. | 67301300          |
|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description                                     | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                   |
| For models:                                     | 60/30FRG, 60/30FTG, 60/30FTG-CR, 60/30FTGR, 60/30FTRG-CR, 60/60FRG, 60/60FTG, 60/60FTG-CR, 60/60FTRG, 60/60FTRG-CR, 60/60FTRRG, 60/60FTRRG-CR, 65/110TPFG, 65/40FTG, 65/40FTRG, 65/40GRG, 65/40GRL, 65/40PG-40P, 65/70FRG, 65/70FTG, 65/70FTRG, 65/70GRG, 65/70GRL, 65/70TPFG, 65/70TPG, 70/110CFG, 70/110CFGE, 70/110TPFG, 70/40CPG, 70/40FRG13, 70/40FTG, 70/40FTGS, 70/40FTRG, 70/40GRG, 70/40GRL, 70/40PCG, 70/70BRG, 70/70BRGM, 70/70CFG, 70/70CFGE, 70/70CPG, 70/70FRG13, 70/70FTG, 70/70FTG-CR, 70/70FTGS, 70/70FTRG, 70/70FTRG-CR, 70/70FTRRG, 70/70FTRRG-CR, 70/70GRG...(Other models you can see in the webshop) |          |                   |
| accessories for                                 | 100908                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |                   |
|                                                 | GEV No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100897   | Ref. No. 67300300 |
| olive for pipe ø 4mm Qty 1 pcs for pilot burner |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                   |
|                                                 | GEV No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 101246   | Ref. No. 67300400 |
| olive for pipe ø 4mm Qty 1 pcs                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                   |
|                                                 | GEV No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 101280   | Ref. No. —        |
| olive for pipe ø 4mm Qty 1 pcs                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                   |
|                                                 | GEV No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 101282   | Ref. No. —        |
| olive for pipe ø 4mm L 7.4mm Qty 1 pcs          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                   |

## knobs

## universal knobs



1

| GEV No.                   | 111533                                                                                                             | Ref. No. | MANOP003   |
|---------------------------|--------------------------------------------------------------------------------------------------------------------|----------|------------|
| description               | knob thermostat t.max. 500°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 0-500°C rotation 270° |          |            |
| accessories for           | 111533                                                                                                             |          |            |
|                           | GEV No.                                                                                                            | 110135   | Ref. No. — |
| rosette knob up to ø 52mm |                                                                                                                    |          |            |

## locks

### edgemount latches

#### handle latches

#### producer-specific

#### HOUNÖ



1

|                                                                                   |                                                                                                                             |                 |                            |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|
| <b>GEV No.</b>                                                                    | 694784                                                                                                                      | <b>Ref. No.</b> | RRC2211-01                 |
| <b>description</b>                                                                | catch L 172mm mounting distance 124/133mm chrome-plated non lockable heated units 6200 H 65mm type DUPLO total length 248mm |                 |                            |
| <b>accessories for</b>                                                            | 694784                                                                                                                      |                 |                            |
|  | <b>GEV No.</b>                                                                                                              | 690123          | <b>Ref. No.</b> 999.22.070 |
|                                                                                   | door catch H 69mm D 37mm W 20mm mounting distance 43mm with roller                                                          |                 |                            |

#### door catches



1

|                    |                                                                                                    |                 |                         |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>     | 690487                                                                                             | <b>Ref. No.</b> | CC2211-02<br>RRC2211-02 |
| <b>description</b> | door catch H 41mm L 70mm W 21mm mounting distance 40mm nickel-plated brass with roller rollerø 8mm |                 |                         |



1

|                    |                                                                    |                 |            |
|--------------------|--------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 690123                                                             | <b>Ref. No.</b> | 999.22.070 |
| <b>description</b> | door catch H 69mm D 37mm W 20mm mounting distance 43mm with roller |                 |            |

## snap locks

### universal



1

|                    |                                                                                                                |                 |            |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 690596                                                                                                         | <b>Ref. No.</b> | 684.012.00 |
| <b>description</b> | snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak |                 |            |

## espagnolette locks

### universal



1

|                    |                                    |                 |                       |
|--------------------|------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>     | 690041                             | <b>Ref. No.</b> | 5900121<br>999.23.025 |
| <b>description</b> | cam L 148mm mounting distance 32mm |                 |                       |




1

|                    |                                                                           |                 |         |
|--------------------|---------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 700771                                                                    | <b>Ref. No.</b> | 5900123 |
| <b>description</b> | latch gear opening to the left shaft intake ø 8x8mm L 170mm W 40mm H 40mm |                 |         |


## hinges

### oven hinges




1

|                    |                                                        |                 |            |
|--------------------|--------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 693045                                                 | <b>Ref. No.</b> | 584.005.00 |
| <b>description</b> | opposite support L 110mm W 12mm mounting distance 94mm |                 |            |



|                    |                                                        |                 |          |
|--------------------|--------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 700003                                                 | <b>Ref. No.</b> | 68402300 |
| <b>description</b> | opposite support L 110mm W 12mm mounting distance 94mm |                 |          |
| <b>For models:</b> | 60/60CFE, 60/60CFG, 60/60CFGE                          |                 |          |




|                    |                                                                                                                                                                                        |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 690030                                                                                                                                                                                 | <b>Ref. No.</b> | 68402200 |
| <b>description</b> | oven hinge mounting distance 118mm lug mounting 13mm lever length 117mm groove distance 10mm spring thickness 3.5mm mounting ear position left/right spring length 60mm L 155mm W 21mm |                 |          |
| <b>For models:</b> | 60/60CFE, 60/60CFG, 60/60CFGE                                                                                                                                                          |                 |          |

**accessories for** 690030



|                                                        |        |                 |          |
|--------------------------------------------------------|--------|-----------------|----------|
| <b>GEV No.</b>                                         | 700003 | <b>Ref. No.</b> | 68402300 |
| opposite support L 110mm W 12mm mounting distance 94mm |        |                 |          |



|                    |                                                                                                                                                                                               |                 |            |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 700459                                                                                                                                                                                        | <b>Ref. No.</b> | 584.001.00 |
| <b>description</b> | oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever length 117mm groove distance 7mm spring thickness 3.5mm mounting ear position spring length 58mm L 156mm W 22mm |                 |            |

**accessories for** 700459




|                                                        |        |                 |            |
|--------------------------------------------------------|--------|-----------------|------------|
| <b>GEV No.</b>                                         | 693045 | <b>Ref. No.</b> | 584.005.00 |
| opposite support L 110mm W 12mm mounting distance 94mm |        |                 |            |

## gaskets


### gaskets for heated units

#### window seals




|                    |                                           |                 |            |
|--------------------|-------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 902541                                    | <b>Ref. No.</b> | RRC2183-02 |
| <b>description</b> | window gasket profile 1577 L 2100mm Qty 2 |                 |            |

#### door seals





|                    |                                              |                 |                             |
|--------------------|----------------------------------------------|-----------------|-----------------------------|
| <b>GEV No.</b>     | 900348                                       | <b>Ref. No.</b> | RRC2215-03<br>RRC22150315MT |
| <b>description</b> | door seal profile 2402 Qty supplied by meter |                 |                             |




|                    |                                                      |                 |            |
|--------------------|------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 901129                                               | <b>Ref. No.</b> | RRC2215-02 |
| <b>description</b> | door seal profile 2402 W 580mm L 765mm Qty 1 4-piece |                 |            |



|                                                                                   |                                       |                 |            |
|-----------------------------------------------------------------------------------|---------------------------------------|-----------------|------------|
|  |                                       |                 |            |
| <b>GEV No.</b>                                                                    | 900417                                | <b>Ref. No.</b> | RRC5220-00 |
| <b>description</b>                                                                | door seal profile 2470 L 2300mm Qty 1 |                 |            |

|                                                                                   |                                       |                 |            |
|-----------------------------------------------------------------------------------|---------------------------------------|-----------------|------------|
|  |                                       |                 |            |
| <b>GEV No.</b>                                                                    | 900420                                | <b>Ref. No.</b> | RRC5221-00 |
| <b>description</b>                                                                | door seal profile 2470 L 2850mm Qty 1 |                 |            |

|                                                                                    |                                              |                 |         |
|------------------------------------------------------------------------------------|----------------------------------------------|-----------------|---------|
|  |                                              |                 |         |
| <b>GEV No.</b>                                                                     | 900439                                       | <b>Ref. No.</b> | 7070166 |
| <b>description</b>                                                                 | door seal profile 2750 Qty supplied by meter |                 |         |

## O-rings

EPDM

ø5.34mm

|                                                                                     |                                                  |                 |            |
|-------------------------------------------------------------------------------------|--------------------------------------------------|-----------------|------------|
|  |                                                  |                 |            |
| <b>GEV No.</b>                                                                      | 510408                                           | <b>Ref. No.</b> | 0835534701 |
| <b>description</b>                                                                  | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs |                 |            |

|                                                                                     |                                                     |                 |           |
|-------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------|-----------|
|  |                                                     |                 |           |
| <b>GEV No.</b>                                                                      | 510409                                              | <b>Ref. No.</b> | 835535651 |
| <b>description</b>                                                                  | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs |                 |           |

## sealing washers

### fibre gaskets

|                                                                                   |                                                               |                 |            |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------|------------|
|  |                                                               |                 |            |
| <b>GEV No.</b>                                                                    | 510404                                                        | <b>Ref. No.</b> | 953.031.00 |
| <b>description</b>                                                                | flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs |                 |            |

## shaft gaskets

### shaft gaskets

|                                                                                    |                             |                 |         |
|------------------------------------------------------------------------------------|-----------------------------|-----------------|---------|
|  |                             |                 |         |
| <b>GEV No.</b>                                                                     | 550549                      | <b>Ref. No.</b> | 7070150 |
| <b>description</b>                                                                 | shaft sealing for fan motor |                 |         |

## transmission technology and ball bearings

### ball bearings

#### deep-groove ball bearings 2RS

|                                                                                      |                                                                                                                            |                 |             |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                                                                            |                 |             |
| <b>GEV No.</b>                                                                       | 523510                                                                                                                     | <b>Ref. No.</b> | 06501503500 |
| <b>description</b>                                                                   | deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1 |                 |             |
| <b>For models:</b>                                                                   | 70/70BRE, 70/70BRG                                                                                                         |                 |             |

## dosing pumps

### accessories

#### container filters with non-return valve


|                                                                                      |                                                                      |                 |            |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|------------|
|  |                                                                      |                 |            |
| <b>GEV No.</b>                                                                       | 361058                                                               | <b>Ref. No.</b> | 451.048.00 |
| <b>description</b>                                                                   | container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm |                 |            |



## hoses


### supply hoses

#### PVC supply hoses



1

| GEV No.                                                                           | 520010                                                                                                                                   | Ref. No. | 452.033.00 |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                       | supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal |          |            |
| accessories for                                                                   | 520010                                                                                                                                   |          |            |
|  | GEV No.                                                                                                                                  | 520053   | Ref. No. — |
|                                                                                   | screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm                                                               |          |            |
|  | GEV No.                                                                                                                                  | 520054   | Ref. No. — |
|                                                                                   | flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs                                                                      |          |            |



1

| GEV No.     | 520016                                                                                           | Ref. No. | 452.061.00 |
|-------------|--------------------------------------------------------------------------------------------------|----------|------------|
| description | supply hose ID ø 13mm ED ø 20mm L 40m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 40m |          |            |

## ancillary products

### clamps

#### hose clamps

##### DIN 3017 - W2



1

| GEV No.     | 520117                                                            | Ref. No. | 0620.04060.4 |
|-------------|-------------------------------------------------------------------|----------|--------------|
| description | hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017 |          |              |

## measuring equipment

### thermometers

#### built-in thermometers

##### ø52mm



1

| GEV No.     | 541090                                                                                                   | Ref. No. | 66103000 |
|-------------|----------------------------------------------------------------------------------------------------------|----------|----------|
| description | thermometer mounting ø 52mm t.max. 350°C 0 up to +350°C probe ø 6.5mm probe L 22mm capillary pipe 1450mm |          |          |
| For models: | 65/80BFE, 65/80TFE                                                                                       |          |          |

## fastening material

### fasteners

#### clamps

##### hose clamps

##### DIN 3017 - W2



1

| GEV No.     | 520117                                                            | Ref. No. | 0620.04060.4 |
|-------------|-------------------------------------------------------------------|----------|--------------|
| description | hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017 |          |              |

#### retaining rings

##### DIN 6799



1

| GEV No.     | 518557                                                          | Ref. No. | 0552.05065.4<br>238.000.00 |
|-------------|-----------------------------------------------------------------|----------|----------------------------|
| description | retaining ring E D1 ø 5mm D2 ø 11mm SS DIN 6799 thickness 0.7mm |          |                            |



1

| GEV No.     | 516198                                                                            | Ref. No. | 0552.06074.4 |
|-------------|-----------------------------------------------------------------------------------|----------|--------------|
| description | retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm |          |              |

**A**

|                |    |
|----------------|----|
| alarm devices  | 10 |
| audible timers | 10 |
| axial fans     | 12 |

**B**

|             |    |
|-------------|----|
| bar burners | 24 |
|-------------|----|

**C**

|                                                 |        |
|-------------------------------------------------|--------|
| cam switches                                    | 6      |
| clamps                                          | 30, 30 |
| condensators & interference suppression filters | 14     |
| contactors                                      | 10     |
| container filters                               | 29     |
| control thermostats                             | 3, 4   |

**D**

|              |    |
|--------------|----|
| door catches | 27 |
| door seals   | 28 |
| dosing pumps | 29 |

**E**

|                      |    |
|----------------------|----|
| edgemount latches    | 27 |
| electric accessories | 15 |
| electric timers      | 10 |
| energy regulators    | 2  |
| espagnolette locks   | 27 |

**F**

|                    |    |
|--------------------|----|
| fans               | 12 |
| fasteners          | 30 |
| fastening material | 30 |
| filters            | 14 |

**G**

|                          |    |
|--------------------------|----|
| gas burners              | 24 |
| gas control valves       | 16 |
| gas nozzles              | 24 |
| gas thermostats          | 15 |
| gaskets for heated units | 28 |
| GEV                      | 2  |

**H**

|                                 |        |
|---------------------------------|--------|
| handle latches                  | 27     |
| heating elements                | 2      |
| heating elements for convection | 2      |
| hose clamps                     | 30, 30 |
| hoses                           | 30     |
| hot air fans                    | 14     |
| hot air motors                  | 13     |

**I**

|                             |    |
|-----------------------------|----|
| ignition boxes              | 17 |
| ignition cables             | 22 |
| ignition units              | 22 |
| indicator lights            | 7  |
| indicator lights (complete) | 7  |

**L**

|             |   |
|-------------|---|
| lamps       | 7 |
| light bulbs | 8 |

**M**

|                     |    |
|---------------------|----|
| measuring equipment | 30 |
| mechanical timers   | 10 |
| microswitches       | 5  |

**O**

|                      |    |
|----------------------|----|
| operating capacitors | 14 |
| O-rings              | 29 |
| oven hinges          | 27 |
| oven lamps           | 8  |

**P**

|                              |    |
|------------------------------|----|
| piezoelectric igniters       | 22 |
| pilot burners                | 17 |
| probes                       | 11 |
| programme timers             | 10 |
| push/momentary push switches | 5  |
| PVC supply hoses             | 30 |

**R**

|                                  |    |
|----------------------------------|----|
| relays                           | 11 |
| retaining rings                  | 30 |
| rocker/momentary rocker switches | 5  |
| rotary switches                  | 7  |

**S**

|                                 |    |
|---------------------------------|----|
| safety thermostats              | 3  |
| sealing washers                 | 29 |
| shaft gaskets                   | 29 |
| snap locks                      | 27 |
| solenoid valves                 | 12 |
| supply hoses                    | 30 |
| switches and momentary switches | 5  |

**T**

|                    |    |
|--------------------|----|
| temperature probes | 11 |
| terminals          | 15 |
| thermocouples      | 22 |
| thermostats        | 3  |
| timers             | 10 |

**U**

universal probes 11

**W**

window seals 28