



Spare Parts for Ovens & Combi Ovens



Spare parts suitable for

GICO


2018

Find the complete and up-to-date range of products in our GEV Webshop




heating elements


heating elements for ovens



GEV No.	416090	Ref. No.	260200070
description	heating element 2000W 230V L 500mm W 325mm L1 73mm L2 427mm W1 295mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm hole ø M4mm tube ø 6.3mm connection length 22mm heating circuits 1 rectangular flange dry heating element oven		
For models:	64-040FE, 64-050FE-FEV, 64-057T, 64-222FE		




GEV No.	416089	Ref. No.	260203130
description	heating element 2000W 400V L 500mm W 325mm L1 73mm L2 427mm W1 295mm W2 30mm flange length 70mm flange width 22mm hole distance 55mm hole ø M4mm tube ø 6.5mm connection length 22mm connection M4 heating circuits 1 rectangular flange dry heating element oven		
For models:	500-050FE		
accessories for	416089		
	GEV No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			




GEV No.	416091	Ref. No.	270200402
description	heating element 2740W 230V L 500mm W 485mm L1 68mm L2 430mm W1 450mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm hole ø M4mm tube ø 8.5mm connection M4 heating circuits 1 rectangular flange dry heating element oven		
spare parts for	416091		
	GEV No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			





GEV No.	416092	Ref. No.	270203360
description	heating element 2740W 400V L 500mm W 485mm L1 68mm L2 430mm W1 450mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm hole ø M4mm tube ø 8.5mm connection M4 heating circuits 1 mounting thread M3 rectangular flange dry heating element oven		
For models:	700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B		
accessories for	416092		
	GEV No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			
	GEV No.	527169	Ref. No. —
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	GEV No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	GEV No.	560130	Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



GEV No.	416093	Ref. No.	241200922
description	heating element 3275W 230/400V heating circuits 3 L 538mm W 615mm L1 38mm L2 500mm W1 248mm W2 127mm flange length 160mm flange width 22mm hole distance 144mm hole ø M5mm tube ø 6.5mm connection M4 connection length 60mm rectangular flange dry heating element		

			
GEV No.	416087	Ref. No.	290203720
description	heating element 3275W 400V heating circuits 3 L 538mm W 615mm L1 38mm L2 500mm W1 248mm W2 127mm flange length 160mm flange width 22mm hole distance 144mm hole ø 5mm tube ø 6.5mm connection M4 connection length 60mm rectangular flange dry heating element		
For models:	900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-411-413, 920-050FE, 920-052FE, 920-057FE, 920-122FELC, 920-122FEL-FELR-FER, 920-122FELR, 920-122FER, 920-172FEA, 920-200FE, 920-322FEL-FELC-FELR-FER		

			
GEV No.	416094	Ref. No.	211200020
description	heating element 4300W 230/400V heating circuits 3 L 530mm W 843mm L1 32mm L2 498mm W1 359mm W2 127mm flange length 161mm flange width 23mm bridge length 550mm hole distance 143mm hole ø M5mm tube ø 6.6mm connection M4 connection length 54mm rectangular flange dry heating element oven		

			
GEV No.	416088	Ref. No.	211200240
description	heating element 4300W 400V heating circuits 3 L 530mm W 843mm L1 32mm L2 498mm W1 359mm W2 127mm flange length 161mm flange width 23mm bridge length 550mm hole distance 143mm thread M5 tube ø 7.1mm connection M4 connection length 52mm rectangular flange dry heating element		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-322FEL-FELC-FELR		

immersion heating elements

3 hole flange ø57.5mm

				
GEV No.	416126	Ref. No.	293200360	
description	heating element 10500W 230V mounting ø 57.5mm heating circuits 3 L 590mm W 30mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 480mm thermostat sleeve upper tube ø 8.5mm hole distance 73mm hole ø 10mm connection M4 3 hole flange immersion heater			
spare parts for	416126			
	GEV No.	510409	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				

			
GEV No.	416125	Ref. No.	293200760
description	heating element 7500W 230V mounting ø 57.5mm heating circuits 3 L 398mm W 36mm H 41mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 212mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater		

with round flange ø60.0mm

			
GEV No.	417573	Ref. No.	434008100
description	heating element 3990W 230V heating circuits 3 mounting ø 60mm L 320mm W 120mm H 40mm connection male faston 6.3mm tube ø 8.5mm		

heating elements for convection

			
GEV No.	416122	Ref. No.	293201430
description	heating element 10500W 230V heating circuits 3 ID ø 373mm ED ø 390mm L 124mm H 124mm L1 38mm W1 105mm H1 36mm H2 88mm flange length 142mm flange width 25mm hole distance 62mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EMD.E081MA, EMD.E081MN, EMD.E081MW		



1

GEV No.	416123	Ref. No.	293200340
description	heating element 15000W 230V heating circuits 1 ID ø 428mm ED ø 443mm L 482mm H 158mm L1 27mm H1 32mm H2 123mm flange length 142mm flange width 25mm hole distance 63mm connection M6 connection length 71mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EMD.E101MA, EMD.E101MN, EMD.E101MW		



1

GEV No.	416118	Ref. No.	284203511 296201860
description	heating element 2000W 230V heating circuits 1 ID ø 180mm ED ø 192mm L 245mm H 34mm L1 45mm W1 32mm H1 10mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element mounting thread M5 rectangular flange with thread bolt		
For models:	9ES-122N, 9ES-152N, 9ES-182N, ES-121NVC, ES-151NVC, ES-181NVC		



1

GEV No.	416119	Ref. No.	238200212
description	heating element 2000W 240V heating circuits 1 ID ø 182mm ED ø 195mm L 245mm H 34mm L1 43mm W1 30mm H1 10mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 56mm tube ø 6.3mm convection heating element mounting thread M5 rectangular flange with thread bolt		
accessories for	416119		
	GEV No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			



1

GEV No.	416120	Ref. No.	284201560
description	heating element 2800W 240V heating circuits 1 ID ø 185mm ED ø 198mm L 245mm H 34mm L1 42mm W1 30mm H1 12mm H2 22mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element mounting thread M5 rectangular flange with thread bolt		
For models:	64-040FCE, 64-050FCE, 64-222FCE		
accessories for	416120		
	GEV No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			



1

GEV No.	416124	Ref. No.	293201010
description	heating element 4000W 230V heating circuits 1 ID ø 465mm ED ø 482mm L 655mm L1 160mm H 17mm thread M14x1.5 connection M4 2 hole fixing tube ø 8.5mm convection heating element		
For models:	EMD.E102MA, EMD.E102MN		
accessories for	416124		
	GEV No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	GEV No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	GEV No.	520230	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	GEV No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	GEV No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
1			
GEV No.	416121	Ref. No.	293200380
description	heating element 7500W 230V heating circuits 3 ID ø 315mm ED ø 332mm L 370mm H 101mm L1 25mm W1 105mm H1 14mm H2 87mm flange length 143mm flange width 26mm hole distance 63mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		

energy regulators

EGO

1-circuit

			
1			
GEV No.	380015	Ref. No.	539209
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	64-037T, 64-057FE, 64-057T, 700-037A-T, 700-057A-T, 700-057FEB, 700-325A-326A, 900-037A-T, 900-057A-T, 900-325A-326A		

			
1			
GEV No.	380019	Ref. No.	539205
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		
For models:	70-820, 70-840, ES-702N, ES-IR090C-I, ES-IR120C-I, ES-IR150C-I, ES-IR180C-I		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series

			
1			
GEV No.	390068	Ref. No.	63401005270
description	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		

			
1			
GEV No.	375216	Ref. No.	53401005270
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	500-050FE, 64-040FCE, 64-040FE, 64-050FE-FEV, 64-050T, 64-057FE, 64-222FCE, 64-222FE, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B, 900-652, 900-950, 920-652, 920-950, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN		

			
1			
GEV No.	375002	Ref. No.	53401005320
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		




55.34_ series



GEV No.	375192	Ref. No.	00402 53402705320
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		




GEV No.	375412	Ref. No.	53403050300
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG		



GEV No.	375917	Ref. No.	53403085550
description	thermostat t.max. 550°C temperature range 85-500/85-550°C 3-pole 2NO/1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 318° outer switch 2NO/2NO		


safety thermostats

55.10/19_ series



GEV No.	375218	Ref. No.	6340004014500
description	safety thermostat switch-off temp. 145°C 1-pole 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

55.32_ series




GEV No.	375226	Ref. No.	53403000340
description	safety thermostat switch-off temp. 340°C 1-pole 0.5A probe ø 3mm probe L 190mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	110-122ALC, 110-122FELC, 110-122FLC, 500-120ALC, 500-120TLC, 500-122ALC, 500-122TLC, 64-120TLC, 64-122TLC, 700-120ALC-CLC, 700-120TLC, 700-122ALC, 700-122CLC, 700-122TLC, 900-120ALC, 900-120CLC-TLC, 900-122ALC-CLC-TLC, 920-120ALC, 920-120TLC, 920-122ALC, 920-122FELC, 920-122FLC, 920-122TLC		



GEV No.	375228	Ref. No.	53403000350
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 500-050FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 64-930T, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-411B, 700-622, 700-632, 700-900, 700-930, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320CL-CLC-CR...(Other models you can see in the webshop)		


56_ series



GEV No.	375987	Ref. No.	63400040320 6340004032001
description	safety thermostat switch-off temp. 335°C 1-pole 20A probe ø 3.03mm probe L 160mm capillary pipe 900mm capillary pipe isolated 750mm gland nut probe SS		
For models:	64-040FCE, 64-050FCE, 64-222FCE		

control thermostats with operation switch

55.34_ series



GEV No.	375246	Ref. No.	53401100615
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

accessories

connecting bows



GEV No.	550060	Ref. No.	5200995
description	connecting bow long for thermostat Qty 1 pcs		
For models:	110-032A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052A-C-T, 900-052FE, 900-054A-C-T, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320AR, 900-320CL-CLC-CR, 900-320TL-TLC-TR...(Other models you can see in the webshop)		

switches and momentary switches
push/momentary push switches

ø25mm



GEV No.	300155	Ref. No.	A00252 A00252neu
description	momentary push switch mounting ø 25mm black 2NO 250V 16A light connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



GEV No.	300156	Ref. No.	A00253
description	push switch mounting ø 25mm red 250V 16A voltage connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



GEV No.	345161 ¹	Ref. No.	52221025
description	push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

¹illuminated

GEV No.	300161 ¹	Ref. No.	5209201 6209201
description	push switch mounting ø 25mm white 2NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	110-500A-T, 500-500A, 500-701A, 64-500T, 64-519T, 64-520T, 64-542T, 700-520T		

¹illuminated

GEV No.	345039	Ref. No.	55463001
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	500-701A, 64-519T, 64-520T, 700-519A-C-T, 700-520T, 700-622, 700-632, 700-900, 700-930, 900-622, 900-632, 900-642, 900-652, 900-900, 900-930, 900-940, 900-950, 920-622, 920-632, 920-642, 920-652, 920-900, 920-930, 920-940, 920-950		
accessories for	345039		
GEV No.	345001	Ref. No.	—
description	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		



microswitches

lever actuated



1

GEV No.	345773	Ref. No.	63952511
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm		
For models:	AF6-1202B, AF6-1202M, AF6-1203B, AF6-1203M, AF6-1204B, AF6-1204M, AF6-1402B, AF6-1402M, AF6-1402MB, AF6-1402MM, AF6-1403B, AF6-1403M, AF6-1403MB, AF6-1404B, AF6-1404M, AF6-1404MM, AF6-601B-701B, AF6-601M, AF6-601MV, AF6-602B-702B, AF6-602M, AF6-701M, AF6-701MV, AF6-701P, AF6-702M, AF6-702MB, AF6-702MM, AF7-1402B, AF7-1402M, AF7-1402MB, AF7-1402MM, AF7-1403B, AF7-1403M, AF7-1403MB, AF7-1404B, AF7-1404M, AF7-1404MM, AF7-701B, AF7-701M, AF7-701P, AF7-702B, AF7-702M, AF7-702MB, AF7-702MM		

pin-plunger actuated

M10



1

GEV No.	345032	Ref. No.	522583131
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		

cam switches

4-position



1

GEV No.	300103	Ref. No.	00410 52002432
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	110-030A-T, 110-050A-T, 110-050FE, 500-030A-T, 500-050A-T, 500-050FE, 700-035A-C-T, 700-055A-C-T, 700-055FEB, 900-030A-C-T, 900-050A-C-T, 900-050FE, 900-172A-C-T, 900-172FEA, 900-521-522, 90-821, 920-030A-T, 920-050A-T, 920-050FE, 920-172A-T, 920-172FEA		

SWITCHES AND MOMENTARY SWITCHES GICO



1

GEV No.	300104	Ref. No.	52003432
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	64-755T, 700-528, 900-523, 900-526, 920-523, 920-526		

7-position



1

GEV No.	300025	Ref. No.	52002715
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	64-030T, 64-050FCE, 64-050FE-FEV, 64-050T, 700-030A-C-T		
accessories for	300025		



GEV No.	112172	Ref. No.	—
knob universal ø 70mm black without adaptor/dial plate			



GEV No.	112213	Ref. No.	—
knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm			



GEV No.	112311	Ref. No.	—
knob adapter shaft ø 6x4.6mm L 0mm with spring			


4 operating positions



1

GEV No.	300010	Ref. No.	620044924
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

5 operating positions



1

GEV No.	300162	Ref. No.	62051824
description	cam switch 5 operating positions shaft ø 6x4.6mm connection male faston 7-pole		
For models:	EMD.E061MN, EMD.E081MN, EMD.E101MN, EMD.E102MN		

operation switches



1

GEV No.	300080	Ref. No.	00423 52004115
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	110-032A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-320AL-ALC-AR, 700-320CL-CLC-CR, 700-320TL-TLC-TR, 700-322AL-ALC-ALR-AR, 700-322CL-CLC-CLR-CR, 700-322TL-TLC-TLR-TR, 700-960A-D, 700-962A, 900-040FE, 900-050FE, 900-052A-C-T, 900-052FE, 900-054A-C-T, 900-054FE, 900-057FE, 900-138FEA, 900-162FEA, 900-172FEA, 900-182FE, 900-200FE, 900-320AL-ALC, 900-320AR, 900-320CL-CLC-CR, 900-320TL-TLC-TR...(Other models you can see in the webshop)		
accessories for	300080		
	GEV No.	551456	Ref. No. —
	 gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white		



1

GEV No.	300107	Ref. No.	52004132
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG, ES-121NVC, ES-121NVCg, ES-151NVC, ES-151NVCg, ES-181NVC, ES-181NVCg		



1

GEV No.	300200	Ref. No.	52002115
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	500-050FE, 500-755A, 64-519T, 64-520T, 64-700T, 64-703T, 64-930T, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA, 700-200FEB, 700-222FEB, 700-224FEBA, 700-411B, 700-519A-C-T, 700-520T, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 700-755A-S, 700-855A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 900-755A-S, 900-855A-S, 920-704A-S, 920-755A-S, EMD.E061MA, EMD.E061MW, EMD.E081MA, EMD.E081MW, EMD.E101MA, EMD.E101MW, EMD.E102MA, ES-023N, ES-121NVC, ES-151NVC, ES-181NVC		

magnetic switches

40x13mm



1

GEV No.	300150	Ref. No.	695001
description	magnetic switch L 40mm W 13mm 250V 0.04A connection cable		
For models:	AB-370080A, AB-370080W, AB-370801A, AB-370801W, AB-96080A, AB-96080W, AB-96801A, AB-96801W, AB-96802A, AB-96802W, AB-AB03A, AB-AB03FA, AB-AB03PA, AB-AB03W, AB-AB05A, AB-AB-05PA, AB-AB05W, AB-AB10A, AB-AB10PA, AB-AB10PW, AB-AB10W, AB-AB14A, AB-AB14PA, AB-AB14PW, AB-AB14W, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-3)



1

GEV No.	359123	Ref. No.	6229044
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	GEV No.	359132	Ref. No. 6229046
	 indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

			
1			
GEV No.	359124	Ref. No.	6229043
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs		
For models:	64-755T		
accessories for	359124		
		GEV No.	359132
		Ref. No.	6229046
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
GEV No.	359130	Ref. No.	6229045
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		

			
1			
GEV No.	359132	Ref. No.	6229046
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	64-755T		

indicator lights (complete)

ø10mm

with plug-in socket

			
1			
GEV No.	359139	Ref. No.	A00409
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	110-030A-T, 110-032A-T, 110-037A-T, 110-050A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057A-T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 110-500A-T, 500-030A-T, 500-050A-T, 500-050FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 500-701A, 500-755A, 64-030T, 64-037T, 64-040FCE, 64-050FCE, 64-050FE-FEV, 64-050T, 64-057FE, 64-057T, 64-222FCE, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 64-519T, 64-520T, 64-700T, 64-703T, 64-930T, 700-030A-C-T, 700-035A-C-T, 700-037A-T, 700-040FEB, 700-050FEB, 700-052A-C-T...(Other models you can see in the webshop)		

			
1			
GEV No.	359140	Ref. No.	A00410
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	110-032A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 110-500A-T, 500-050FE, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 500-500A, 500-755A, 64-040FCE, 64-040FE, 64-050FCE, 64-050FE-FEV, 64-057FE, 64-222FCE, 64-222FE, 64-320TL-TLC-TR, 64-322TL-TLC-TLR-TR, 64-500T, 64-519T, 64-520T, 64-542T, 64-700T, 64-703T, 64-930T, 700-040FEB, 700-050FEB, 700-052A-C-T, 700-052FEB, 700-054A, 700-054C, 700-054FEB, 700-054T, 700-055FEB, 700-057FEB, 700-138FEBA, 700-162FEBA...(Other models you can see in the webshop)		

ø13mm

with screw socket

			
1			
GEV No.	359049	Ref. No.	5229054
description	indicator light ø 13mm 400V green		
For models:	70-820, 70-840, 9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG, ES-023N, ES-121NVC, ES-121NVCG, ES-151NVC, ES-151NVCG, ES-181NVC, ES-181NVCG, ES-702N, ES-IR090C-I, ES-IR120C-I, ES-IR150C-I, ES-IR180C-I		
accessories for	359049		
		GEV No.	510302
		Ref. No.	—
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
		GEV No.	511505
		Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

			
1			
GEV No.	359050	Ref. No.	5229052
description	indicator light ø 13mm 400V yellow		
For models:	9ES-122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG, ES-023N, ES-121NVC, ES-121NVCG, ES-151NVC, ES-151NVCG, ES-181NVC, ES-181NVCG, ES-424NC, ES-702N, ES-828NC, ES-861NC, ES-891NC		
accessories for	359050		
		GEV No.	510302
		Ref. No.	—
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
		GEV No.	511505
		Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs		

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9

			
1			
GEV No.	357193	Ref. No.	6242122001
description	halogen lamp socket G4 12V 20W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

			
1			
GEV No.	359945	Ref. No.	5603002
description	halogen lamp socket G9 230V 25W temp.-resist. 300°C 200 2000		

linear lamps

infrared lamps

with base type R7s

			
1			
GEV No.	359628	Ref. No.	5190001
description	infrared lamp socket R7s L 117.6mm 240V 300W IMPORT unjacketed		
For models:	ES-QI090C-I, ES-QI120C-I, ES-QI150C-I, ES-QI180C-I		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

GEV No.	359718	Ref. No.	6230001	
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
spare parts for	359718			
	GEV No.	359701	Ref. No.	—
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	GEV No.	359740	Ref. No.	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70 1000			

lamps

halogen lamps

for socket G4 / G6.35 / G9

			
1			
GEV No.	357193	Ref. No.	6242122001
description	halogen lamp socket G4 12V 20W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

			
1			
GEV No.	359945	Ref. No.	5603002
description	halogen lamp socket G9 230V 25W temp.-resist. 300°C 200 2000		

timers

programme timers

1

GEV No.	360332	Ref. No.	6352000	
description	timer FIBER P25 engines 1 chambers 1 operation time 60s 230V shaft ømm shaft Lmm manuf. no. P255J01H191 motor type M51BJ0R6400			
spare parts for	360332			
	GEV No.	360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			

electric timers

with time spread

			
1			
GEV No.	350074	Ref. No.	293202310
description	timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower		



mechanical timers



1

GEV No.	350003	Ref. No.	63510120
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350003		
	GEV No.	110366	Ref. No. —
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	GEV No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		



1

GEV No.	350008	Ref. No.	63511120
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		
For models:	64-040FCE, 64-050FCE, 64-222FCE		

alarm devices

alarm units



1

GEV No.	350056	Ref. No.	623002
description	alarm device 220-240VAC 8mm H 25mm wall-mounted version mounting distance 83dB protection IPx0		
For models:	EMD.E061MA, EMD.E081MA, EMD.E101MA, EMD.E102MA		

buzzer boards



1

GEV No.	350076	Ref. No.	293202320
description	buzzer board 12V connection male faston 6.3mm		

TIMERS/ALARM DEVICES/CONTACTORS GICO

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

GEV No.	380337	Ref. No.	66300010
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type AEG LS05 400A type GE MC1A 400A		

LOVATO

power contactors



1

GEV No.	380087	Ref. No.	6300240600
description	power contactor resistive load 16A 230VAC (AC3/400V) 5A/2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0610A230		



1

GEV No.	380082	Ref. No.	53002420904
description	power contactor resistive load 20A 240VAC (AC3/400V) 9A/4kW main contacts 4NO		
For models:	110-500A-T, 500-701A, 64-700T, 64-703T, 64-755T, 64-930T, 700-325A-326A, 700-500A-C-T, 700-542A-C-T, 700-708A-S, 70-840, 900-325A-326A, 900-500A-C-T, 900-542A-C-T, 900-706A-S, 920-500A-T, 920-542A-T		



1

GEV No.	380083	Ref. No.	530024501
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		
For models:	500-755A, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-755A-S, 700-855A-S, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-755A-S, 900-855A-S, 920-704A-S, 920-755A-S, AB-370080A, AB-370080W, AB-370801A, AB-370801W, AB-96080A, AB-96080W, AB-96801A, AB-96801W, AB-96802A, AB-96802W, AB-AB03A, AB-AB-03FA, AB-AB03PA, AB-AB03W, AB-AB05A, AB-AB05PA, AB-AB05W, AB-AB10A, AB-AB10PA, AB-AB10PW, AB-AB10W, AB-AB14A, AB-AB14PA, AB-AB14PW, AB-AB14W, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA...(Other models you can see in the webshop)		

overload switches



1

GEV No.	380081	Ref. No.	6310004
description	overload switch setting range 0.6-1A for contactors BG (BG06-BG12) series connection screw		
For models:	EMD.E061MA, EMD.E081MA, EMD.E101MA, EMD.E102MA		

relays

level relays

GICAR



1

GEV No.	402243	Ref. No.	5398001
description	level relay 230V connection F6.3 type NRLH S 3F07 03 R3 1SC		



1

GEV No.	400018	Ref. No.	639624051
description	level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G		

transformers

toroidal core transformers



1

GEV No.	401618	Ref. No.	293203880
description	transformer primary 230V secondary 12V 50VA		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MW, EMD.E101MA, EMD.E101MW, EMD.E102MA		

encapsulated transformers

with screw connection



1

GEV No.	400127	Ref. No.	639602
description	transformer primary 230VAC secondary 12VAC 40VA secondary 3.2A H 63mm L 75mm W 78mm connection 2-wire connection systems 50/60Hz moulded		

PMA



1

GEV No.	379054	Ref. No.	639603
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version



1

GEV No.	378131	Ref. No.	629601
description	electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 dependend on probe°C display 3½ digits		
accessories for	378131		
	GEV No.	379050	Ref. No.
			—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	GEV No.	379160	Ref. No.
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	GEV No.	379781	Ref. No.
			—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	GEV No.	379944	Ref. No.
			—
	temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m		

SHANGFANG

accessories



1

GEV No.	379054	Ref. No.	639603
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

probes

producer-specific probes

probes



1

GEV No.	400261	Ref. No.	62771000 A00317
description	temperature probe Pt100 cable Vetrotex probe -100 up to 450°C cable -50 up to +350°C connection 3-wire thread probe ø6x80mm cable length 1m		

core probes



1

GEV No.	400263	Ref. No.	6277041000
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread cable length 2m handle ø 10mm handle length 90mm		



1

GEV No.	379505	Ref. No.	293204010
description	core temperature probe Pt1000 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread cable length 1.7m handle ø 10mm handle length 80mm		

electronics

PCBs



1

GEV No.	350076	Ref. No.	293202320
description	buzzer board 12V connection male faston 6.3mm		

keypads

front foils



1

GEV No.	400272	Ref. No.	293200920
description	front foil		




1

GEV No.	400273	Ref. No.	293201850
description	front foil		




1

GEV No.	400276	Ref. No.	293200900
description	front foil		



1

GEV No.	400274	Ref. No.	293200220
description	front foil		



1

GEV No.	400277	Ref. No.	293201490 293202430
description	front foil		

membrane keypads



1

GEV No.	400278	Ref. No.	66201001
description	membrane keypad		



1

GEV No.	400279	Ref. No.	66200001
description	membrane keypad		

solenoid valves

solenoid valves (water)

ELBI

angled



1

GEV No.	373015	Ref. No.	63943410240
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
spare parts for	373015		
	GEV No.	370467	Ref. No. —
solenoid valve filter suitable for ELBI			

RPE

JOHN GUEST



1

GEV No.	374064	Ref. No.	539434110
description	solenoid valve single straight 230VAC inlet 3/4" outlet JG 10 input/ min output/ min DN10 t.max. 25/60/90°C duty cycle 100% RPE 160001230V plastic		

TP



1

GEV No.	370021	Ref. No.	425311034
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
spare parts for	370021		
	GEV No.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for	370021		
	GEV No.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			

Table continues overleaf

accessories for 370021				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance $\pm 15\%$				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

 componenti per elettrodomestici  1				
GEV No.	370017	Ref. No.	53943410240 A00287	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
For models:	110-500A-T, 700-622, 700-632, 700-900, 700-930, 900-622, 900-632, 900-642, 900-652, 900-900, 900-930, 900-940, 900-950, 920-622, 920-632, 920-642, 920-652, 920-900, 920-930, 920-940, 920-950, 9ES- 122N, 9ES-122NG, 9ES-152N, 9ES-152NG, 9ES-182N, 9ES-182NG			
accessories for	370017			
	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				

Table continues overleaf



accessories for 370017				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

pressure switches

for gas equipment

			
1			
GEV No.	541073	Ref. No.	6440001
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		

electrodes

1

GEV No.	402833	Ref. No.	793103640
description	level electrode 1/4" total length 111.5mm probe L 86.5mm insulated probe length 84mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	500-755A, 700-755A-S, 700-855A-S, 900-755A-S, 900-855A-S, 920-755A-S		

				
1				
GEV No.	400260	Ref. No.	639314125	
description	level electrode 1/4" total length 220mm probe L 195mm insulated probe length 185mm PTFE insulated connection male faston 6.3mm stainless steel ø 2.5mm			
accessories for	400260			
	GEV No.	521003	Ref. No.	—
nut thread 1/4" H 6.3mm chrome-plated brass WS 20 Qty 1 pcs				

fans

axial fans

ebm-papst




1

GEV No.	601030 ¹	Ref. No.	607008	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C			
For models:	700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 900-050FE, 900-052FE, 900-054FE, 900-172FEA, AB-370080W, AB-370801W, AB-96080W, AB-96801W, AB-96802W, AB-AB03W, BF70120, BF70160, EMD.E061MA, EMD.E061MN, EMD.E061MW, EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW, EMD.E102MA, EMD.E102MN, TF-G110-G1101, TF-G138-G1381, TF-G158-G1581, TF-G2060-G2061, TF-N110-N1101-N1102, TF-N138-N1381-N1382, TF-N158, TF-N1581-N1582, TF-N2060-N2061-N2062, TR-G110-G1101, TR-G138-G1381, TR-G158-G1581, TR-G1860-G1861, TR-G2060BN, TR-G2060-G2061, TR-G2061BN, TR-G2341BN, TR-G234BN, TR-G234-G2341, TR-N110-N1101-N1102, TR-N138-N1381-N1382, TR-N158-N1581-N1582, TR-N1860-N1861-N1862... (Other models you can see in the webshop)			
accessories for	601030			
	GEV No.	550898	Ref. No.	—
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan				
	GEV No.	692497	Ref. No.	—
guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm				


¹with ball bearings

hot air motors




1

GEV No.	601091	Ref. No.	293200190
description	fan motor 200-240/415V 3 phase 50/60Hz 1HP 1400/1700rpm speeds 1 L1 210mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M8L IT 3.6/2.1A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm type 1040A4450		

 			
GEV No.	601093	Ref. No.	293201150
description	fan motor 200-240/415V 3 phase 50Hz 0.3/1HP 900/1400rpm speeds 2 L1 210mm L2 50mm L3 45mm D1 ø 24mm D2 ø 20mm M8L IT 3.6/2.1-1.5/0.9A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 1041A4450		

			
GEV No.	601097	Ref. No.	293201100
description	fan wheel D1 ø 310mm H1 160mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	EMD.E102MA, EMD.E102MN		

 			
GEV No.	601090	Ref. No.	293200840
description	fan motor 200-240V 1 phase 50/60Hz 0.18kW 0.25HP 1400rpm speeds 1 L1 123mm L2 41mm L3 30mm D1 ø 15mm D2 ø 10mm M10L ET 1.6A suitable capacitor 5µF/450V at 50Hz 1400rpm at 60Hz 1700rpm type 1071		

			
GEV No.	601095	Ref. No.	293200680
description	fan wheel D1 ø 210mm H1 100mm blades 20 D2 ø 11mm D3 ø 16mm H2 30mm		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		

			
GEV No.	601096	Ref. No.	293200240
description	fan wheel D1 ø 285mm H1 140mm blades 24 D2 ø 19.5mm D3 ø 23.5mm H2 45mm		
For models:	EMD.E081MA, EMD.E081MN, EMD.E081MW, EMD.E101MA, EMD.E101MN, EMD.E101MW		

hot air fans

miscellaneous

			
GEV No.	601094	Ref. No.	507005 507007 507009
description	fan motor 240V 36W 50Hz L1 85mm L2 15mm L3 20mm L4 87mm fan wheel ø 150mm Emmevi type 260305X		
For models:	9ES-122N, 9ES-152N, 9ES-182N, ES-121NVC, ES-151NVC, ES-181NVC		



condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365017	Ref. No.	6410005
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	EMD.E061MA, EMD.E061MN, EMD.E061MW		

electric accessories

terminals

connection terminals with screw/faston connections



1

GEV No.	550411	Ref. No.	652502
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	110-500A-T, 500-039A, 500-701A, 500-755A, 64-050FCE, 64-050FE-FEV, 64-050T, 64-057FE, 64-057T, 64-700T, 64-703T, 64-755T, 700-037A-T, 700-039A, 700-050FEB, 700-055A-C-T, 700-055FEB, 700-057A-T, 700-057FEB, 700-500A-C-T, 700-542A-C-T, 700-622, 700-701A-S, 700-702A-S, 700-704A-S, 700-705A-S, 700-708A-S, 700-755A-S, 700-855A-S, 700-900, 900-037A-T, 900-038A-058A, 900-038AM-058AM, 900-039A, 900-050A-C-T, 900-050FE, 900-057A-T, 900-057FE, 900-172A-C-T, 900-172FEA, 900-500A-C-T, 900-542A-C-T, 900-622, 900-642, 900-701A-S, 900-702A-S, 900-704A-S, 900-705A-S, 900-706A-S, 900-755A-S...(Other models you can see in the webshop)		

gas valves and ignition boxes

gas control valves

HONEYWELL



1

GEV No.	101395	Ref. No.	43330001
description	gas valve type VR4605P 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 8-50mbar operator type 230V (V404A 1071) pressure controller type 220/240V (V404A 1071 4) HONEYWELL coil type 220/240V (V4336A 2220) flange 45x45mm		
accessories for	101395		
	GEV No.	101320	Ref. No. —
cover suitable for gas valves HONEYWELL			
	GEV No.	102845	Ref. No. —
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	GEV No.	102846	Ref. No. —
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

SIT

ELETTROSIT



1

GEV No.	101127	Ref. No.	43300012
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	GEV No.	101312	Ref. No. —
microswitch			
	GEV No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101127		
	GEV No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			

Table continues overleaf



accessories for 101127				
	GEV No.	100904	Ref. No.	4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	101301	Ref. No.	—
gas connection thread 1/2" straight ELETROSIT screw with O-ring				
	GEV No.	101303	Ref. No.	—
gas connection straight thread 3/4" ELETROSIT				
	GEV No.	101309	Ref. No.	—
extension				

TANDEM



1

GEV No.	101189	Ref. No.	433012
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem		
For models:	700-622, 700-900, 900-622, 900-642, 900-900, 900-940, 920-622, 920-642, 920-900, 920-940		
spare parts for	101189		
	GEV No.	101379	Ref. No. —
solenoid coil 230V 50Hz suitable for Tandem			
accessories for 101189			
	GEV No.	100904	Ref. No. 4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101925	Ref. No. —
plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
	GEV No.	102845	Ref. No. —
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	GEV No.	102846	Ref. No. —
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

accessories for 101189				
	GEV No.	102847	Ref. No.	—
O-ring				

ignition boxes

HONEYWELL



1

GEV No.	101165	Ref. No.	43331001
description	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
For models:	700-622, 700-900, 900-622, 900-642, 900-900, 900-940, 920-622, 920-642, 920-900, 920-940		
spare parts for	101165		
	GEV No.	358696	Ref. No. —
fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs			



1

GEV No.	102367	Ref. No.	293203200
description	ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		



1

GEV No.	106949	Ref. No.	43331002
description	ignition box HONEYWELL type S4960A 1008 electrodes 1 waiting time 2s safety time 10s 220-240V 10VA 50Hz		



ignition parts

pilot burners

SIT

100 series



1

GEV No.	106906	Ref. No.	A00132 A00280
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA...(Other models you can see in the webshop)		
spare parts for	106906		
	GEV No.	100245	Ref. No. 4370001
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No. —
pilot burner bracket triple			
	GEV No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No. —
screw for pilot burner			
	GEV No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106906		
	GEV No.	100245	Ref. No. 4370001
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No. 4392050
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for	106906		
	GEV No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories

pilot burner nozzles



1

GEV No.	100245	Ref. No.	4370001
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

ignition electrodes



1

GEV No.	100706	Ref. No.	4398070
description	ignition electrode connection M4 Qty 1 pcs		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA...(Other models you can see in the webshop)		

140 - 145 -150 series



1

GEV No.	100159	Ref. No.	790200900	
description	pilot burner SIT type 150 series 2 flames nozzle 19 nozzle ø 0.23/0.26mm gas connection 4mm			
spare parts for	100159			
	GEV No.	100205	Ref. No.	43702019
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100701	Ref. No.	270200700
	ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100897	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	GEV No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	107888	Ref. No.	—
	pilot burner SIT type 150 series 2 flames			
accessories for	100159			
	GEV No.	100204	Ref. No.	—
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	GEV No.	100206	Ref. No.	43702036
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100207	Ref. No.	—
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	GEV No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			

160 series



1

GEV No.	100054	Ref. No.	A00281	
description	pilot burner SIT type 160 series 2 flames nozzle ømm gas connecti-onmm			
For models:	110-200A-T, 110-200F, 110-200FE			
spare parts for	100054			
	GEV No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100054			
	GEV No.	100202	Ref. No.	—
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	GEV No.	100203	Ref. No.	—
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	GEV No.	100701	Ref. No.	270200700
	ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs			
	GEV No.	100869	Ref. No.	—
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm			
	GEV No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101282	Ref. No.	—
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	GEV No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107650	Ref. No.	43703030
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs			



			
GEV No.	100056	Ref. No.	A00282
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm		
spare parts for	100056		
	GEV No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100056		
	GEV No.	100202	Ref. No. —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	GEV No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	GEV No.	100701	Ref. No. 270200700
	ignition electrode connection M4 Qty 1 pcs		
	GEV No.	100801	Ref. No. —
	gasket for pilot burner Qty 1 pcs		
	GEV No.	100869	Ref. No. —
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	GEV No.	100870	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
	GEV No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101287	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No.	107650	Ref. No. 43703030
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

POLIDORO


pilot burners

			
GEV No.	100076	Ref. No.	A00283
description	pilot burner POLIDORO 3 flames natural gas code 29.2 gas connection 6mm		
For models:	110-122FLC, 110-122FL-FLR, 500-125A-126A, 500-750A, 500-800A, 64-040FCE, 64-040F-FV, 64-125T-126T, 64-222F, 64-900T, 700-040FB, 700-125A-C, 700-125T, 700-126A-C, 700-126T, 700-127A-C, 700-127T, 700-138FBA, 700-162FBA, 700-162FG, 700-200FB, 700-222FB, 700-224FBA, 700-224FG, 700-508, 700-750A-S, 700-800A-S, 900-040F, 900-125A-C, 900-125T, 900-126A-C, 900-126T, 900-127A-C, 900-127T, 900-138FA, 900-162FA, 900-162FG, 900-200F, 900-503, 900-506, 900-750A-S, 900-800A-S, 920-122FLC, 920-122FL-FLR-FR, 920-200F, 920-503, 920-506, 920-750A-S		
spare parts for	100076		
	GEV No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100076		
	GEV No.	100000	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs		
	GEV No.	100208	Ref. No. 4372022
	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		
	GEV No.	100209	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs		
	GEV No.	100701	Ref. No. 270200700
	ignition electrode connection M4 Qty 1 pcs		
	GEV No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No.	102508	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs		
	GEV No.	102509	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs		


Table continues overleaf


accessories for 100076				
	GEV No.	102699	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	GEV No.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	GEV No.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	GEV No.	106703	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs				
	GEV No.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs				
	GEV No.	106763	Ref. No.	4372027
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs				
	GEV No.	106859	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs				


electrodes

	
GEV No.	100701
Ref. No.	270200700
description	ignition electrode connection M4 Qty 1 pcs
For models:	110-122FLC, 110-122FL-FLR, 110-200A-T, 110-200F, 110-200FE, 500-125A-126A, 500-750A, 500-800A, 64-040F-FV, 64-125T-126T, 64-222F, 700-040FB, 700-125A-C, 700-125T, 700-126A-C, 700-126T, 700-127A-C, 700-127T, 700-162FBA, 700-162FG, 700-508, 700-750A-S, 700-800A-S, 900-040F, 900-125A-C, 900-125T, 900-126A-C, 900-126T, 900-127A-C, 900-127T, 900-162FA, 900-162FG, 900-182F, 900-503, 900-506, 900-750A-S, 900-800A-S, 920-122FLC, 920-122FL-FLR-FR, 920-503, 920-506, 920-750A-S
accessories for 100701	
	GEV No.
	100906
	Ref. No.
	—
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10	

	
GEV No.	100706
Ref. No.	4398070
description	ignition electrode connection M4 Qty 1 pcs
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA...(Other models you can see in the webshop)

	
GEV No.	102871
Ref. No.	4398060
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 8mm BL1 18mm BL2 3mm BL3 23mm to clip
For models:	500-601A, 64-222F, 64-222FCE, 64-222FE, 64-222T, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-609A, 920-604A-S, 920-609A

	
GEV No.	100761
Ref. No.	793305370
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 15mm L2 17mm BL1 21mm BL2 28mm fixing dimensions ø5x4mm with flange connection ø 4mm



1

GEV No.	100760	Ref. No.	793305360
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 26mm L2 17mm BL1 21mm BL2 28mm fixing dimensions ø5x4mm with flange connection ø 4mm		

ignition cables

pre-assembled cables



1

GEV No.	100036	Ref. No.	5509060
description	ignition cable cable length 500mm connection F2.8mm / F2.8mm		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64-222FCE, 64-222FE, 64-222T		



1

GEV No.	100018	Ref. No.	5509040
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-600T-603T, 64-900T, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-400A-C-T, 700-402A-C-T... (Other models you can see in the webshop)		



1

GEV No.	100019	Ref. No.	45509080
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		
For models:	500-601A, 500-750A, 500-800A, 64-040F-FV, 64-125T-126T, 64-222F, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 700-750A-S, 700-800A-S, 900-182F, 900-402A-C-T, 900-601A-S, 900-602A-S, 900-604A-S, 900-605A-S, 900-609A, 900-750A-S, 900-800A-S, 920-402A-T, 920-604A-S, 920-609A, 920-750A-S		

ignition units



1

GEV No.	101002	Ref. No.	539613240
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6mm

SIT




1

GEV No.	102267	Ref. No.	434008085
description	thermocouple M8x1 L 850mm plug connection ø6.0mm		


with barrel socket ø6(6.5)mm

thermocouples SIT



1

GEV No.	107603	Ref. No.	A00426
description	thermocouple SIT M8x1 L 1000mm plug connection ø6.0(6.5)mm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-138A-C-T, 900-138FA, 900-138FEA, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		



1

GEV No.	107605	Ref. No.	A00201
description	thermocouple SIT M8x1 L 1500mm plug connection ø6.0(6.5)mm		

GEV No.	107601	Ref. No.	434008050
description	thermocouple SIT M8x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 500-750A, 500-800A, 64-120TLC, 64-120TL-TR, 64-122TL, 64-122TLC, 64-122TLR-TR, 64-130TL-TR, 64-132TL-TLR-TR, 64-222F, 64-222FCE, 64-222FE, 64-222T, 64-900T, 700-130AL-AR, 700-130CL-CR, 700-130TL-TR, 700-132AL-AR, 700-132ALR, 700-132CL-CR, 700-132CLR, 700-132TLR, 700-132TL-TR, 700-138A-C-T, 700-138FBA, 700-138FEBA, 700-200A-C-T, 700-200FB, 700-200FEB, 700-750A-S, 700-800A-S, 900-130AL-AR, 900-130CL-CR, 900-130TL-TR, 900-132AL-ALR-AR, 900-132CL-CLR-CR, 900-132TL-TLR-TR, 900-200A-C-T, 900-200F, 900-200FE...(Other models you can see in the webshop)		

GEV No.	107612	Ref. No.	434009110
description	thermocouple SIT M9x1 L 1000mm plug connection $\varnothing 6.0(6.5)$ mm		

GEV No.	107611	Ref. No.	434009175
description	thermocouple SIT M9x1 L 850mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	110-120AL-ALR, 110-120TL-TLR, 110-122AL-ALR, 110-122ALC, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-122TL, 110-122TL-TLR, 110-200A-T, 110-200F, 110-200FE, 500-120AL-AR, 500-120ALC, 500-120TLC, 500-120TL-TR, 500-122AL-ALR-AR, 500-122ALC, 500-122TLC, 500-122TL-TLR-TR, 64-040F-FV, 64-125T-126T, 64-222F, 700-040FB, 700-040FEB, 700-120AL-AR-CL, 700-120ALC-CLC, 700-120CR-TL, 700-120TLC, 700-120TR, 700-122AL, 700-122ALC, 700-122ALR-AR-CL, 700-122CLC, 700-122CLR-CR-TL, 700-122TLC, 700-122TLR-TR, 700-138FBA, 700-162FBA, 700-200FB, 700-222FB, 700-224FBA, 700-400A-C-T, 700-401B, 700-402A-C-T, 900-040F, 900-120AL-AR, 900-120ALC, 900-120CL-CR...(Other models you can see in the webshop)		

thermocouples with aluminised tip

GEV No.	102043	Ref. No.	434009000
description	thermocouple M9x1 L 1000mm plug connection $\varnothing 6.0(6.5)$ mm		

GEV No.	102039	Ref. No.	434010100
description	thermocouple M9x1 L 320mm plug connection $\varnothing 6.0(6.5)$ mm		


GEV No.	102041	Ref. No.	434209075
description	thermocouple M9x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		

plug-in thermocouples with aluminised tip

GEV No.	103058	Ref. No.	434008060
description	thermocouple aluminized tip M8x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	700-020A-C-T, 700-040A-C-T, 700-040FB, 700-040FEB, 700-162A-C-T, 700-162FBA, 700-162FEBA, 700-162FG, 700-222A-C, 700-222FB, 700-222FEB, 700-222T, 700-224A-C, 700-224FBA, 700-224FEBA, 700-224FG, 700-224T, 900-020A-C-T, 900-040A-C-T, 900-040F, 900-040FE, 900-162A-C-T, 900-162FA, 900-162FEA, 900-162FG, 900-182F, 900-182FE		

plug-in thermocouples with interruption

GEV No.	107164	Ref. No.	434009100 4343103
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection $\varnothing 6.0(6.5)$ mm soldering connection		
For models:	64-600T-603T, 700-508, 900-503, 900-506, 920-503, 920-506		



1


GEV No.	107177	Ref. No.	434099045 4343106 A00425
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm		
For models:	500-601A, 64-600T-603T, 700-601A-S, 700-602A-S, 700-603A, 700-604A-605A, 700-609A, 900-601A-S, 900-602A-S, 900-604A-S, 900- 605A-S, 900-609A, 920-604A-S, 920-609A		

threaded thermocouples

threaded thermocouples standard


with socket with thread M8x1

SIT




1

GEV No.	107632	Ref. No.	A00270
description	thermocouple SIT M8x1 L 1000mm M8x1		
accessories for	107632		
	GEV No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



1


GEV No.	107631	Ref. No.	A00017
description	thermocouple SIT M8x1 L 850mm M8x1		
accessories for	107631		
	GEV No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



1

GEV No.	107637	Ref. No.	A00022
description	thermocouple SIT M9x1 L 850mm M8x1		
accessories for	107637		
	GEV No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			


threaded thermocouples (miscellaneous)



1

GEV No.	102055	Ref. No.	A00016
description	thermocouple M8x1 L 450mm M8x1		
For models:	64-020T-64-040T, 64-040FCE, 64-040FE, 64-040F-FV, 64-222F, 64- 222FCE, 64-222FE, 64-222T		
accessories for	102055		
	GEV No.	102067	Ref. No. —
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

thermopiles



1

GEV No.	102116	Ref. No.	434010580
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

gas burners

bar burners

bar burners



1

GEV No.	105366	Ref. No.	293200290
description	bar burner ø 50mm Wmm Hmm L 298mm flange width 65mm flange length 71mm		



1

GEV No.	105365	Ref. No.	293200270
description	bar burner ø 50mm Wmm Hmm L 615mm flange width 65mm flange length 71mm		



			
1			
GEV No.	105157	Ref. No.	293201090
description	bar burner ø 50mm Wmm Hmm L 775mm flange with bolt M4 flange width 65mm flange length 71mm		

gas nozzles

main nozzles

gas nozzles M10x1

			
1			
GEV No.	106762	Ref. No.	290201530
description	gas injector thread M10x1 bore ø 2.1mm L 30mm WS 12		

			
1			
GEV No.	106469	Ref. No.	241204941
description	gas injector thread M10x1 WS 12 bore ø 2.5mm		

			
1			
GEV No.	100540	Ref. No.	241202341
description	gas injector thread M10x1 WS 12 bore ø 1.2mm		

			
1			
GEV No.	100387	Ref. No.	241204901
description	gas injector thread M10x1 WS 12 bore ø 1.45mm		

			
1			
GEV No.	100543	Ref. No.	241204911
description	gas injector thread M10x1 WS 12 bore ø 1.5mm		

			
1			
GEV No.	100661	Ref. No.	290201850
description	gas injector thread M10x1 WS 12 bore ø 1.65mm		

pilot burner nozzles

pilot burner nozzles POLIDORO

			
1			
GEV No.	100208	Ref. No.	4372022
description	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		

			
1			
GEV No.	106763	Ref. No.	4372027
description	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series

			
1			
GEV No.	100245	Ref. No.	4370001
description	pilot burner nozzle SIT LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

140/150 series

			
1			
GEV No.	100205	Ref. No.	43702019
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		

			
1			
GEV No.	100206	Ref. No.	43702036
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		



160 series



1

GEV No.	107172	Ref. No.	43701025
----------------	--------	-----------------	----------

description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs
--------------------	---



1

GEV No.	107650	Ref. No.	43703030
----------------	--------	-----------------	----------

description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs
--------------------	---



1

GEV No.	107173	Ref. No.	43701035
----------------	--------	-----------------	----------

description	pilot burner nozzle SIT natural gas code 35 Qty 1 pcs suitable for 160 series nozzle ø 0.35mm
--------------------	---



1

GEV No.	107174	Ref. No.	43701041
----------------	--------	-----------------	----------

description	pilot burner nozzle SIT natural gas code 41 Qty 1 pcs
--------------------	---



1

GEV No.	107175	Ref. No.	43703051
----------------	--------	-----------------	----------

description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series
--------------------	---

screw connections

olives



1

GEV No.	101249	Ref. No.	270201580
----------------	--------	-----------------	-----------

description	olive for pipe ø 10mm Qty 1 pcs
--------------------	---------------------------------


accessories for	101249
------------------------	--------



GEV No.	101250	Ref. No.	270201680
----------------	--------	-----------------	-----------

description	union nut thread M20x1.5 for pipe ø 10mm
--------------------	--

union nuts



1

GEV No.	101250	Ref. No.	270201680
----------------	--------	-----------------	-----------

description	union nut thread M20x1.5 for pipe ø 10mm
--------------------	--

accessories for	101250
------------------------	--------



GEV No.	101249	Ref. No.	270201580
----------------	--------	-----------------	-----------

description	olive for pipe ø 10mm Qty 1 pcs
--------------------	---------------------------------

union screws



1

GEV No.	100904	Ref. No.	4392050
----------------	--------	-----------------	---------

description	locking screw M10x1 for pipe ø 4mm Qty 1 pcs
--------------------	--

knobs

producer-specific knobs

GICO



1

GEV No.	110875	Ref. No.	293202250 A00250
----------------	--------	-----------------	---------------------

description	knob switch zero mark ø 54mm shaft ø 6x4.6mm shaft flat upper black
--------------------	---

For models:	64-040FCE, 64-050FCE, 64-222FCE
--------------------	---------------------------------



1

GEV No.	110832	Ref. No.	290202430
----------------	--------	-----------------	-----------

description	knob spring
--------------------	-------------

For models:	110-030A-T, 110-032A-T, 110-037A-T, 110-038A, 110-050A-T, 110-050FE, 110-052A, 110-052FE, 110-052T, 110-057A-T, 110-057FE, 110-058A, 110-122FELC, 110-122FEL-FELR, 110-200A-T, 110-200F, 110-200FE, 110-320AL-ALR, 110-320TL-TLR, 110-322AL-ALC-ALR, 110-322FEL-FELC-FELR, 110-322TL-TLC-TLR, 500-030A-T, 500-038A, 500-039A, 500-050A-T, 500-050FE, 500-125A-126A, 500-320AL-ALC-AR, 500-320TL-TLC-TR, 500-322AL-ALC-ALR-AR, 500-322TL-TLC-TLR-TR, 64-020T-64-040T, 64-030T, 64-037T, 64-040FCE, 64-040FE, 64-040F-FV, 64-050FCE, 64-050FE-FEV, 64-050T, 64-057FE, 64-057T, 64-125T-126T, 64-132TL-TLR-TR, 64-222F, 64-222FCE, 64-222FE, 64-222T, 64-320TL-TLC-TR...(Other models you can see in the webshop)
--------------------	--


locks

edgemount latches

push button latches

RAHRBACH

6186 PRESTO series



1

GEV No.	700045	Ref. No.	419506186	
description	push button latch L 180mm mounting distance 121mm non lockable 6186 H 34mm W 28mm type PRESTO			
spare parts for	700045			
	GEV No.	700046	Ref. No.	—
	handle H 26.5mm L 55mm W 23.5mm plastic with spring spring length 14mm mounting thread M4 spring thickness 0.5mm			
accessories for	700045			
	GEV No.	690108	Ref. No.	—
	base plate H 5mm L 47.5mm W 21mm for swinging strike hole distance 31mm type PRESTO no. 6186			
	GEV No.	690109	Ref. No.	—
	base plate H 1mm L 47.5mm W 21mm plastic hole distance 31mm type PRESTO no. 6186			
	GEV No.	700050	Ref. No.	—
	door catch H 5mm L 47mm W 21mm hole distance 31mm with spigot refrigeration units type PRESTO no. 6186			
	GEV No.	700051	Ref. No.	—
	door catch H 5mm L 48mm W 21mm adjustable hole distance 31mm with spigot type PRESTO no. 6186			

handle latches



1

GEV No.	700045	Ref. No.	419506186	
description	push button latch L 180mm mounting distance 121mm non lockable 6186 H 34mm W 28mm type PRESTO			
spare parts for	700045			
	GEV No.	700046	Ref. No.	—
	handle H 26.5mm L 55mm W 23.5mm plastic with spring spring length 14mm mounting thread M4 spring thickness 0.5mm			

accessories for		700045		
	GEV No.	690108	Ref. No.	—
	base plate H 5mm L 47.5mm W 21mm for swinging strike hole distance 31mm type PRESTO no. 6186			
	GEV No.	690109	Ref. No.	—
	base plate H 1mm L 47.5mm W 21mm plastic hole distance 31mm type PRESTO no. 6186			
	GEV No.	700050	Ref. No.	—
	door catch H 5mm L 47mm W 21mm hole distance 31mm with spigot refrigeration units type PRESTO no. 6186			
	GEV No.	700051	Ref. No.	—
	door catch H 5mm L 48mm W 21mm adjustable hole distance 31mm with spigot type PRESTO no. 6186			

hinges

oven hinges



1

GEV No.	690560	Ref. No.	A00006
description	oven hinge right/left		
For models:	110-050FE, 110-052FE, 110-057FE, 110-122FELC, 110-122FEL-FELR, 110-122FLC, 110-122FL-FLR, 110-200F, 110-200FE, 110-322FEL-FELC-FELR, 500-050FE, 64-050FE-FEV, 64-057FE, 64-222FE, 700-040FB, 700-040FEB, 700-050FEB, 700-052FEB, 700-054FEB, 700-055FEB, 700-057FEB, 700-138FBA, 700-138FEBA, 700-162FBA, 700-162FEBA, 700-162FG, 700-200FB, 700-200FEB, 700-222FB, 700-222FEB, 700-224FBA, 700-224FEBA, 700-224FG, 700-411B, 900-040F, 900-040FE, 900-050FE, 900-052FE, 900-054FE, 900-057FE, 900-138FA, 900-138FEA, 900-162FA, 900-162FEA, 900-162FG, 900-172FEA, 900-200F, 900-200FE, 900-411-413, 920-050FE...(Other models you can see in the webshop)		

fittings for catering equipment

safety valves



1

GEV No.	601099	Ref. No.	793303060
description	sealing cord shaft sealing suitable for GICO equiv. no. 793303060		



shelves and shelf rails


grates

universal

without upstand



GEV No.	970120	Ref. No.	793108350
description	grate W 325mm D 530mm GN 1/1 chrome-plated steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1		
accessories for	970120		
	GEV No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		




GEV No.	970123	Ref. No.	241200292
description	grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2		
accessories for	970123		
	GEV No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

gaskets


gaskets for heated units

window seals




GEV No.	900172	Ref. No.	293200610
description	window gasket profile 1540 Qty supplied by meter		


door seals



GEV No.	900171	Ref. No.	284204130
description	door seal profile 2050 external size Qty supplied by meter		



GEV No.	901428	Ref. No.	293201230
description	door seal profile 2050 L 1850mm		



GEV No.	901316	Ref. No.	284201430 284201490 293200500 293201400 684201490
description	door seal profile 2050 L 3010mm Qty 1 suitable for GICO		

sealing cords

square

1



GEV No.	601098	Ref. No.	793303880
description	sealing cord square size 6x6mm braided L 0.2m Qty 1		

valves and tank inlets

ball valves

ball valves electric



1

GEV No.	403026 ¹	Ref. No.	6441001 6441002
description	ball valve inlet 1/2" IT outlet 1/2" IT 230V L 90mm 50/60Hz off-current open mode of operation electric W 60mm H 100mm connection cable 450mm IT 1/2"		

¹off-current open

measuring equipment

thermometers

built-in thermometers

ø52mm



1



GEV No.	541077	Ref. No.	4251103552
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 30mm capillary pipe 1000mm built-in depth 28mm		

A

alarm devices	12
axial fans	18

B

ball valves	33
ball valves electric	33
bar burners	28

C

cam switches	8
condensators & interference suppression filters	20
contactors	12
control thermostats	5

D

door seals	32
------------	----

E

edgemount latches	31
electric accessories	20
electric timers	11
electrodes	18
electronic controllers	14
energy regulators	5

F

fans	18
------	----

G

gas burners	28
gas control valves	20
gas nozzles	29
gaskets for heated units	32
GEV	2
grates	32

H

halogen lamp	11
handle latches	31
heating elements	2
heating elements for convection	3
heating elements for ovens	2
hot air fans	19
hot air motors	18

I

ignition boxes	21
ignition cables	26
ignition units	26
immersion heating elements	3
indicator lights	9

indicator lights (complete)	10
infrared lamps	11

L

lamps	9
linear lamps	11

M

magnetic switches	9
measuring equipment	33
mechanical timers	12
microswitches	8

O

operating capacitors	20
oven hinges	31
oven lamps	11

P

pilot burners	22
pressure switches	18
probes	14
programme timers	11
push button latches	31
push/momentary push switches	7

R

relays	13
--------	----

S

safety thermostats	6
sealing cords	33
shelves and shelf rails	32
solenoid valves	16
switches and momentary switches	7

T

terminals	20
thermocouples	26
thermostats	5
timers	11
transformers	13

V

valves and tank inlets	33
------------------------	----

W

window seals	32
--------------	----