



Spare Parts for Ice Machines



Spare parts suitable for

KASTEL

2018

Find the complete and up-to-date range of products in our GEV Webshop



thermostats

bi-metal thermostats

safety bi-metal thermostats



1

GEV No.	390578	Ref. No.	K00076
description	bi-metal safety thermostat hole distance 25mm 1NC 1-pole		

refrigeration thermostats

RANCO

K50 series



1

GEV No.	390286	Ref. No.	K00079
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C		

miscellaneous producers



1

GEV No.	390996	Ref. No.	K00080
description	thermostat probe ø 2mm probe Lmm capillary pipe 2250mm type K22L1081		

switches and momentary switches

microswitches

lever actuated



1

GEV No.	346872	Ref. No.	601003
description	microswitch with lever 250V 0.1A 1CO connection male faston 6.3mm L 50mm ambient temperature max. 85°C mounting distance 22mm type D41X actuating force: 6g lever length 36mm		

float switches



1

GEV No.	345372	Ref. No.	601043
description	float switch 1CO ø 15mm L 104mm 250V 6A male faston 6.3mm cable lengthmm		



1

GEV No.	345371	Ref. No.	601082
description	float switch with plunger 250V 16A 1CO male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm type EF83161.5 actuating force: 20g blue/black		

timers

programme timers



1

GEV No.	360368	Ref. No.	K00257
description	timer CDC 11904 engines 1 chambers 4 operation time 10min 230V manuf. no. 11904F1 / K00257 motor type M48R ATS		

	spare parts for 360368			
	GEV No.	360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

GEV No.	360367	Ref. No.	K00075
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / K00075 motor type M48R ATS		

spare parts for		360367	
	GEV No.	360118	Ref. No.
	—		
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

contactors

LOVATO

power contactors



1

GEV No.	380964	Ref. No.	00005140
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A230		

probes

producer-specific probes

probes



1

GEV No.	379851	Ref. No.	K04678
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø6x-50mm cable length 1.5m		



1

GEV No.	403223	Ref. No.	K04677
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø6x-50mm cable length 2m		

electronics

PCBs



1

GEV No.	403100	Ref. No.	K04720
description	PCB ice maker KP 75 L 115mm W 95mm 230V		
accessories for	403100		
	GEV No.	379851	Ref. No. K04678
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø6x-50mm cable length 1.5m		
	GEV No.	403223	Ref. No. K04677
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread probe ø6x-50mm cable length 2m		

solenoid valves

solenoid valves (water)

ELBI



1

GEV No.	370400	Ref. No.	K01213
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/min output 1.5l/min DN10 t.max. 90°C ELBI plastic flow regulating valve outlet white		

TP

solenoid valves with reducers



1

GEV No.	370398	Ref. No.	K01195
description	solenoid valve double angled 230VAC inlet 3/4" input 12l/min t.max. 90°C TP plastic flow regulating valve inlet blue outlet 11.5mm output A 2.5l/min output B 2.5l/min flow regulating valve outlet A yellow flow regulating valve outlet B yellow		



1

GEV No.	370397	Ref. No.	K01322
description	solenoid valve double angled 230VAC inlet 3/4" input/min output 1.5/2.5l/min DN10 t.max. 90°C TP plastic outlet 11.5mm flow regulating valve outlet A light brown flow regulating valve outlet B yellow		



1

GEV No.	370396	Ref. No.	K00204
description	solenoid valve double angled 230VAC inlet 3/4" t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.5l/min output B 1.5l/min flow regulating valve outlet A light brown flow regulating valve outlet B light brown		



1

GEV No.	370399	Ref. No.	K01212
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/ min output 0.8l/min DN10 t.max. 90°C TP plastic		



1

GEV No.	370401	Ref. No.	K01214
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm output 2.5l/min t.max. 90°C TP plastic flow regulating valve outlet yellow		

pressure switches

for refrigeration

RANCO

DWFK series



1

GEV No.	541853	Ref. No.	K00077 K00077+K01106+K00489 K02908+K01106+K00489 K02908+K01106+K01078
description	pressure control RANCO type HR10811A4R001 switching diff.bar pressure range 17.5bar		

compressors

EMBRACO / ASPERA

R404a/R507

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

GEV No.	605132	Ref. No.	K00475
description	compressor coolant R404a/R507 type NT6222GK 200-240V 50Hz HMBP fully hermetic 17kg 1HP cylinder capacity 17.39cm ³ CSR H 252mmW 810W 1032W 1040W 1174W 1307W 1583W 2247W test method ASHRAE		
accessories for	605132		
	GEV No.	365142	Ref. No. —
operating capacitor capacity 15µF 450V with metal case tolerance 5% 50/60Hz ø 40mm L 110mm M8x1.25			
	GEV No.	365153	Ref. No. —
starting capacitor 52µF 330V 50/60Hz duty cycle 3s 41280A133 2252347 ø 36mm L 83mm M8 plastic connection cable 350mm			
	GEV No.	390981	Ref. No. —
klixon suitable for NT6222GK			

L'UNITE HERMETIQUE / TECUMSEH
R404A
HMBP monophase
High/Medium evaporation temperature above -20/-15 °C



1

GEV No.	605025	Ref. No.	K01186
description	compressor coolant R404A type AE4430Z-FZ 220-240V 50Hz HMBP fully hermetic 10.2kg 1/4HP power input 427W cylinder capacity 5.7cm ³ CSIR H 186mmWW 258W 346W 441W 550W 682W 794W test method EN 12900 908W		
spare parts for	605025		
	GEV No.	380061	Ref. No. —
	start relay MTRP0027-31 120/240V voltage AC 8A 1NO		



1

GEV No.	605023	Ref. No.	K00085
description	compressor coolant R404A type AE4450Z 220-240V 50Hz HMBP fully hermetic 12.5kg 3/8HP cylinder capacity 8.85cm ³ CSIR H 207mmWW 434W 567W 734W 927W 1270W 1367W test method EN 12900 1729W		



1

GEV No.	605021	Ref. No.	K00200
description	compressor coolant R404A type AEZ4425Z 220-240V 50Hz HMBP fully hermetic 9.8kg 1/5HP cylinder capacity 4.5cm ³ CSIR H 186mmWW 198W 263W 341W 432W 537W 629W test method EN 12900 723W		



1

GEV No.	605027	Ref. No.	K00476
description	compressor coolant R404A type CAJ4517Z 220-240V 50Hz HMBP fully hermetic 24kg 1.2HP cylinder capacity 25.95cm ³ CSIR H 282mmWW 1588W 1987W 2451W 2971W 3536W 4132W test method EN 12900 4742W		



1

GEV No.	605026	Ref. No.	K00206
description	compressor coolant R404A type CAJ9480Z 220-240V 50Hz HMBP fully hermetic 22kg 3/4HP cylinder capacity 15.2cm ³ CSIR H 271mm 393W 571W 774W 1009W 1284W 1607W 1989W 2334W test method EN 12900 2699W		



1

GEV No.	605032	Ref. No.	K00475 old
description	compressor coolant R404A type CAJ9510Z 220-240V 50Hz HMBP fully hermetic 23kg 1HP cylinder capacity 18.3cm ³ CSIR H 282mm 527W 732W 970W 1252W 1583W 1972W 2437W 2826W test method EN 12900 3220W		



fans


refrigeration fans

refrigeration motors universal

accessories


fan wheels

aluminium



GEV No.	601566	Ref. No.	K01301
description	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm aluminium		

plastic



GEV No.	601395	Ref. No.	K01023
description	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 32mm plastic		

cooling motors (complete)



GEV No.	601396	Ref. No.	K01380
description	fan 230V 10W 50/60Hz fan wheel ø 172mm shaft L 16mm feet depth 53mm L 66mm W 83mm H 83mm blade angle 32° connection cable 500mm		
spare parts for	601396		
	GEV No.	601553	Ref. No. —
	fan wheel sucking ø 172mm fan wheel mounting 25.4mm blade angle 28° W 35mm aluminium		



GEV No.	601397	Ref. No.	K01083
description	fan 230V 10W 50Hz fan wheel ø 154mm shaft L 125mm feet depth 72mm blade angle 28° connection cable 1000mm		

motors

gear motors

for ice-cube maker

for paddles



GEV No.	500422	Ref. No.	606003
description	gear motor ITV type MT6b-GB5FS 3.5W 230V 50Hz 30rpm shaft ø 6mm L 64mm W 51mm H 40mm for ice-cube maker		



GEV No.	500407	Ref. No.	601039
description	gear motor LIP type 123MR 8W 220/240V voltage AC 50/60Hz 50rpm turn direction counterclockwise shaft ø 4mm shaft intake ø 6.2mm groove width 2.3mm shaft L 8mm shaft ø 4mm W 74mm		

pumps

pumps for ice machines

			
1			
GEV No.	501494	Ref. No.	K02941
description	pump GRE 100W 230V 50Hz inlet ø 24mm outlet ø 21mm L 227mm		

			
1			
GEV No.	500200	Ref. No.	K01530
description	pump GRE 100W 230V 50Hz inlet ø 24mm outlet ø 23mm L 145mm rotation direction right		

1

GEV No.	500587	Ref. No.	K00553 K01206
description	pump OLYMPIA type L63.T19ICE 190W 230V 50Hz inlet ø 28mm outlet ø 26mm impellor ø 48mm L 200mm rotation direction right for ice-cube maker capacitor 5µF		
spare parts for	500587		
	GEV No.	601395	Ref. No. K01023
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 32mm plastic		

1

GEV No.	500963	Ref. No.	K01164 K01207
description	pump OLYMPIA type T.19 190W 230V 50Hz inlet ø 28mm outlet ø 26mm impellor ø 65mm L 200mm rotation direction right for ice-cube maker capacitor 5µF		
spare parts for	500963		
	GEV No.	601566	Ref. No. K01301
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm aluminium		

1

GEV No.	500161	Ref. No.	600062
description	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker		
spare parts for	500161		
	GEV No.	500970	Ref. No. —
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		

equipment-specific units for ice-cube maker

drain systems

drain fittings

			
1			
GEV No.	695350	Ref. No.	K00004
description	drain fitting thread M28x2 L 23mm straight for ice maker		

			
1			
GEV No.	695347	Ref. No.	K00006
description	drain fitting thread M32x1.5 L 49.3mm straight connection 15mm for ice maker		



overflow pipes



GEV No.	695346	Ref. No.	K01317
description	overflow pipe for ice maker tube ø 2.6mm pipe length 95.5mm		

spray systems

KASTEL

spray arms



GEV No.	694716	Ref. No.	K02896
description	spray arm L 290mm nozzles 6 plastic for ice maker		



GEV No.	695329	Ref. No.	K00825 K02203 K02897
description	spray arm L 335mm nozzles 6 for ice maker		



GEV No.	750391	Ref. No.	K04293
description	spray arm L 445mm nozzles 10 for ice maker		



GEV No.	696627	Ref. No.	K02898
description	spray arm L 445mm nozzles 9 for ice maker		



GEV No.	695332	Ref. No.	K00047 K02209 K02899
description	spray arm L 675mm nozzles 15 for ice maker		



GEV No.	695333	Ref. No.	K00316 K02211 K02900
description	spray arm L 725mm nozzles 18 for ice maker		

accessories



GEV No.	695335	Ref. No.	K00527
description	end cap for ice maker		

doors

doors



GEV No.	696662	Ref. No.	K03401
description	door for ice maker W 297mm H 197mm thickness 24mm blue		



GEV No.	696663	Ref. No.	K04158
description	door for ice maker W 297mm H 197mm thickness 24mm grey		



GEV No.	695307	Ref. No.	K00816
description	door for ice-cube maker W 303mm H 185mm thickness 22mm		



GEV No.	695306	Ref. No.	K00828
description	door for ice-cube maker W 303mm H 185mm thickness 23mm		

			
1			
GEV No.	695308	Ref. No.	K00241
description	door for ice-cube maker W 337mm H 215mm thickness 23mm		

			
1			
GEV No.	695309	Ref. No.	K00245
description	door for ice-cube maker W 447mm H 215mm thickness 23mm		

			
1			
GEV No.	695310	Ref. No.	K00249
description	door for ice-cube maker W 677mm H 315mm thickness 23mm		

			
1			
GEV No.	695311	Ref. No.	K00456
description	door for ice-cube maker W 725mm H 315mm thickness 23mm		

curtains
with holder

			
1			
GEV No.	695300	Ref. No.	K00826
description	curtain for ice maker W 283mm H 160mm with holder shaft length 260mm shaft ø 7.5mm		

			
1			
GEV No.	695301	Ref. No.	K00225
description	curtain for ice maker W 320mm H 160mm with holder shaft length 310mm shaft ø 7.5mm		

			
1			
GEV No.	695302	Ref. No.	K00653
description	curtain for ice maker W 432mm H 160mm with holder shaft length 430mm shaft ø 7.5mm		

			
1			
GEV No.	695303	Ref. No.	K00556
description	curtain for ice maker W 660mm H 160mm with holder shaft length 660mm shaft ø 7.5mm		

			
1			
GEV No.	695304	Ref. No.	K00227
description	curtain for ice maker W 720mm H 202mm with holder shaft length 705mm shaft ø 7.5mm		

accessories
lamellas

			
1			
GEV No.	695305	Ref. No.	K00008
description	lamella for curtain L 70mm W 25mm ID ø 8mm		

suction system

intake filters



GEV No.	695341	Ref. No.	K00012
description	intake filter L 60mm ø 28mm		

pipes



GEV No.	695344	Ref. No.	K0058
description	aspiration tube		

gaskets

miscellaneous



GEV No.	695348	Ref. No.	K00536
description	sealing ring rubber ED ø 42mm ID ø 33mm thickness 2mm Qty 1 pcs		



GEV No.	695351	Ref. No.	K00003
description	sealing ring rubber ED ø 45mm ID ø 27mm thickness 2mm Qty 1 pcs		

hoses

formed hoses

straight

miscellaneous



GEV No.	695327	Ref. No.	K00311
description	formed hose straight for ice-cube maker ID ø 17mm ED ø 25mm L 100mm		

form L



GEV No.	695314	Ref. No.	K00824
description	formed hose L-shape for ice-cube maker ID ø 17/23mm ED ø 26/30mm L 220mm W 60mm		



GEV No.	695328	Ref. No.	K00048 K03462
description	formed hose L-shape for ice-cube maker ID ø 17mm ED ø 24mm L 90mm W 50mm		



GEV No.	695326	Ref. No.	K00444
description	formed hose L-shape for ice-cube maker ID ø 17mm ED ø 25mm L 115mm W 50mm		



GEV No.	695325	Ref. No.	K00445
description	formed hose L-shape for ice-cube maker ID ø 17mm ED ø 25mm L 195mm W 80mm		

form S



GEV No.	695312	Ref. No.	K00110
description	formed hose S-shape for ice-cube maker ID ø 22mm ED ø 30mm L 88mm W 50mm		

form U

group 1



GEV No.	695318	Ref. No.	K00141
description	formed hose U-shape for ice-cube maker ID ø 17/25mm ED ø 26/32mm L 300mm W 110mm		



GEV No.	695316	Ref. No.	K00184
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 220mm W 100mm		

			
1			
GEV No.	695320	Ref. No.	K00197
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 410mm W 120mm		

			
1			
GEV No.	695324	Ref. No.	K00217
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 620mm W 130mm		

			
1			
GEV No.	695322	Ref. No.	K00109
description	formed hose U-shape insulated for ice-cube maker ID ø 17/25mm ED ø 26/32mm L 530mm W 130mm		

group 2

			
1			
GEV No.	695313	Ref. No.	K00823
description	formed hose U-shape for ice-cube maker ID ø 17/23mm ED ø 26/32mm L 250mm W 60mm		

			
1			
GEV No.	695315	Ref. No.	K00185
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 280mm W 80mm		

			
1			
GEV No.	695319	Ref. No.	K00198
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 460mm W 100mm		

			
1			
GEV No.	695321	Ref. No.	K00072
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 550mm W 100mm		

			
1			
GEV No.	695323	Ref. No.	K00218
description	formed hose U-shape for ice-cube maker ID ø 17/26mm ED ø 26/32mm L 670mm W 100mm		

			
1			
GEV No.	695317	Ref. No.	K00142
description	formed hose U-shape for ice-cube maker ID ø 26/17mm ED ø 26/32mm L 350mm W 85mm		

hose connectors

with thread

			
1			
GEV No.	695352	Ref. No.	K00039
description	hose connector for drain assembly		

without thread

			
1			
GEV No.	695340	Ref. No.	K01805
description	hose connector		

			
1			
GEV No.	695339	Ref. No.	K01806
description	hose connector for hose ID 23-10-10-23mm plastic Qty 1 pcs		

floats

float containers



1

GEV No.	695073	Ref. No.	601002
description	float container		
spare parts for	695073		
	GEV No.	346872	Ref. No. 601003
microswitch with lever 250V 0.1A 1CO connection male faston 6.3mm L 50mm ambient temperature max. 85°C mounting distance 22mm type D41X actuating force: 6g lever length 36mm			



1

GEV No.	402163	Ref. No.	K03054
description	float container L 150mm 250V cable lengthmm ømm mounting ømm 2CO 12A male faston 6.3mm		
spare parts for	402163		
	GEV No.	348044	Ref. No. —
microswitch with plunger 250V 16A 1CO connection male faston 4.8mm Lmm L1 27.8mm ambient temperature max. 125°C mounting distance 22mm with lever set type MS1-16 actuating force: 45g white			

miscellaneous



1

GEV No.	695349	Ref. No.	K01126
description	nut H 7mm thread M32x1.5 plastic WS 41 Qty 1 pcs		



1

GEV No.	695345	Ref. No.	K00057
description	pipe for inlet		

equipment feet and end caps

screw-in feet



1

GEV No.	695353	Ref. No.	K01086
description	equipment foot thread L 17mm ø 18mm H 40mm WS 24 Qty 1 pcs		

gaskets

O-rings


EPDM



1

GEV No.	510447	Ref. No.	K03089
description	O-ring EPDM thickness 5.34mm ID ø 81.92mm Qty 1 pcs		

silicone



1

GEV No.	532517	Ref. No.	K01125
description	O-ring silicone thickness 1.78mm ID ø 17.17mm Qty 1 pcs		

sealing washers

rubber gaskets



1

GEV No.	695348	Ref. No.	K00536
description	sealing ring rubber ED ø 42mm ID ø 33mm thickness 2mm Qty 1 pcs		



1

GEV No.	695351	Ref. No.	K00003
description	sealing ring rubber ED ø 45mm ID ø 27mm thickness 2mm Qty 1 pcs		

refrigeration cycle components

cooling water regulators

JOHNSON CONTROLS



1

GEV No.	541186	Ref. No.	K00497
description	cooling water regulator 3/8" type V46SA-9951 connection 6mm soldering connection pressure range 5-23bar water pressure max. 18bar water temperature max. 90°C capillary pipe 750mm L 101mm		

filter driers

CASTEL

STANDARD series

suitable for refrigerants R12, R22, R134a, R404A, R407C, R410A, R502, R507



1

GEV No.	750038	Ref. No.	K00081
description	dryer type 4303/2S connection ODS 1/4"-ODM 3/8" 50cm³ p max 45bar -40 up to +80°C		



1

GEV No.	750039	Ref. No.	K00478
description	dryer type 4305/2S connection ODS 1/4"-ODM 3/8" 80cm³ p max 45bar -40 up to +80°C 254g		

miscellaneous



1

GEV No.	750222	Ref. No.	K00199
description	dryer size 15g ø 18.9mm L 119mm connection 2,4/6,7mm		

evaporators

for ice-cube maker

for ice cube maker



1

GEV No.	750191	Ref. No.	K00332
description	evaporator for ice-cube maker 108 cubes L 780mm W 275mm H 42mm KP130/75-KP160/75		



1

GEV No.	750188	Ref. No.	K00145
description	evaporator for ice-cube maker 24 cubes L 330mm W 198mm H 40mm KP21/5-KP30/10		



1

GEV No.	750390	Ref. No.	K04122
description	evaporator for ice-cube maker 40 cubes L 445mm W 198mm H 45mm		



1


GEV No.	750190	Ref. No.	K00138 K04291+K04123
description	evaporator for ice-cube maker 60 cubes L 673mm W 198mm H 45mm KP75/40-KP100/60		

hoses

industrial hoses

PVC hoses


PVC braided hoses



1

GEV No.	530564	Ref. No.	K00073
description	PVC braided hose ID ø 10mm ED ø 16mm L 10m thickness 3mm operating p. 10bar burst p. 30bar t.max. 60°C		

PVC hoses without fabric



1

GEV No.	530721	Ref. No.	00003297 K00541 K01209
description	PVC hose ID ø 13mm ED ø 19mm L 5m thickness 3mm transparent		

fittings, hose and pipe connectors

hose connectors

without screw connection



1

GEV No.	517166	Ref. No.	K00010
description	Y-piece plastic hose ø 10-10-10mm 3-way		



1

GEV No.	695343	Ref. No.	K00230
description	T-piece plastic hose ø 19-19-19mm 3-way		

hose connectors

producer-specific



1

GEV No.	695340	Ref. No.	K01805
description	hose connector		

			
1			
GEV No.	695339	Ref. No.	K01806
description	hose connector for hose ID 23-10-10-23mm plastic Qty 1 pcs		

fastening material

screws

knurled screws

			
1			
GEV No.	695354	Ref. No.	K00013
description	Thumb screw thread M4 thread L 10mm ø 10mm H 6mm SS		

B

bi-metal thermostats 2

C

compressors 4

contactors 3

cooling water regulators 13

E

evaporators 13

F

fans 6

fastening material 15

filter driers 13

float switches 2

H

hose connectors 14, 14

hoses 14

I

industrial hoses 14

K

knurled screws 15

M

microswitches 2

motors 6

O

O-rings 12

P

pressure switches 4

probes 3

programme timers 2

pumps 7

pumps for ice machines 7

PVC hoses 14

R

refrigeration cycle components 13

refrigeration fans 6

refrigeration motors universal 6

refrigeration thermostats 2

S

safety bi-metal thermostats 2

screws 15

sealing washers 12

solenoid valves 3

switches and momentary switches 2

T

thermostats 2

timers 2