



Spare Parts and Accessories



suitable for

Ice Machines and Beverage Dispensers

Find the complete and up-to-date range of products in our [GEV Webshop](#)

Refrigeration thermostats

RANCO

series K22




fig.	GEV No.	probe ø(mm)	probe L(mm)	cap. (mm)	type	suitable for	OEM number
1	390577	-	-	1200	K22L2084	ITV	120273 273
2	390589	2	-	1250	K22L1083	Brema Brema Electrolux Electrolux Electrolux Everlasting Mastro NTF NTF	23597 R23597 087804 092561 23597 — NR23597 23597 NR23597
3	390582	7	108	1400	K22-L1529	Icematic Ranco SF-Maschinen	19797025/0 K22-L1529 I-238

fig.	GEV No.	probe ø(mm)	probe L(mm)	cap. (mm)	type	suitable for	OEM number
						Angelo-Po Dexion GIGA Mach Mach Mach MBM MBM Migel Migel Scotsman Simag Simag Simag	32Z3890 1LT020 I62026414 1LT018 1LT020 80001LT092 1LT020 1LT092 1LT018 1LT020 62026414 1EL011 62026414 Z1EL011
4	390207	2	-	2000	K22L2030		
4	390961	2	-	2000	K22L2082	Migel Ranco	1LT112 K22 L2082

Timer

Program timer



fig.	GEV No.	type	chambers	operation time	supply(V)	suitable for	OEM number
1	360567	11904	4	10min	230	Brema Electrolux NTF	23632 — N23632
1	360566	11904	4	15min	115	Brema Cookmax Electrolux Fagor Fagor Mastro MBM NTF NTF	23259 23259 099423 12030499 BR00023259 N23259 23259 23259 N23259
1	360565	11904	4	18min	230	Brema Brema Cookmax Electrolux Mastro Mastro MBM NTF NTF NTF	23396 23780 23780 — N23396 N23780 23780 23396 23780 N23396 N23780

fig.	GEV No.	type	chambers	operation time	supply(V)	suitable for	OEM number
2	360628	4902C1	2	20min	230	ITV	380C
3	360665	4902F1	2	12min	230	Electrolux Icematic Icematic Icematic Icematic Icematic	— 81414561/0 81414562/0 CM19800012/0 CM81414561/0 CM81414562/0

Solenoid Valves

solenoid valve body

series standard

suitable for coolant R22, R134a, R404A, R407C, R410A, R507



Technical details:

type NC
pressure max 45bar
temperature range -35 up to 105°C

Pos.	GEV No.	type	DN (mm)	connection
1	370151	1028/2 S	2,2	1/4" soldering connection

Compressors

Technical details:

voltage 220-240V
frequency 50Hz
motor system CSIR

high/medium evaporation
temperature over -20/-15 °C

ACC/ZEL
R404a/R507
HMBP 1-phase



1

CUBIGEL
R404a/R507
HMBP 1-phase



2

TECUMSEH
R404a
HMBP 1-phase



3

fig.	GEV No.	type	power (HP)	cylinder capacity (cm³)	power at -10°C (W)	power at -5°C (W)	power at 0°C (W)	power at +5°C (W)
1	605020	ML40TB	1/6	4.04	342	416	499	589
2	605013	ML60TB	1/4	5.68	511	628	760	906
3	605025	AE4430Z-FZ	1/4	5.7	346	441	550	682

Refrigeration motor

with feet



GEV No.	p.(W)	L3 (mm)	feet (mm)	cable (mm)	suitable for	OEM number
601418	10	85	72	500	Brema	23029
					Cookmax	23029
					Elco	NET3T10ZVS008
					Electrolux	085281
					Fagor	12031731
					Icematic	18562459/0
					Icematic	18562497/0
					Icematic	18562498/0
					Icematic	CM18562459/0
					Icematic	CM18562497/0
					Icematic	CM18562498/0
					Mastro	N23029
					MBM	23029
					NTF	N23029
					Scotsman	18562498
					Scotsman	CM18562498
					SF-Maschinen	I-162

Gear motor

for ice makers
for paddle



GEV No.	description	suitable for	OEM number
500407	Gear motor LIP type 123MR 8W 220/240V voltage AC 50/60Hz 50rpm	Brema	926061
		Brema	RG000636
		Brema	RG636
		Brice Italia	926061
		Brice Italia	RG000636
		Brice Italia	RG636
		Electrolux	0T3960
		Geofrigor	RG000636
		Geofrigor	RG636
		Icematic	19440059/0
		Icematic	19440059/1
		Icematic	CM19440059/0
		Icematic	CM19440059/1
		Kastel	601039
		Mach	1LT078
		Migel	1LT078
		Nuova Simonelli	16000018
		Scotsman	CM19440059
		SF-Maschinen	I-184
		Simag	CM19440059

Water container for ice makers

Electrolux



fig.	GEV No.	L (mm)	W (mm)	H (mm)	colour
1	695662	697	260	148	white
2	695014	180	120	80	-

ITV



fig.	GEV No.	L (mm)	W (mm)	H (mm)	colour	OEM number
1	695211	234	170	90	blue	1053615361
2	695210	240	155	70	blue	1053605360

Icematic



fig.	GEV No.	L (mm)	W (mm)	H (mm)	colour	OEM number
1	696618	360	175	70	white	81300066 81300066/0 81300067 81300067/0 CM81300066/0 CM81300067/0
1	696619	450	185	70	white	81300090/0 81300091/0 CM81300090/0 CM81300091/0
2	695662	697	260	148	white	25820125/0 CM25820125/0
3	695014	180	120	80	-	25098060/0 81403005/0 CM25098060/0 CM81403005/0

Scotsman



fig.	GEV No.	L (mm)	W (mm)	H (mm)	colour	OEM number
1	695662	697	260	148	white	CM25820125
2	695014	180	120	80	-	814030050 CM81403005

SF-Machines



Pos.	GEV No.	L (mm)	W (mm)	H (mm)	colour	OEM number
1	695014	180	120	80	-	I-299

Other spare parts and accessories



fig.	GEV No.	description	OEM number
1	695035	Shaft support for paddle motor L 30mm W 17mm H 60mm shaft intake ø 4mm BA 17mm	25725433/0 25725439/0 CM25725433/0 CM25725439/0
2	695009	Bracket paddleL 50mm W 17mm H 23mm shaft intake ø 6,5mm BA 30mm	25726115 25726115/3 CM25726115/3
3	695025	Lever for sump L 143mm W 29mm H 37mm shaft intake ø 10mm plastic for device ICEMATIC	25440110/0 81403011/0 CM25440110/0 CM81403011/0
4	696527	Paddle ø 145mm shaft intake ø 6mm	25545521/0 CM25545521/0
5	695026	Pin for lever L 38 mm ø 4,5 mm metal	25560254/1 25560256/0 CM25560254/1 CM25560256/0

Gear motor for sumps



1



2



3



4

fig.	GEV No.	description	suitable for	OEM number
1	500425	Gear motor 230V 50Hz shaft ø 10mm W 115mm H 100mm tilting motor incl. fasten- ing plate L 125mm	ITV	105200 200 5200
2	500402	Gear motor KENTA type IC9113065 69W 230V 50Hz 2rpm shaft ø 14mm W 60mm H 150mm L 150mm	Staff	90/82020000
3	500756	Gear motor LIP type 10 11W 220/240V voltage AC 50/60Hz 0,7rpm shaft ø 8mm W 118mm H 88mm	Icematic Icematic SF-Maschinen	81442072/0 CM81442072/0 I-306

fig.	GEV No.	description	suitable for	OEM number
4	500410	Float motor LIP 11W 230V 50Hz 0,7rpm shaft ø 7mm shaft length 20mm W 72mm H 110mm 010	Electrolux Icematic Icematic Scotsman SF-Maschinen Simag	— 19440065/0 CM19440065/0 CM19440065 I-309 CM19440065
4	500409	Float motor LIP type 001 11W 220/240V voltage 50/60 0,7rpm shaft ø 7mm	Icematic Icematic Icematic Icematic Icematic Icematic Scotsman SF-Maschinen Simag	19440058 19440063/0 19440069/0 81404001/0 CM19440063/0 CM19440069/0 CM81404001/0 I-303 CM19440063 I-303 CM19440063

Float container



1



2

fig.	GEV No.	description	suitable for	OEM number
1	402163	Float container L 150mm 2CO 250V 12A male faston 6,3mm	Brema Electrolux Kastel Mastro NTF NTF	10145 — K03054 N10145 10145 N10145
2	695072	Float container for ice maker with plastic microswitch	Brema Brema Electrolux Emmepi Fagor Fagor Mastro NTF NTF	C10164 C10201 099434 8C0072 12030020 BR00C10201 NC10201 C10201 NC10201

Pumps for ice makers



fig.	GEV No.	power (W)	voltage (V)	frequency (Hz)	outlet ø (mm)	L (mm)	type	suitable for	OEM number
1	500763	25	230	50/60	19	120	U21B	Electrolux, Icematic, Scotsman	086510 1103544 1200258623
2	499122	-	208-240	50/60	26	210	YSP6PJDVF2	Hatco, Manitowoc	76-26013
3	500772	-	230	50/60	19	120	U21B	Scotsman, Simag	12002586.25
4	500761	30	230	50	13	135	MH30F1	Electrolux, Icematic, Scotsman, SF-Maschinen, Simag, Zanussi	06052302 086389 0KM637 0KM737 30000369 67000214 79311327 19535157 19535157/0 CM19535157/0 620433.02 620433.07 793113.09 I-364




fig.	GEV No.	power (W)	voltage (V)	frequency (Hz)	outlet ø (mm)	L (mm)	type	suitable for	OEM number
5	499003	100	230	50	23	170	-	Dexion, Mach, MBM, Migel	1DR037 2DR093 80002DR093
6	500970	55	230	50	-	205	087810 23073	Brema, Cookmax, Electrolux, Everlasting, Mastro, NTF	087810 (N)23073
7	500590	120	230	50/60	22	240	4240.2300	Brema, Cookmax, Electrolux, Emmepi, Everlasting, Fagor, Mastro, MBM, NTF, Rancilio	089699 (NC)23377 12028429 BR00023377 68023377
8	500165	120	230	50/60	26	180	63/35	Brema, Cookmax, Electrolux, Emmepi, Everlasting, Fagor, MBM, NTF, Rancilio, Zanussi	085322 (NC)23002 12028445 BR00023002 RIC0002004 68023002
9	500166	150	230	50/60	26	200	63/45	Brema, Electrolux, Everlasting, Fagor, Mastro, NTF, Whirlpool	085340 12028448 BR00023068 (NC)23068

Appliance search in the GEV Webshop



With the appliance search in the GEV Webshop, you can very easily find the right spare part for your blast chiller, ice cube maker, beverage dispenser among other appliances.

Over 145,000 exploded drawings in the Webshop.



- Enter manufacturer and appliance description
- Select matching appliance in the list
- ✓ Go straight to the right part using the exploded drawing and item list



GEV Catering Spares Ltd
Premier House
Harlaxton Road
Grantham
NG31 7JX
United Kingdom
Phone: +44 1476 583922
info@gev-online.co.uk



HEAD OFFICE
GEV Großküchen-Ersatzteil-Vertrieb GmbH
Gadastr. 4
85232 Bergkirchen
Germany
Tel.: +49 8142 6522-50
info@gev-online.de

Refrigeration thermostats

Ranco
series K50



1



2

fig.	GEV No.	probe ø (mm)	probe L (mm)	capillary (mm)	type	suitable for	OEM number
1	390849	1,9	-	1200	K50-L3231/002	Cornelius GBG GBG Sencotel Sencotel SPM Staff Staff	04.BA0031.001 SL300350467 SL37AAL3231 SL300350467 SL37AAL3231 04.BA0031.001 SL300350467 SL37AAL3231
2	390642	2	-	1230	K50-L3218	Icematic Icematic SF-Maschinen Ugolini	19797019/0 CM19797019/0 I-1058 21087-00000

Motors

for beverage dispenser



1




2

fig.	GEV No.	manufacturer	type	voltage (V)	frequency (Hz)	speed (rpm)	shaft ø (mm)	suitable for	OEM number
1	499199		22800-22500	230	50		12/6	Ugolini	22800-22500 33700-00000 33700-00010
2	499305	KENTA	K9357511	230	50	33	6x12	Elco Elco Elco GBG GBG GBG GBG Staff Staff	40181225 40181231 951023 SL3009502012 SL310001422 SL310005299 SL330000338 SL3MS4M015C 950212 SL300950212

Electronics

boards



1



2

fig.	GEV No.	description	OEM number
1	403767	beverage dispenser UGOLINI L 88mm W 70mm	22800-05251
2	403768	beverage dispenser UGOLINI L 118mm W 70mm	22800-05252 22800-05253

Fans

axial fan



Pos.	GEV No.	L (mm)	W (mm)	H (mm)	voltage	power (W)	connection	OEM number
1	601635 ¹	127	127	38	230VAC	18	F2,8	5958

¹ ball bearing

Refrigeration motors

ebm-papst



Technical details:

voltage 230V
cable length 450mm
frequency 50Hz
width 82mm
power 7W

Pos.	GEV No.	power (W)	type
1	601405	7	M4Q045-CA01-19

Fan motors



Technical details:

Voltage 230V
Cable length 500mm
Speed 1300rpm
Version 5 mounting options
Slide bearing

Pos.	GEV No.	power (W)	type
1	601020	5	YZF5-13-18/26
2	601022	10	YZF10-20-18/26
3	601023	16	YZF16-25-18/26

Drip trays



1



2

fig.	GEV No.	colour	suitable for	OEM number
1	650027	blue	CAB	L8033BLU
2	650020	blue	CAB	F059GM04

Tap

for beverage dispensers



Pos.	GEV No.	description	suitable for	OEM number
1	650192	Tap white SPM	SPM	05.BA0007.0015

Controls



1



2

fig.	GEV No.	description	suitable for	OEM number
1	650041	Lever for beverage dispensers	CAB	F012 F012BM
2	650145	Lever L 58mm W 45mm H 110mm weiß	SPM	02.BA0003.001

Hose



Pos.	GEV No.	description	suitable for	OEM number
1	650116	Hose for outlet ø 9,5mm L 103mm	Ugolini	21703-00000

Connection fitting for piston



Pos.	GEV No.	description	suitable for	OEM number
1	650119	L 89mm W 68mm H 46mm	Ugolini	22800-04410

Container

for beverage dispensers



Pos.	GEV No.	description	suitable for	OEM number
1	650017	group 2, 9l	CAB Mastro	L8098



1



2

fig.	GEV No.	description	suitable for	OEM number
1	650114	Container capacity 5l Container for piston L 300mm W 115mm H 220mm	Ugolini	33800-05616
2	650115	Container capacity 5l Container for hose L 300mm W 115mm H 220mm	Ugolini	33800-05610 3380-05610

Screw conveyor

for beverage dispensers




1



2



3



4



5

fig.	GEV No.	description	suitable for	OEM number
1	650133	L 332mm ø 148mm	Ugolini	22800-16102
2	650054		CAB Mastro Nuova Simonelli	F304/1 F304/1 16300107
3	650158	L 340mm ø 150mm	SPM	02.BA0020.002 02.BA0266.001 02.BA0266. SLU
4	650191	L 270 mm ø 152 mm	SPM	02.GT0036.001
5	696738	for device Granita L 340 mm ø 165 mm	GBG Sencotel Staff	

Beverage Technology

Large assortment of spare parts available in the GEV Webshop



Pumps

Motors

Hoses

Tap fittings

Water filters&cartridges

Taps

Electr. components

Insulating material

Mounting material

Water treatment

Custom-made Refrigeration Gaskets

High quality with
welded corners

Over 140
different
profiles




**Custom-made gaskets
available in 2-4 days**




**Individual price calculation
with the online-tool**




**Over 200 standard profiles
available for next day delivery**




Threaded gaskets
with magnet



Threaded gaskets
without magnet




Plug-in gaskets
with magnet




Plug-in gaskets
without magnet


Gaskets for cold rooms, refrigerators & blast freezers



1




2




3



4




5




6




7




8




9



10



11



12

fig.	GEV No.	Profil	pack.unit(m)	colour	suitable for
1	902081	9957	6	black	Priolinox
1	901983	9957	25	black	Priolinox
2	902092	9976	6	black	Priolinox
3	902085	9903	6	white	Germani
4	902084	9902	6	white	Germani
5	902082	9900	6	white	Germani

fig.	GEV No.	Profil	pack.unit(m)	colour	suitable for
6	901988	9160	25	white	Germani
7	901985	9901	25	white	Germani
8	901106	9211	6	grey	-
9	902087	9974	6	white	Costan
10	902093	9935	6	black	Frigorbox
11	901115	9992	6	grey	Frigorbox
12	902090	9904	6	black	-

Order now:

www.gev-online.com



P020025102