




Spare Parts for Dishwashing



Spare parts suitable for

SILANOS

2018

Find the complete and up-to-date range of products in our GEV Webshop



heating elements

coil heating elements



GEV No.	419164	Ref. No.	TR0360
description	heating element 1500W 230V L 345mm W 95mm thread 3/8" connection M6 connection length 46mm dishwasher dry heating element heating circuits 1 2 hole fixing		
For models:	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		



GEV No.	416328	Ref. No.	TR0359	
description	heating element 2000W 230V L 345mm W 96mm Ø 26mm thread 3/8" connection M6 mounting distance 70mm connection length 45mm dry heating element heating circuits 1 2 hole fixing			
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000			
spare parts for	416328			
	GEV No.	521137	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs			
accessories for	416328			
	GEV No.	361183	Ref. No.	—
	nut thread 3/8" H 6mm nickel-plated brass WS 20 Qty 1 pcs			

immersion heating elements

3 hole flange Ø38.5mm



GEV No.	416263	Ref. No.	905492 905493 905496 905500	
description	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 293mm W 26mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 260mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater			
For models:	020, 250, 400, 620, 627, 627PS, Ambra, F19, F19A, F22, F22A, F28A, GLB615-GIGA, R20, R20A, R23A, Rubinia, SVELTINA			
spare parts for	416263			
	GEV No.	521120	Ref. No.	907981
O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs				
accessories for	416263			
	GEV No.	532577	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs				



GEV No.	420061	Ref. No.	905569	
description	heating element 3500W 230V heating circuits 3 L 366mm W 35mm H 60mm L1 30mm L2 56mm L3 280mm H1 36mm H2 24mm hole distance 57mm hole ø 10mm tube ø 6.2mm connection male faston 6.3mm			
For models:	A670-TRONIC, N700F, N700FPS, N700F-PS			
accessories for	420061			
	GEV No.	532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			





GEV No.	416267	Ref. No.	905560	
description	heating element 4500W 230V mounting ø 38.5mm heating circuits 3 L 358mm W 32mm H 58mm L1 36mm L2 72mm L3 250mm H1 28mm H2 30mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection on male faston 6.3mm immersion heater 3 hole flange			
For models:	600, 670-TRONIC, 700, 800, 900, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, N45, N50, N50-TRONIC-PDS-PBS, N700PS, N90, TS3700, V45, V50			
spare parts for	416267			
	GEV No.	521120	Ref. No.	907981
	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			
accessories for	416267			
	GEV No.	532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			





GEV No.	416269	Ref. No.	TR0335	
description	heating element 8000W 230V mounting ø 38.5mm heating circuits 3 L 545mm W 32mm H 60mm L1 38mm L2 55mm L3 447mm H1 27mm H2 33mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange			
For models:	LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, T1400, TS3700			
accessories for	416269			
	GEV No.	532577	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

3 hole flange ø57.5mm


 			
GEV No.	418249	Ref. No.	905580 TR0342
description	heating element 10000W 230V mounting ø 57.5mm heating circuits 3 L 512mm W 50mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 458mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 70mm hole ø 9mm connection length 30mm connection M4 3 hole flange immersion heater		

 			
GEV No.	418764	Ref. No.	TR0320 TR0341
description	heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 510mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 459mm thermostat sleeve upper tube ø 8.5mm hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater		
For models:	1300S, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67, LP67E, LP67E-TRONIC, LP84, TS3700		

 			
GEV No.	419138	Ref. No.	TR0331 TR0347
description	heating element 14000W 230V mounting ø 57.5mm heating circuits 3 L 515mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 450mm thermostat sleeve upper tube ø 10mm hole distance 72mm hole ø 8x10mm connection length 30mm connection M5 3 hole flange immersion heater		
For models:	T1400		
accessories for	419138		
	GEV No.	510409	Ref. No. TR0115
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

 			
GEV No.	416265	Ref. No.	TR0340
description	heating element 6000W 400V mounting ø 57.5mm heating circuits 3 L 324mm W 43mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 280mm thermostat sleeve clinging hole distance 73mm hole ø 8mm connection length 20mm connection M4 3 hole flange immersion heater		
For models:	LP67, LP67E, LP67E-TRONIC, LP84		

with compression flange 50 x 26mm

 			
GEV No.	416209	Ref. No.	904957 905858
description	heating element 2000W 230V heating circuits 1 compression flange flange 50x26mm L 180mm W 90mm H 24mm L1 55mm L2 125mm W1 28mm W2 35mm connection male faston 6.3mm tube ø 8.5mm connection length 28mm immersion heater		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		
accessories for	416209		
	GEV No.	510387	Ref. No. —
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		

with round flange ø57.5mm

			
GEV No.	416266	Ref. No.	TR0330
description	heating element 12000W 230/400V heating circuits 3 mounting ø 57.5mm L 510mm W 37mm H 48mm connection M5 immersion heater thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 450mm thermostat sleeve eccentric, clinging		
For models:	LP109, LP124		
accessories for	416266		
	GEV No.	519343	Ref. No. TR2096
	flange		

			
GEV No.	416259	Ref. No.	905771
description	heating element 1600W 230V heating circuits 1 L 275mm W 38mm H 28mm thread M10x1 mounting distance 27mm tube ø 7.1mm connection male faston 6.3mm 2 hole fixing connection length 26mm immersion heater		
For models:	020, 024, 030, 620, 627, 627PS, E40, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA, V40		
accessories for	416259		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

			
GEV No.	417158	Ref. No.	905575 905747
description	heating element 2000W 230V heating circuits 1 L 355mm W 36mm H 40mm H1 14mm H2 26mm thread M10x1 mounting distance 30mm tube ø 6.25mm connection male faston 6.3mm immersion heater		
For models:	670-TRONIC, A670-TRONIC		
accessories for	417158		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		


			
GEV No.	416260	Ref. No.	905745
description	heating element 2500W 230V heating circuits 1 L 357mm W 34mm H 39mm H1 4mm H2 35mm thread M10x1 mounting distance 28mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing immersion heater connection length 25mm		
For models:	E45, E50, N700F, N700FPS, N700F-PS, V45, V50		
accessories for	416260		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

			
GEV No.	416261	Ref. No.	905748
description	heating element 3000W 230V heating circuits 1 L 358mm W 32mm H 34mm H2 37mm thread M10x1 mounting distance 26mm tube ø 6.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
For models:	1000, 1300S, 600, 700, 800, 900, E1000, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700PS		
accessories for	416261		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		


accessories


sealing washers


fibre gaskets


			
1			
GEV No.	510405	Ref. No.	903300
description	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
For models:	1000, 600, 700		

O-rings

			
1			
GEV No.	511508	Ref. No.	906222
description	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		

			
1			
GEV No.	510893	Ref. No.	904391
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	024, 030, 250, 400, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		

			
1			
GEV No.	510072	Ref. No.	904350
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		

			
1			
GEV No.	521120	Ref. No.	907981
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, A670-TRONIC, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP84, N45, N50, N50-TRONIC-PDS-PBS, N90, Rubinia, SVELTINA, T1400, TS3700		

thermostats

bi-metal thermostats

safety bi-metal thermostats

			
1			
GEV No.	390717	Ref. No.	907297
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 110°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing mounting ø 18.3mm		

			
1			
GEV No.	390461	Ref. No.	907243
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 95°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	620		
accessories for	390461		
	GEV No.	550388	Ref. No. —
bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8			

			
1			
GEV No.	390318	Ref. No.	907245
description	bi-metal safety thermostat switch-off temp. 95°C 1-pole 2 hole fixing		
For models:	A670-TRONIC		



bi-metal thermostats



GEV No.	391037	Ref. No.	907126
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 42°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing		



GEV No.	390763	Ref. No.	907244
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 55°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing for tank		
For models:	620		

control and safety thermostats

EGO

control thermostats

55.10/19_ series



GEV No.	375002	Ref. No.	907130 907132 908326
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	FT600VTC, PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA, ROLLY-16, ROLLY-5, ROLLY-55, ROLLY-8, ROLLY-8L		


IMIT / TEMPOMATIC / ARTERMO

control thermostats




GEV No.	390978 ¹	Ref. No.	TR0441
description	thermostat t.max. 210°C temperature range 40-210°C 1-pole 1CO 16A probe ø 5mm probe L 78mm capillary pipe 930mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° outer switch probe thread probe material copper		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		

¹incl. knob




GEV No.	390310	Ref. No.	907124
description	thermostat t.max. 85°C temperature range fixed 55°C 1-pole 1CO 16A probe ø 9.5mm probe L 37mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft ømm shaft Lmm shaft position rotation° screw-in probe probe thread 3/8" probe material SS		
For models:	020, 024, 030, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
accessories for	390310		
	GEV No.	506024	Ref. No. 902104
	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
	GEV No.	529349	Ref. No. —
	flat gasket FIBER ED ø 22mm ID ø 16.5mm thickness 2mm for thread 3/8" Qty 1 pcs		

			
GEV No.	390006	Ref. No.	907100 907110
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
For models:	024, 030, 1000, 1300, 1300S, 250, 400, 600, 700, 800, 900, Ambra, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N1300, N50, R20, R20A, R23A, R29A, Rubinia, SVELTINA, T1400, TS3700, V40, V45...(Other models you can see in the webshop)		
accessories for	390006		
	GEV No.	110100	Ref. No. 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	GEV No.	110105	Ref. No. —
rosette knob ø 42mm ø 56mm zero mark			

			
GEV No.	390683	Ref. No.	TR0440
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 98mm capillary pipe 1000mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° probe material copper		
For models:	020, 620, 627, 627PS, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LP67E, LP67E-TRONIC, N45, N700F, N700FPS, N700F-PS, N700PS, N90, TS3700		
accessories for	390683		
	GEV No.	110100	Ref. No. 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		

safety thermostats

			
GEV No.	390023	Ref. No.	907125
description	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 90mm capillary pipe 1000mm capillary pipe isolatedmm gland nut probe		
For models:	020, 024, 030, 1000, 1300, 1300S, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, N45, N50...(Other models you can see in the webshop)		

various

safety thermostats

			
GEV No.	390676	Ref. No.	907120
description	safety thermostat switch-off temp. 60°C 1-pole 1CO 16A probe ø 7mm probe L 100mm capillary pipe 1500mm		
For models:	1000, 1300, 1300S, 250, 400, 600, 700, Ambra, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, Rubinia		

accessories

plunger sockets

			
GEV No.	519211	Ref. No.	905191 905192
description	thermowell thread 1/2" L 120mm single ø 6.5mm		
For models:	1000, 1300S, GLS935-GIGA, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		



switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

GEV No.	301003	Ref. No.	903610 903613 905310
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	250, Ambra, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA, ROLLY-16, ROLLY-5, ROLLY-55, ROLLY-8, ROLLY-8L		
accessories for	301003		
	GEV No.	301036	Ref. No. —
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



1

GEV No.	301001	Ref. No.	903612
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	VETRINA-R501L, VETRINA-R502L, VETRINA-R701L, VETRINA-R902L		
accessories for	301001		
	GEV No.	301036	Ref. No. —
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

20.6x16.4mm



1

GEV No.	346573	Ref. No.	905339
description	push switch mounting ø 20.6x16.4mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

28.5x28.5mm



1

GEV No.	346028	Ref. No.	905332 905337
description	momentary push switch mounting measurements 28.5x28.5mm blue 1NO 230V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	N50		



1

GEV No.	347982	Ref. No.	905338
description	momentary push switch mounting measurements 28.5x28.5mm yellow 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP44		



1

GEV No.	346512	Ref. No.	905325 905328
description	push switch mounting measurements 28.5x28.5mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	Rubinia		



1

GEV No.	345589	Ref. No.	905348
description	push switch mounting measurements 28.5x28.5mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	700		

28.5x77.5mm



1

GEV No.	345590	Ref. No.	905327
description	switch combination latching mounting measurements 28.5x77.5mm orange/green/yellow 1NO/indicator light/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	1000, 1300, 1300S, 400, GLS935-GIGA		

system switches (ROLD)



1

GEV No.	345627	Ref. No.	909361
description	element holder mounting measurements 20.6x16.4mm black arched for push buttons 13x17mm		

			
1			
GEV No.	345537	Ref. No.	909036 909146
description	element holder mounting measurements 20.6x16.4mm grey arched for push buttons 13x17mm		
For models:	620, 627, 627PS		

			
1			
GEV No.	346498	Ref. No.	905307
description	element holder mounting measurements 28.5x28.5mm black single element holder		
For models:	020, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS, N90		

			
1			
GEV No.	345604	Ref. No.	905309
description	element holder single mounting measurements 28.5x28.5mm black for push buttons 23x23mm		
For models:	GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

			
1			
GEV No.	345130	Ref. No.	905342
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		

			
1			
GEV No.	345606	Ref. No.	905319
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	627, 627PS		

			
1			
GEV No.	345650	Ref. No.	905313
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	620, 627, 627PS, GLS945-GIGA, N1000-SILANOS, N700FPS, N700F-PS		

			
1			
GEV No.	347850	Ref. No.	905306
description	push button ø 21mm dark blue		

			
1			
GEV No.	347439	Ref. No.	905305 905311
description	push button ø 23mm shaft 3.7x3.7mm yellow		
For models:	020, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS, N90		

			
1			
GEV No.	345621	Ref. No.	909362
description	push button size 17x13mm black		

			
1			
GEV No.	345539	Ref. No.	909035 909145
description	push button size 17x13mm grey		
For models:	620, 627, 627PS		

			
1			
GEV No.	345719	Ref. No.	905343 905364
description	switch 1CO 250V 16A connection male faston 6.3mm		



1

GEV No.	345651	Ref. No.	905314 905318
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	020, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945S-GIGA, N1300, N45, N700F, N700PS, N90		

cam switches

on/off




1


GEV No.	300129	Ref. No.	901727
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	FT600VTC, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		

magnetic switches

37x16mm




1



GEV No.	345341	Ref. No.	909118 909290
description	magnetic switch L 37mm W 16mm 1NO 250V 0.04A P max. 10W connection cable cable length 1960mm		
For models:	N50-TRONIC-PDS-PBS		



1




GEV No.	345600	Ref. No.	909105 909106 TR0666
description	magnetic switch L 37mm W 16mm 1NO 250V 0.2A P max. 50W connection cable cable length 960mm		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		
accessories for	345600		
	GEV No.	519049	Ref. No.
			903651 908706 TR0220
magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm			

M10x0.75




1



GEV No.	347936 ¹	Ref. No.	909053 909054
description	magnetic switch thread M10x0.75 1NO 230V 0.04A P max. 10W connection Faston 6.3mm cable length 1100mm		
For models:	670-TRONIC, N700FPS, N700F-PS		

¹with coded connector



1



GEV No.	345632	Ref. No.	TR0309
description	magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable cable length 2000mm type 102		
For models:	024, 030, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N45, N50, N700F, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		
accessories for	345632		
	GEV No.	100779	Ref. No.
			—
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs			

accessories

magnets

  1			
GEV No.	519049	Ref. No.	903651 908706 TR0220
description	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		
For models:	020, 024, 030, 1000, 1300, 1300S, 400, 600, 620, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP67E...(Other models you can see in the webshop)		
accessories for	519049		
		GEV No.	560095 Ref. No. —
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

control equipment

ELFIN

switches (complete)

 1			
GEV No.	347849	Ref. No.	TR0261 TR0351
description	momentary push switch mounting measurements ø22mm 1NC complete red		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		

 1			
GEV No.	348133	Ref. No.	906210
description	rotary selector mounting measurements ø22mm 2NO complete sequence 0-1-2		
For models:	1300, 1300S, N1300		

TELEMECANIQUE (EFA)

XA2 series

push buttons

 1			
GEV No.	345595	Ref. No.	TR0232
description	button mounting measurements ø22mm green		
For models:	LP109, LP124, LP67, LP84		

 1			
GEV No.	345594	Ref. No.	TR0304
description	button mounting measurements ø22mm red		
For models:	LP109, LP124, LP67, LP84		

 1			
GEV No.	345220	Ref. No.	907047 907049
description	contact block EFA ZB2BE101 1NO max 230V 10(6)A black		
For models:	LP109, LP109V, LP124, LP67, LP67V, LP84		

 1			
GEV No.	345221	Ref. No.	907048
description	contact block EFA ZB2BE102 1NC max 230V 10(6)A black		

signal element



1

GEV No.	345596	Ref. No.	TR0230
description	signal element mounting measurements ø22mm yellow		
For models:	LP109, LP124, LP67, LP84		

switches (complete)



1

GEV No.	345593	Ref. No.	TR0850
description	rotary selector mounting measurements ø22mm 2NO complete		
For models:	GLS9455-GIGA, LP109, LP124, LP67, LP67E, LP84, N1300, TS3700		

XB2 series



1

GEV No.	345220	Ref. No.	907047 907049
description	contact block EFA ZB2BE101 1NO max 230V 10(6)A black		
For models:	LP109, LP109V, LP124, LP67, LP67V, LP84		



1

GEV No.	345221	Ref. No.	907048
description	contact block EFA ZB2BE102 1NC max 230V 10(6)A black		

miscellaneous



1

GEV No.	347935	Ref. No.	TR0328
description	emergency stop switch mounting measurements ø22mm red L 55mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, TS3700		



1

GEV No.	347593	Ref. No.	909090
description	rotary selector mounting measurements ø22mm green sequence 0-1 2NO 10A complete		
For models:	TS3700		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

GEV No.	359130	Ref. No.	903645
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N90		



1

GEV No.	359132	Ref. No.	903633
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N90		

indicator lights (complete)

ø 6mm



1

GEV No.	359004	Ref. No.	903648
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		



1

GEV No.	359005	Ref. No.	903644
description	indicator light ø 6mm 230V yellow cable length 400mm		

ø 9mm



1

GEV No.	359136	Ref. No.	903647
description	indicator light ø 9mm 230V green connection male faston 6.3mm temp.-resist. 120°C		
For models:	620		

1 			
GEV No.	345597	Ref. No.	903632 903643
description	indicator light ø 9mm 400V green connection male faston 6.3mm temp.-resist. 85°C		
For models:	020, 024, 030, 600, 620, 627, 627PS, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N50, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

1 			
GEV No.	345598	Ref. No.	903629 903642
description	indicator light ø 9mm 400V yellow connection male faston 6.3mm temp.-resist. 85°C		
For models:	020, 024, 030, 1000, 600, 620, 627, 627PS, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700FPS, N700F-PS, N700PS, PIASTRA-DOPPIA, PIASTRA-MEDIA, PIASTRA-SINGOLA, R20, R20A, R23A, R29A, ROLLY-16, ROLLY-5, ROLLY-5S, ROLLY-8, ROLLY-8L, Rubinia, SVELTINA, V40...(Other models you can see in the webshop)		

1 			
GEV No.	360698	Ref. No.	903646
description	indicator light ø 9mm yellow 380-400V connection 2-wire cable length 200mm temp.-resist. °C		
For models:	620		

ø10mm			
with plug-in socket			
1 			
GEV No.	359019	Ref. No.	903641
description	indicator light ø 10mm green 400V connection male faston 6.3mm Qty 1 pcs		
For models:	FT600VTC, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		

1 			
GEV No.	359034	Ref. No.	903640
description	indicator light ø 10mm yellow 400V connection male faston 6.3mm Qty 1 pcs		
For models:	FT600VTC, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		

30x22mm



GEV No.	359156	Ref. No.	903652
description	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
For models:	250, 600, 700, Ambra		

timers

programme timers



GEV No.	360591	Ref. No.	908499
description	timer CDC 4904DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M48L ATS		



GEV No.	360655	Ref. No.	907182
description	timer CDC 4904DV engines 2 chambers 4 operation time 6s/180s 230V		
For models:	1000, 600, 700, 800, 900, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50, N700PS, N90, V45, V50		



GEV No.	360231	Ref. No.	907172
description	timer CDC 7803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 7803F1 / 360231 motor type M37RN		
For models:	024, 030, 400, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N700F, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40		

spare parts for	360231		
	GEV No.	360119	Ref. No. —
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			



1

GEV No.	360244	Ref. No.	907173
description	timer CDC 7803 engines 1 chambers 3 operation time 20min 230V manuf. no. 7803F1 / 907173 motor type M37RN		
For models:	400, F19A, F22A, F27A, F28A, R20A, R23A, R29A		
spare parts for	360244		
	GEV No.	360119	Ref. No. —
motor CDC pinion 5.4mm teeth 12 230V turn direction right motor 37mm motor type M37RN for timer			



1

GEV No.	360637	Ref. No.	907180
description	timer CDC 7803F1 engines 1 chambers 3 operation time 180s 230V 50Hz		
For models:	N700F, N700FPS, N700F-PS		



1

GEV No.	360215	Ref. No.	907183
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 3min 230V shaft 6mm shaft Lmm motor type M37RN/M37LN		
For models:	1300, 1300S, GLS945S-GIGA, N1300		
spare parts for	360215		
	GEV No.	360119	Ref. No. —
motor CDC pinion 5.4mm teeth 12 230V turn direction right motor 37mm motor type M37RN for timer			
	GEV No.	360131	Ref. No. —
motor CDC pinion 5.4mm teeth 12 230V turn direction left motor 37mm motor type M37LN for timer			



1

GEV No.	360711	Ref. No.	TR0326
description	timer CDC engines 2 chambers 5 operation time 6s / 9min 24V		
For models:	LP67E		



1

GEV No.	360353	Ref. No.	907161
description	timer FIBER P25 engines 2 chambers 4 operation time 6s / 2min 230V shaft 6mm shaft Lmm manuf. no. P255J04JDL6 motor type M51B-J0R6400 / M51BJ0L6400		
spare parts for	360353		
	GEV No.	360673	Ref. No. —
motor kit pinion 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			
	GEV No.	360674	Ref. No. —
motor kit pinion 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

GEV No.	380239	Ref. No.	907041
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	1000, 600, 700, 800, 900, E45, E50, LP67E, LP67E-TRONIC, T1400, TS3700, V45, V50		

LOVATO

power contactors



1

GEV No.	380705	Ref. No.	907045 907190	
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230			
For models:	250, Ambra, E1000			
accessories for	380705			
	GEV No.	380057	Ref. No.	—
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011			



1

GEV No.	380718	Ref. No.	TR0373
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type BF1810A230		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67E, LP67E-TRONIC, T1400		

TELEMECANIQUE (Schneider Electric)

power contactors




1

GEV No.	380617	Ref. No.	907043
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7		
For models:	1000, 1300, 1300S, 600, 700, GLS935-GIGA		

relays

power relays

with bracket mounting



1

GEV No.	380139	Ref. No.	905476
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	1000, 1300, 1300S, E1000, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N50, N700F, N700FPS, N700F-PS		



1

GEV No.	380403	Ref. No.	905474 905475 905479
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		
For models:	024, 030, 1000, 1300, 1300S, 600, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP109V, LP124, LP67, LP67V, LP84, N1000-SILANOS, N1300, N50, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		



1

GEV No.	380687	Ref. No.	905486
description	power relays FINDER 230VAC 30A 2NO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0300		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N700PS, N90		

plug-in/print relays



GEV No.	381438	Ref. No.	905478
description	print relay 230VAC 2CO at 250V 8A with socket REIPOL PI-50BE/3-R		

transformers

open transformers

with clamp terminal



GEV No.	400914	Ref. No.	TR0410
description	transformer primary 0-230/400/440 secondary 0-24/28V 160VA secondary 6.3A connection screw 50/60Hz		
For models:	LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84		

probes

producer-specific probes

probes




GEV No.	378332	Ref. No.	909025
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø6x50mm cable length 2.5m		



GEV No.	378331	Ref. No.	909364
description	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x50mm cable length 2m		
For models:	A670-TRONIC		

electronics

PCBs



GEV No.	403746	Ref. No.	907214
description	control PCB dishwasher LVR40/N600-700/S050/SXG50 L 110mm W 35mm		



GEV No.	401916	Ref. No.	909349
description	control PCB L 120mm W 120mm		



GEV No.	401041	Ref. No.	909022
description	keypad PCB		



GEV No.	403047	Ref. No.	909029
description	keypad PCB buttons 6		



GEV No.	403212	Ref. No.	909350
description	keypad PCB dishwasher GDW1001/A670		
For models:	A670-TRONIC		



1

GEV No.	403559	Ref. No.	907258
description	PCB dishwasher		



1

GEV No.	403739	Ref. No.	907233
description	PCB dishwasher EVO/N600-700-1300 L 120mm W 100mm		



1

GEV No.	402915	Ref. No.	79 277 852-0-D 909348
description	PCB dishwasher GDW1001 L 143mm W 122mm		



1

GEV No.	402965	Ref. No.	907178
description	PCB dishwasher GGW2001 L 122mm W 80mm 50/60Hz 230/240V voltage AC		




1

GEV No.	401029	Ref. No.	907174 907175
description	PCB dishwasher LF 50 L 122mm W 80mm Qty 1 pcs		
For models:	020, 620, 627, 627PS, E1000		



1

GEV No.	403020	Ref. No.	909027
description	PCB dishwasher LP57 TRONIC		



1

GEV No.	403255	Ref. No.	907169 907169/E 907169/ELCA
description	PCB dishwasher N700/NE1300/S026/S030 L 135mm W 82mm		



1

GEV No.	403326	Ref. No.	909012
description	PCB dishwasher Tronic L 145mm W 116mm		
For models:	LP67E-TRONIC		



1

GEV No.	403276	Ref. No.	907181
description	PCB warewashing Tronic L 122mm W 80mm for timer Qty 1 pcs		

keypads

front foils

1



GEV No.	519564	Ref. No.	906735
description	front foil dishwasher N1000 L 180mm W 110mm		

1



GEV No.	511647	Ref. No.	909127
description	front foil for dishwasher grey L 409mm W 57mm		

1



GEV No.	511648	Ref. No.	909198
description	front foil for dishwasher grey L 409mm W 57mm		

1



GEV No.	519442	Ref. No.	906750
description	front foil L 178mm W 58mm		

1



GEV No.	519441	Ref. No.	907064
description	front foil L 180mm W 98mm		
For models:	GLS945S-GIGA, N1300		

1




GEV No.	519363	Ref. No.	907012
description	front foil L 400mm W 60mm		
For models:	F19A, F22A, F28A, R20A, R23A		

1



GEV No.	519522	Ref. No.	909135
description	front foil suitable for Silanos L 405mm W 59mm		

1



GEV No.	519517	Ref. No.	906727
description	front foil suitable for Silanos L 507mm W 65mm		
For models:	N700PS		

solenoid valves

solenoid valves (water)

TP


congegnati per elettrodomestici



1

GEV No.	370021	Ref. No.	902400	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
For models:	250, 400, 600, 627, 627PS, 700, Ambra, F19, F22, R20, Rubinia, V40			
spare parts for	370021			
	GEV No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for	370021			
	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				

Table continues overleaf

accessories for 370021				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



tp

componenti per elettrodomestici

1

GEV No.	370017	Ref. No.	902390	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 600, 620, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V45, V50			
spare parts for	370017			
	GEV No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370017			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			

accessories for 370017				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

solenoid valves with reducers

 1			
GEV No.	370250	Ref. No.	902410
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min flow regulating valve outlet B red		
For models:	250, Ambra, F19A, F22A, F27A, F28A, R20A, R23A, R29A		



pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



GEV No.	541781	Ref. No.	905288
description	pressure control pressure range 118/50mbar connection male faston 6.3mm ø 58mm pressure connection horizontal pressure connection ø 6mm		
For models:	E1000, GLS945-GIGA		



GEV No.	541169	Ref. No.	905276 905282
description	pressure control pressure range 160/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	GLS945S-GIGA, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1300		



GEV No.	541001	Ref. No.	905264 905287
description	pressure control pressure range 35/17mbar connection 6mm ø 58mm pressure connection horizontal warewashing		



GEV No.	541168	Ref. No.	905275 905281
description	pressure control pressure range 90/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	1000, 1300, 1300S, 800, 900, E40, E45, E50, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N45, N50, N90, V40, V45, V50		

PRESSURE SWITCHES/PUMPS SILANOS



GEV No.	541017	Ref. No.	905270
description	pressure control with mounting strap pressure range 40/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	020, 024, 030, 250, 400, 600, 620, 627, 627PS, 670-TRO-NIC, 700, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, Rubinia, SVELTINA		

ø 79mm with coded plug



GEV No.	541678	Ref. No.	905278
description	pressure control pressure range 100/52 130/100mbar connection coded plug ø 78mm warewashing pressure connection ø 5.5mm		

pumps

wash and rinse pumps

LGB



GEV No.	499220	Ref. No.	902258
description	pump inlet ø 1½" outlet ø 1½" type GISH35-V D55 230V 50Hz 1 phase 0.17kW L 230mm rotation direction right capacitor 5µF LGB		
spare parts for	499220		
GEV No.	365017	Ref. No.	—
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

Table continues overleaf

accessories for	499220			
	GEV No.	519117	Ref. No.	903301 903302
flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs				

1

GEV No.	501545	Ref. No.	902241
description	pump inlet ø 28mm outlet ø 12mm type CRC-R DX 230V 50Hz 1 phase 0.18kW 0.24HP L 175mm rotation direction left connection F6.3 capacitor 4µF LGB		

1

GEV No.	499289	Ref. No.	908880
description	pump inlet ø 28mm outlet ø 26mm type ZF121SX 230V 50Hz 1 phase 0.3kW L 200mm rotation direction right capacitor 6.3µF LGB		
spare parts for	499289		
	GEV No.	510703	Ref. No. —
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	GEV No.	521057	Ref. No. —
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner height 31mm			
	GEV No.	521225	Ref. No. —
impellor ø 72mm H 22mm rotation direction right thread M7L shaft ø 13mm shaft length 12mm			
	GEV No.	528800	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs			
accessories for	499289		
	GEV No.	365012	Ref. No. —
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			

1

GEV No.	500382	Ref. No.	902228
description	pump inlet ø 28mm outlet ø 26mm type ZF131DX 230V 50Hz 1 phase 0.2kW 0.26HP rotation direction left capacitor 6.3µF LGB		
For models:	F19, F19A, F22, F22A, F28A, Rubinia		
spare parts for	500382		
	GEV No.	365012	Ref. No. —
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			
	GEV No.	510703	Ref. No. —
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	GEV No.	521228	Ref. No. —
impellor ø 72mm H 17mm rotation direction left thread M7R shaft ø 13mm shaft length 12mm blades 3			
	GEV No.	521524	Ref. No. —
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 13mm turn direction left ø 98mm ID ø 78mm inner height 25mm			
	GEV No.	528800	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs			

1

GEV No.	500582	Ref. No.	902235	
description	pump inlet ø 28mm outlet ø 26mm type ZF131DX 230V 50Hz 1 phase 0.2kW 0.27HP L 195mm rotation direction left capacitor 6.3µF LGB			
For models:	600, 700			
spare parts for	500582			
	GEV No.	365012	Ref. No.	—
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection				
	GEV No.	510703	Ref. No.	—
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm				

Table continues overleaf

spare parts for 500582				
	GEV No.	521084	Ref. No.	—
pump cover LGB inlet ø 28mm outlet ø 25mm auxiliary pressure connection 13mm pump type ZF131DX ID ø 78mm				
	GEV No.	521228	Ref. No.	—
impeller ø 72mm H 17mm rotation direction left thread M7R shaft ø 13mm shaft length 12mm blades 3				
	GEV No.	528800	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				



GEV No.	500094	Ref. No.	902231
description	pump inlet ø 28mm outlet ø 26mm type ZF131SX 230V 50Hz 1 phase 0.2kW 0.15HP L 195mm rotation direction left capacitor 6.3µF LGB		
For models:	024, 030, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, SVELTINA		
spare parts for	500094		
	GEV No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	GEV No.	502266	Ref. No. —
	pump cover inlet ø 28mm outlet ø 26mm		
	GEV No.	510703	Ref. No. —
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	GEV No.	521085	Ref. No. —
	impellor ø 72mm H 17mm thread M7L shaft ø 13mm shaft length 12mm blades 3		
	GEV No.	528800	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		



GEV No.	500567	Ref. No.	902238
description	pump inlet ø 28mm outlet ø 28mm type ZF121DX 230V 50Hz 1 phase 0.25kW L 195mm rotation direction left capacitor 6.3µF LGB		
For models:	020, 620, 627, 627PS, GLB615-GIGA		
spare parts for	500567		
	GEV No.	365012	Ref. No. —
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection on male faston 6.3mm protection			
	GEV No.	510703	Ref. No. —
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	GEV No.	521098	Ref. No. —
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm ID ø 77mm			
	GEV No.	521099	Ref. No. —
impeller ø 72mm H 17mm thread M7R shaft ø 13mm shaft length 12mm			
	GEV No.	528800	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs			



GEV No.	499104	Ref. No.	902261
description	pump inlet ø 30mm outlet ø 30mm type ZF135 SX 230V 50Hz 1 phase 0.37kW L 210mm rotation direction right capacitor 8µF LGB		
For models:	TS3700		
spare parts for	499104		
	GEV No.	365013	Ref. No. —
operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection			

Table continues overleaf

spare parts for	499104			
	GEV No.	510703	Ref. No.	—
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	GEV No.	521527	Ref. No.	905259
	pump cover LGB inlet ø 30mm outlet ø 30mm			
	GEV No.	521701	Ref. No.	904373
	pump cover gasket			



GEV No.	500384	Ref. No.	902240	
description	pump inlet ø 30mm outlet ø 30mm type ZF160SX 230V 50Hz 1 phase 0.41kW 0.55HP L 180mm rotation direction right capacitor 12.5µF LGB			
For models:	250, E40, F27A, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, R29A, V40			
spare parts for	500384			
	GEV No.	365014	Ref. No.	901740
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	GEV No.	510703	Ref. No.	—
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm			
	GEV No.	521527	Ref. No.	905259
	pump cover LGB inlet ø 30mm outlet ø 30mm			
	GEV No.	521701	Ref. No.	904373
	pump cover gasket			
	GEV No.	521707	Ref. No.	—
	pump cover gasket			



GEV No.	500984	Ref. No.	902263 909057
description	pump inlet ø 45mm outlet ø 39mm type ZF270VSX 230V 50Hz 1 phase 0.4kW L 209mm rotation direction right capacitor 10µF LGB		
For models:	670-TRONIC, A670-TRONIC, N700F, N700FPS, N700F-PS, N700PS		



1

GEV No.	500470	Ref. No.	902304	
description	pump inlet ø 45mm outlet ø 40mm type ZF270VDX 230V 50Hz 1 phase 0.6kW 0.8HP L 225mm rotation direction left capacitor 12.5µF LGB			
For models:	GLS905-GIGA, GLS925-GIGA, N50-TRONIC-PDS-PBS, N90			
spare parts for	500470			
	GEV No.	365014	Ref. No.	901740
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	GEV No.	510702	Ref. No.	905242
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	GEV No.	521109	Ref. No.	—
	pump cover LGB inlet ø 45mm outlet ø 40mm supporting pressure 12			
	GEV No.	521111	Ref. No.	—
	impeller ø 105mm H 29mm thread M8R shaft ø 20mm shaft length 5mm			

Table continues overleaf

spare parts for 500470			
GEV No.	521714	Ref. No.	—
 pump cover gasket thickness 4x4mm Qty 1 pcs			



GEV No.	500381	Ref. No.	902296
description pump inlet ø 45mm outlet ø 40mm type ZF320VSX 230V 50Hz 1 phase 0.6kW 0.82HP L 230mm rotation direction right capacitor 12.5µF LGB			
spare parts for 500381			
	GEV No.	365014	Ref. No. 901740
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	GEV No.	510702	Ref. No. 905242
mechanical shaft seal height counter ring 5.5mm ID ø 12mm			
	GEV No.	512420	Ref. No. —
bracket mounting distance 110mm			
	GEV No.	521058	Ref. No. —
fanwheel cover suitable for LGB ID ø 138mm ED ø 142mm H 59mm plastic			
	GEV No.	521247	Ref. No. 903074 903083
impellor ø 80mm H 27mm rotation direction right thread M8L blades 6			
	GEV No.	521542	Ref. No. —
pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 13mm supporting pressure open ø 150mm ID ø 120mm inner height 25mm			
	GEV No.	521714	Ref. No. —
pump cover gasket thickness 4x4mm Qty 1 pcs			



GEV No.	500377	Ref. No.	TR0080
description pump inlet ø 61mm outlet ø 52mm type ZF800DX 230/400V 50Hz 3 phase 2kW 2.72HP L 330mm rotation direction left LGB			
For models: LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, TS3700			
spare parts for 500377			
	GEV No.	510551	Ref. No. 904374 904397
pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs			
	GEV No.	510694	Ref. No. —
mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm			
	GEV No.	521276	Ref. No. TR0106
impellor ø 120mm H 39mm pump type ZF800DX shaft intake ø 12mm rotation direction left thread M8R pump for ZF800DX blades 6			
	GEV No.	521516	Ref. No. —
pump cover LGB inlet ø 62mm outlet ø 52mm auxiliary pressure connection 12mm supporting pressure closed turn direction left ø 190mm ID ø 150mm inner height 40mm			



1

GEV No.	500380	Ref. No.	TR0083
description	pump inlet ø 61mm outlet ø 61mm type ZF1200SX 230/400V 50Hz 3 phase 3.2kW 4.4HP L 370mm rotation direction right capacitor 16µF LGB		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP67, LP67E, LP67E-TRONIC, LP84		
spare parts for	500380		
	GEV No.	510896	Ref. No. —
O-ring EPDM thickness 3.53mm ID ø 183.75mm Qty 1 pcs			
	GEV No.	521053	Ref. No. —
pump cover LGB inlet ø 61mm outlet ø 61mm turn direction right ø 210mm ID ø 175mm inner height 41mm			
	GEV No.	521054	Ref. No. —
impellor ø 135mm H 37mm shaft intake ø 18mm rotation direction right thread M14L blades 6			
	GEV No.	521055	Ref. No. —
slide ring with gasket ID ø 21mm height counter ring 8mm mounting ø 42mm			
	GEV No.	521056	Ref. No. —
slide ring for shaft ø 20mm ED ø 39mm H 16mm ID ø 18.5mm			



1

GEV No.	500376	Ref. No.	902301
description	pump inlet ø 62mm outlet ø 50mm type AM5225SX 230V 50Hz 1 phase 0.9kW 1.2HP L 300mm rotation direction right capacitor 16µF LGB		
For models:	700, 800, 900		
spare parts for	500376		
	GEV No.	365021	Ref. No. —
operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	GEV No.	510551	Ref. No. 904374 904397
pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs			
	GEV No.	510694	Ref. No. —
mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm			
	GEV No.	512029	Ref. No. —
impellor ø 103mm H 26mm thread M8L shaft ø 19mm shaft length 15mm seat ø 8.2mm			
	GEV No.	521536	Ref. No. —
pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm			



1


GEV No.	500379	Ref. No.	902309
description	pump inlet ø 62mm outlet ø 50mm type ZF650SX 230/400V 50Hz 3 phase 1.35kW 1.8HP L 335mm rotation direction right LGB		
For models:	1300, 1300S, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		
spare parts for	500379		
	GEV No.	510551	Ref. No. 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521240	Ref. No. 903078 903121
	impellor ø 110mm H 32mm rotation direction left thread M8L shaft ø 20mm shaft length 10mm seat ø 8.2mm blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		



1

GEV No.	500469	Ref. No.	902322
description	pump inlet ø 63mm outlet ø 48mm type ZF650SX 230/400V 50Hz 3 phase 1.35kW 1.83HP L 335mm rotation direction right LGB		
For models:	GLS945S-GIGA, N1300		
spare parts for	500469		
	GEV No.	510551	Ref. No. 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		

spare parts for	500469		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521069	Ref. No. —
	fanwheel cover		
	GEV No.	521240	Ref. No. 903078 903121
	impellor ø 110mm H 32mm rotation direction left thread M8L shaft ø 20mm shaft length 10mm seat ø 8.2mm blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		



1

GEV No.	500378	Ref. No.	TR0079
description	pump type ZF800SX 230/400V 50Hz 3 phase 2kW 2.72HP L 340mm rotation direction right LGB inlet ø 62mm outlet ø 50mm		
For models:	LP109, LP124		
spare parts for	500378		
	GEV No.	510551	Ref. No. 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521242	Ref. No. 903062
	impellor ø 115mm H 36mm M8L shaft intake ø 12mm rotation direction right blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		

drain pumps

GRE



1

GEV No.	499200	Ref. No.	902329 902330 902363
description	drain pump inlet ø 30.5mm outlet ø 22mm 25W 230V 50Hz HAN- NING type DP020-052		



1

GEV No.	500385	Ref. No.	902341
description	drain pump inlet ø 30mm outlet ø 21mm 100W 230V 50Hz GRE		
For models:	E40, E45, E50, N700PS		
accessories for	500385		
	GEV No.	500307	Ref. No. 906431
	filter		



1

GEV No.	500959	Ref. No.	902346
description	drain pump inlet ø 30mm outlet ø 23mm 100W 230V 50Hz GRE		
For models:	N700F-PS		

miscellaneous



1

GEV No.	500971	Ref. No.	902348
description	drain pump inlet ø 25mm outlet ø 22mm 230V 100W 50Hz		

accessories



1

GEV No.	500307	Ref. No.	906431
description	filter		

condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365014	Ref. No.	901740
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connecti- on male faston 6.3mm 45S.C3DS.12.5 protection		
For models:	400, 600, 700, E40, E45, E50, F27A, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTO- VIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVA- STOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVA- STOVIGLIE-A-TRAINO-T3000, N45, N50, R29A, V40, V45, V50		



filters

interference suppression filters



1

GEV No.	365168	Ref. No.	902107
description	interference suppression filter type FCP045000 250V 50/60Hz conductor 4 with E connection male faston 6.3mm L 56mm ø 38mm Hmm Wmm M8 plastic Qty 1 pcs		
For models:	A670-TRONIC, E1000, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, N45, N700FPS, N700FPS, N90		

fuses

fine fuses

fine fuse holders



1

GEV No.	358101	Ref. No.	907116
description	fuse holder suitable fuse ø5x20mm ø 14mm 4A rated 250V connection F6.3 with fuse 4A fast-acting		
For models:	020, 620		

line circuit breakers

ABL SURSUM



1

GEV No.	380616	Ref. No.	TR0219
description	line circuit breaker 1-pole 10A tripping type C rated 230/400V		
For models:	LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, T1400		

miscellaneous



1

GEV No.	380615	Ref. No.	TR0222
description	line circuit breaker 2-pole 4A tripping type C rated 400V connection 345 nominal 4A 2-pole-pole characteristic C		
For models:	LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, T1400, TS3700		

electric accessories

cables

accessories

cable glands

threaded cable glands

screw connections



1

GEV No.	530431	Ref. No.	902687
description	cable gland thread PG13.5 cable ø 12mm mounting ø 21mm Qty 1 pcs plastic WS 24		
For models:	020, 024, 030, 620, 627, 627PS, F19, F19A, F22, F22A, F27A, F28A, FT600VTC, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA, R20, R20A, R23A, R29A, SVELTINA, V40, VETRINA-R501L, VETRINA-R502L, VETRINA-R701L, VETRINA-R902L		

ribbon cables

group 8



1

GEV No.	403213	Ref. No.	909352
description	ribbon cable 7-pole L 400mm plug type 1-row		
For models:	A670-TRONIC		

terminals

connection terminals with screw/faston connections



1

GEV No.	550278	Ref. No.	904140
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	020, 024, 030, 250, 400, 620, 627, 627PS, 670-TRONIC, Ambra, E40, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50-TRONIC-PDS-PBS, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40		

			
1			
GEV No.	550411	Ref. No.	904150
description	power terminal block 6-pole max. 40A max 450V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	600, 700, 800, 900, A670-TRONIC, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N700F, N700FPS, N700FPS, N90, V45, V50		

			
1			
GEV No.	519361	Ref. No.	904200
description	plug-in terminal block 16-pole max. 32A max 450V connection screw connection temp.-resist. 150°C cross section 4mm ² male		
For models:	250, 400, 600, 700, 800, 900, Ambra, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N700F, N90, Rubinia, V45, V50		

connection terminals with faston connections

			
1			
GEV No.	519304	Ref. No.	955068
description	distribution terminal block 3-pole max. 15A max 450V connection male faston 6.3mm temp.-resist. 110°C Qty 1 pcs		
For models:	1000, 1300, 1300S, 670-TRONIC, E1000, GLS935-GIGA, GLS945-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, N50-TRONIC-PDS-PBS, T1400, VETRINA-R701L, VETRINA-R902L		

			
1			
GEV No.	519372	Ref. No.	904167 904220
description	distribution terminal block 4-pole max. 17.5A max 450V connection F6.3 temp.-resist. 110°C 450V		

plug-in terminal blocks

			
1			
GEV No.	519360	Ref. No.	904170
description	plug-in terminal block 16-pole max. 32A max 450V connection screw connection temp.-resist. 150°C cross section 4mm ² female		
For models:	250, 400, 600, 700, 800, 900, Ambra, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N700F, N90, Rubinia, V45, V50		

rail-mounted terminals

WIELAND

rail-mounted terminals type 9700A

			
1			
GEV No.	550375	Ref. No.	904169
description	rail-mounted terminal WIELAND type 9700A/10 SL2 S35 1.5-16mm ² top-hat rail 35mm yellow/green W 10mm L 53mm		
For models:	1000, 1300, 1300S, GLS935-GIGA		

			
1			
GEV No.	550382	Ref. No.	TR0323
description	rail-mounted terminal WIELAND type 9700A/12 S35 2.5-25mm ² top-hat rail 35mm grey W 12mm L 59mm		
For models:	LP109, LP109V, LP124, LP67, LP67V, LP84		

			
1			
GEV No.	550378	Ref. No.	TR0257
description	rail-mounted terminal WIELAND type 9700A/16 SL2 S35 2.5-35mm ² top-hat rail 35mm yellow/green W 16mm L 53mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67V, LP84, T1400, TS3700		



equipmentspecific units

steam/water taps

steam/water pipes

accessories

gaskets



1

GEV No.	510893	Ref. No.	904391
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	024, 030, 250, 400, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		

for dishwashers

drain and intake components

SILANOS

drain /intake bodies



1

GEV No.	519461	Ref. No.	900007
description	connecting fitting thread M6 ED ø 65mm		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		



1

GEV No.	519230	Ref. No.	905440
description	drain fitting thread 1" ID ø 22mm		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		
accessories for	519230		
	GEV No.	510072	Ref. No. 904350
O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs			
	GEV No.	519054	Ref. No. 902070
locknut thread 1"			



1

GEV No.	507574	Ref. No.	TR1234
description	drain fitting thread 1 1/4" ED ø 54mm H 40mm ID ø 36/33mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, T1400, TS3700		



1

GEV No.	519502	Ref. No.	905249 906464
description	drain fitting thread 1 1/4" ED ø 54mm ID ø 31mm		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		



1

GEV No.	519232	Ref. No.	905450
description	drain fitting thread 1 1/4" ED ø 54mm ID ø 35mm		
For models:	1000, 1300, 1300S, 600, 700, 800, 900, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300		
accessories for	519232		
	GEV No.	519055	Ref. No. 902080
locknut thread 1 1/4"			
	GEV No.	519179	Ref. No. 904380
O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs			



1

GEV No.	503151	Ref. No.	905256
description	flange ED ø 110mm ID ø 81mm		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

1 			
GEV No.	519118	Ref. No.	903320
description	flat gasket rubber ED ø 70mm ID ø 52mm thickness 3mm Qty 1 pcs		
For models:	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

1 			
GEV No.	506223	Ref. No.	905257
description	gasket D1 ø 110mm D2 ø 82mm thickness 3mm with 4 screw holes flange		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		



1

GEV No.	519316	Ref. No.	TR0099	
description	inlet valve thread 2"			
For models:	1300, 800, 900			
accessories for	519316			
	GEV No.	519347	Ref. No.	TR2448
	flat gasket rubber ED ø 80mm ID ø 60mm thickness 3mm Qty 1 pcs equiv. no. TR2448 suitable for Silanos			
	GEV No.	519348	Ref. No.	TR2449
	locknut thread 2"			

1 			
GEV No.	519333	Ref. No.	TR0977
description	intake body		
For models:	1000, 1300S, E1000, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		

1 			
GEV No.	517009	Ref. No.	905245 905255
description	intake body ED ø 110mm ID ø 80mm hose ø 29/45mm		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

1 			
GEV No.	519037	Ref. No.	901653
description	intake body ED ø 90mm ID ø 47mm		
For models:	1000, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

1 			
GEV No.	519215	Ref. No.	905380
description	intake body thread 1 1/4" H 60mm hose ø 36mm		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, R20, R20A, R23A, R29A, Rubinia, SVELTINA, TS3700		

1 			
GEV No.	519435	Ref. No.	900009
description	intake body thread M6 ED ø 65mm		
For models:	E40, E45, E50, V40, V45, V50		

1 			
GEV No.	519083	Ref. No.	902850
description	knurled nut thread M6 H 10mm ø 43mm		
For models:	020, 024, 030, 250, 600, 620, 627, 627PS, 670-TRONIC, 700, A670-TRONIC, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, SVELTINA, TS3700, V40, V45, V50		



			
GEV No.	519054	Ref. No.	902070
description	locknut thread 1"		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		

			
GEV No.	519055	Ref. No.	902080
description	locknut thread 1 1/4"		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		

			
GEV No.	519056	Ref. No.	902090
description	locknut thread 1 3/4"		
For models:	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

			
GEV No.	510072	Ref. No.	904350
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		

			
GEV No.	519179	Ref. No.	904380
description	O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		

			
GEV No.	511331	Ref. No.	904395 TR0189
description	O-ring EPDM thickness 3.53mm ID ø 53.57mm Qty 1 pcs		
For models:	1000, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84, N1000-SILANOS, N1300		

filters

			
GEV No.	519629	Ref. No.	904474
description	drain filter ø 115mm H 150mm for model N50PS L 495mm W 200mm		

			
GEV No.	519064	Ref. No.	904469
description	drain filter ø 96mm H 81mm		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		

			
GEV No.	503168	Ref. No.	906710
description	drain filter suction L 112mm W 100mm H 180mm		
For models:	GLS945-GIGA, N1000-SILANOS		

			
GEV No.	519071	Ref. No.	902610
description	filter for pump		
For models:	800, 900		

			
1			
GEV No.	519063	Ref. No.	902590 902639
description	filter H 75mm L 160mm W 75mm		
For models:	600, 700, GLS805-GIGA, GLS845-GIGA, N700F, TS3700		

			
1			
GEV No.	519613	Ref. No.	902394 902395 906709
description	filter ø 110 R09R-2525P-2M-3510mm H 140mm		

			
1			
GEV No.	519439	Ref. No.	902637
description	flat filter H 55mm L 270mm W 145mm		

			
1			
GEV No.	519429	Ref. No.	902635
description	flat filter L 225mm W 145mm		

			
1			
GEV No.	519431	Ref. No.	902629
description	flat filter L 420mm W 255mm		

			
1			
GEV No.	519512	Ref. No.	905355
description	intake filter H 50mm L 250mm W 85mm		
For models:	E40, E45, E50		

			
1			
GEV No.	519516	Ref. No.	902643
description	intake filter ø 105mm H 56mm		
For models:	627PS		

			
1			
GEV No.	519194	Ref. No.	904468 905395
description	round filters for pump ø 74mm H 40mm		
For models:	V40, V45, V50		

			
1			
GEV No.	519068	Ref. No.	902570
description	round filters suction		
For models:	627, 627PS, Ambra, Rubinia		

			
1			
GEV No.	519069	Ref. No.	902580
description	round filters suction ø 105mm H 56mm		
For models:	024, 030, 250, 400, F27A, GLB785-GIGA, GLB795-GIGA, LAVASTO-VIGLIE-A-TRAINO, LAVASTO-VIGLIE-A-TRAINO-T2000, LAVASTO-VIGLIE-A-TRAINO-T3000, R29A		

			
1			
GEV No.	519193	Ref. No.	904467
description	round filters suction ø 75mm H 56mm		
For models:	020, 620, F19, F19A, F22, F22A, F28A, GLB615-GIGA, R20, R20A, R23A, SVELTINA		



overflow pipes



1

GEV No.	501352	Ref. No.	904404
description	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs		
For models:	670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N90		



1

GEV No.	519507	Ref. No.	907307
description	overflow pipe L 118mm ø 28.5mm		
For models:	N700FPS, N700F-PS		



1

GEV No.	519506	Ref. No.	905246
description	overflow pipe L 118mm ø 28.5mm with cap		



1

GEV No.	519265	Ref. No.	907282
description	overflow pipe L 150mm ø 24/27mm		
For models:	E40, V40, V45, V50		



1

GEV No.	519614	Ref. No.	902274
description	overflow pipe L 155mm ø 21mm plastic		



1

GEV No.	519615	Ref. No.	902276
description	overflow pipe L 160mm ø 21mm plastic		



1

GEV No.	519540	Ref. No.	905248
description	overflow pipe L 178mm ø 29mm		



1

GEV No.	519268	Ref. No.	907336
description	overflow pipe L 190mm		
For models:	800, 900		



1

GEV No.	519436	Ref. No.	907303
description	overflow pipe L 210mm ø 28.5mm		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		
accessories for	519436		
	GEV No.	501352	Ref. No.
			904404
	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs		



1

GEV No.	524920	Ref. No.	907311
description	overflow pipe L 220mm ø 28mm		



1

GEV No.	519267	Ref. No.	907329
description	overflow pipe L 245mm ø 35mm		
For models:	1000, 1300, GLS935-GIGA, GLS945-GIGA		



1

GEV No.	519479	Ref. No.	907338 907340
description	overflow pipe L 300mm ø 36mm		
For models:	GLS9455-GIGA, N1300, TS3700		

			
1			
GEV No.	519390	Ref. No.	TR1115
description	overflow pipe L 430mm ø 35mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		

			
1			
GEV No.	519331	Ref. No.	TR0938
description	overflow pipe L 470mm ø 35mm		
For models:	LP109, LP109V, LP124, LP67, LP67V, LP84		

			
1			
GEV No.	519503	Ref. No.	907288
description	overflow pipe L 85mm ø 28.5mm		

			
1			
GEV No.	519504	Ref. No.	907312
description	overflow pipe L 85mm ø 28.5mm with 4 holes		

			
1			
GEV No.	519264	Ref. No.	907280
description	overflow pipe L 92mm ø 27mm		
For models:	020, 024, 030, 250, 620, 627, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R29A, Rubinia, SVELTINA		

			
1			
GEV No.	524506	Ref. No.	907308
description	overflow pipe L 92mm ø 27mm		
For models:	627PS		

			
1			
GEV No.	519338	Ref. No.	TR1039
description	overflow pipe with handle L 350mm ø 36mm		
For models:	1300S, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T3000, TS3700		

			
1			
GEV No.	519626	Ref. No.	TR1024
description	overflow pipe without handle SS		
For models:	LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, N1000-SILANOS		

containers

container lids

			
1			
GEV No.	524508	Ref. No.	906418
description	lid ø 61mm for salt tank		

dosing containers

			
1			
GEV No.	519044	Ref. No.	901761
description	rinse aid container		
For models:	400, 600, 700, Ambra, F19, F19A, F22, F22A, F27A, F28A, R20, R20A, R23A, R29A, Rubinia		



salt tanks



1

GEV No.	510929	Ref. No.	901770 901771
description	salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm		
For models:	250, 400, Ambra, F22A, F27A, F28A, R20A, R23A, R29A		
spare parts for	510929		
	GEV No.	506015	Ref. No. —
O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs			
	GEV No.	510018	Ref. No. —
nut ø 92mm H 10.5mm for salt tank ID ø 64mm			
	GEV No.	524177	Ref. No. —
lid ø 69mm H 20mm for salt tank ID ø 50mm			
accessories for	510929		
	GEV No.	510071	Ref. No. —
flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs			
	GEV No.	510654	Ref. No. —
gasket H 6mm D1 ø 82mm D2 ø 68mm			
	GEV No.	510883	Ref. No. —
gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs			

accessories



1

GEV No.	524507	Ref. No.	902830
description	nut ø 83mm for salt tank external height 10mm Qty 1 pcs		

boilers

boilers for dishwashers



1

GEV No.	519020	Ref. No.	900347
description	boiler		
For models:	R20, R20A, R23A		



1

GEV No.	519024	Ref. No.	900360
description	boiler		
For models:	250, Ambra		



1

GEV No.	519028	Ref. No.	900486
description	boiler		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N700FPS, N90, V45, V50		



1

GEV No.	519034	Ref. No.	900929
description	boiler		
For models:	1300S		

spare parts for 519034



GEV No.	390717	Ref. No.	907297
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 110°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing mounting ø 18.3mm		



GEV No.	418249	Ref. No.	905580 TR0342
description	heating element 10000W 230V mounting ø 57.5mm heating circuits 3 L 512mm W 50mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 458mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 70mm hole ø 9mm connection length 30mm connection M4 3 hole flange immersion heater		

			
1			
GEV No.	519527	Ref. No.	900371
description	boiler complete 3000W 230V ø 127mm L 330mm		
spare parts for	519527		
	GEV No.	415167	Ref. No. —
	heating element 3000W 230V mounting ø 38.5mm heating circuits 2 L 300mm W 21mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 53mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		
	GEV No.	532577	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

			
1			
GEV No.	519021	Ref. No.	900351
description	boiler ø 100mm L 340mm		
For models:	F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA		

			
1			
GEV No.	517643	Ref. No.	900368
description	boiler ø 105mm L 340mm inlet ø 12mm		
For models:	020, 620		

			
1			
GEV No.	519022	Ref. No.	900353
description	boiler ø 150mm L 400mm		
For models:	600, 670-TRONIC, 700, 800, 900, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N50-TRONIC-PDS-PBS, N700F, N700F-PS, N700PS, V40		

			
1			
GEV No.	519487	Ref. No.	900378 900485
description	boiler with heating element 6000W 230V ø 155mm L 400mm		
For models:	1000, 1300, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		
spare parts for	519487		
	GEV No.	416268	Ref. No. 905570 905571
	heating element 6000W 230V mounting ø 38.5mm heating circuits 3 L 360mm W 34mm H 55mm L1 35mm L2 70mm L3 255mm H1 27mm H2 28mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
	GEV No.	532577	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

			
1			
GEV No.	519486	Ref. No.	900352
description	boiler with heating element ø 103mm L 340mm		
accessories for	519486		
	GEV No.	416263	Ref. No. 905492 905493 905496 905500
	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 293mm W 26mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 260mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		

accessories

			
1			
GEV No.	519270	Ref. No.	907390
description	heat exchanger		
For models:	250, Ambra		



rotation plates

rotation plates



1

GEV No.	519112	Ref. No.	903150
description	rotation plate		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		



1

GEV No.	519111	Ref. No.	903149
description	rotation plate complete		
For models:	250, Ambra, Rubinia		

rotation plate bearings



1

GEV No.	519213	Ref. No.	905349
description	bearing for rotation plate		
For models:	R20, R20A, Rubinia		



1

GEV No.	519350	Ref. No.	900011
description	bearing rotation plate complete		
For models:	R20, R20A, R23A, R29A, Rubinia		

accessories



1

GEV No.	519252	Ref. No.	906350
description	bracket for rotation plate bearings		
For models:	250, Ambra, R23A, R29A		

softener cartridges

softening columns



1

GEV No.	530000	Ref. No.	902150
description	softener 4-fold L 380mm W 180mm		
For models:	250, 400, Ambra, F22A, F27A, F28A, R20A, R23A, R29A, Rubinia		

housing and bezels

miscellaneous



1

GEV No.	697926	Ref. No.	901657
description	sticker for handle rail L 460mm		
For models:	GLS805-GIGA, GLS845-GIGA, N700F		

hood mechanics for dishwashers

bolts



1

GEV No.	699226	Ref. No.	903439
description	bracket ED ø 20mm ID ø 4.5mm L 30mm		
For models:	700		



1

GEV No.	519202	Ref. No.	904771
description	screw bolt hood mechanics		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, T1400, TS3700		

bushes



1

GEV No.	519031	Ref. No.	900514
----------------	--------	-----------------	--------

description bush for hood rod

For models: 1000, 1300, 1300S, E1000, GLS935-GIGA



1

GEV No.	519205	Ref. No.	904796
----------------	--------	-----------------	--------

description bush hood mechanics

For models: 1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300



1

GEV No.	507576	Ref. No.	908763
----------------	--------	-----------------	--------

description guide bushing for hood handle

spring holders



1

GEV No.	519243	Ref. No.	906066
----------------	--------	-----------------	--------

description bush for spring holder hood mechanics

For models: 1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300

hood handles



1

GEV No.	519447	Ref. No.	908728
----------------	--------	-----------------	--------

description hood handle

For models: GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300

1

GEV No.	519206	Ref. No.	904930
----------------	--------	-----------------	--------

description lever joint hood mechanics

For models: 1000, 1300, 1300S, E1000, GLS935-GIGA

screws for spring compressor



1


GEV No.	519274	Ref. No.	902377 907653
----------------	--------	-----------------	------------------

description screw thread M10 L 187mm for spring compressor hood mechanics

For models: 1300, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300

basket guides

basket holders



1

GEV No.	971057	Ref. No.	908708
----------------	--------	-----------------	--------

description basket support

For models: GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300

actuators



1

GEV No.	699227	Ref. No.	TR2129
----------------	--------	-----------------	--------

description bolt L 61mm ø 8mm

For models: LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700

			
1			
GEV No.	699228	Ref. No.	TR3351
description	mixer coupling L 75mm W 21.5mm H 24.5mm		
For models:	T1400, TS3700		

air traps

			
1			
GEV No.	519250	Ref. No.	907254
description	air trap		
For models:	E1000, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N90		

				
1				
GEV No.	519263	Ref. No.	907252	
description	air trap			
For models:	024, 030, 250, 400, 600, 670-TRONIC, 700, A670-TRONIC, Ambra, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N700F, N700FPS, N700F-PS, N700PS, Rubinia			
accessories for	519263			
	GEV No.	519057	Ref. No.	—
nut thread 3/8" WS 25 H 6mm brass				
	GEV No.	519114	Ref. No.	903260
flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs				

1

			
GEV No.	519319	Ref. No.	TR0268
description	air trap		
For models:	1000, 1300, 1300S, 800, 900, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, T1400, TS3700		
accessories for	519319		
	GEV No.	519057	Ref. No. —
nut thread 3/8" WS 25 H 6mm brass			
	GEV No.	519114	Ref. No. 903260
flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs			



1

GEV No.	519330	Ref. No.	TR0935	
description	air trap			
For models:	LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84			
accessories for	519330			
	GEV No.	519057	Ref. No.	—
	nut thread 3/8" WS 25 H 6mm brass			
	GEV No.	519114	Ref. No.	903260
	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs			

			
1			
GEV No.	519513	Ref. No.	905266
description	air trap L 40mm W 30mm H 45mm thread M12x1.75 hose ø 5mm plastic		



1

GEV No.	519212	Ref. No.	905272 905273
description	air trap L 54mm W 41mm H 45mm hose ø 6mm		
For models:	620, 627, 627PS, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
accessories for	519212		
	GEV No.	519057	Ref. No. —
nut thread 3/8" WS 25 H 6mm brass			
	GEV No.	519114	Ref. No. 903260
flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs			

air trap accessories

			
1			
GEV No.	511197	Ref. No.	903261
description	gasket L 46mm W 33mm for air trap		
For models:	E1000, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50-TRONIC-PDS-PBS, N90		

mechanics for flight type dishwashers



1

GEV No.	507575	Ref. No.	TR1130
description	connector for transport system L 90mm W 20mm hole ø 8.5mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		

pipes



1

GEV No.	519224	Ref. No.	905412
description	pipe		
For models:	600		



1

GEV No.	519225	Ref. No.	905413
description	pipe		
For models:	700		

backflow preventers

backflow preventers



1

GEV No.	518621	Ref. No.	907118
description	backflow preventer		



1

GEV No.	516101	Ref. No.	907460 TR2433
description	backflow preventer dishwasher hose ø 12mm		
For models:	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS...(Other models you can see in the webshop)		
spare parts for	516101		
GEV No.	506367	Ref. No.	—
description	flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs		



miscellaneous



1

GEV No.	850121	Ref. No.	904571
description	bracket for softener L 220mm W 40mm H 40mm for Silanos		



1

GEV No.	508415	Ref. No.	906220
description	lid mounting ø 40mm for Silanos		



1

GEV No.	519237	Ref. No.	906001
description	plain washer		
For models:	1300, 1300S, GLS9455-GIGA, N1300		



1

GEV No.	519242	Ref. No.	906060
description	plain washer		
For models:	Ambra, R20, R20A, R23A, R29A		



1

GEV No.	519258	Ref. No.	907211
description	tie bar		
For models:	250, R29A		

door mechanics

springs

roller springs



1

GEV No.	519340	Ref. No.	TR1859
description	roller spring		
For models:	LP109, LP124		

tension springs



1

GEV No.	519164	Ref. No.	904134
description	spring		
For models:	1300		

linkage



1

GEV No.	519261	Ref. No.	902740 907240 907241
description	door pin tie bar		
For models:	030, 400, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

threaded shafts



1

GEV No.	519228	Ref. No.	905424
description	threaded part end stop		
For models:	030, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

sliding plates



1

GEV No.	519208	Ref. No.	904952
description	sliding plate sliding plate		
For models:	030, 250, 400, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

hinges



1

GEV No.	519035	Ref. No.	901245
description	door hinge bores 3 hinge		
For models:	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		



1

GEV No.	519346	Ref. No.	TR2447
description	door hinge hinge		
For models:	LP109, LP124, LP67, LP84		



1

GEV No.	502263	Ref. No.	901247 901249
description	hinge mounting pos. left L 94mm N45/N50		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

			
1			
GEV No.	502262	Ref. No.	901246 901248
description	hinge mounting pos. right L 94mm N45/N50		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

hinge pins

			
1			
GEV No.	519204	Ref. No.	904795
description	hinge pin hinge pin		
For models:	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

locks



1

GEV No.	519247	Ref. No.	906121	
description	door catch door locking catch			
For models:	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50			
accessories for	519247			
	GEV No.	519050	Ref. No.	902023
nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock				

miscellaneous

			
1			
GEV No.	519240	Ref. No.	906010
description	ball seating		
For models:	1000, 250, 400, 600, 700, Ambra		

			
1			
GEV No.	504435	Ref. No.	908146
description	flat gasket plastic ED ø 18mm ID ø 9.5mm thickness 2.5mm for door hinge Qty 1 pcs		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		

			
1			
GEV No.	502264	Ref. No.	903252
description	gasket H 2mm L 210mm W 35mm		

			
1			
GEV No.	519511	Ref. No.	TR1212
description	magnet holder		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, T1400, TS3700		

			
1			
GEV No.	519345	Ref. No.	TR2446
description	pin for hinge stainless steel L 60mm D1 ø 12mm D2 ø 25mm		
For models:	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		

			
1			
GEV No.	547948	Ref. No.	TR2008
description	spring holder for torsion spring		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, T1400, TS3700		





1

GEV No.	519328	Ref. No.	TR0931
description	thread block		
For models:	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		

screw connections



1

GEV No.	519084	Ref. No.	902860
description	locknut		
For models:	250, Ambra, R20, R20A, R23A, R29A		



1

GEV No.	519054	Ref. No.	902070
description	locknut thread 1"		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		



1

GEV No.	519053	Ref. No.	902061
description	locknut thread 1/2"		
For models:	1000, 1300, 1300S, 600, 700, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300, Rubinia		



1

GEV No.	519055	Ref. No.	902080
description	locknut thread 1 1/4"		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		



1

GEV No.	519056	Ref. No.	902090
description	locknut thread 1 3/4"		
For models:	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		



1

GEV No.	519348	Ref. No.	TR2449
description	locknut thread 2"		
For models:	1300, 800, 900		



1

GEV No.	519008	Ref. No.	900050
description	locknut thread 2 1/4" Qty 1 pcs		
For models:	1300S, GLS945S-GIGA, N1300		



1

GEV No.	519076	Ref. No.	902679 907846+903412+902022
description	screw with nut thread M10x1.5 H 17mm WS 22		
For models:	024, 030, 600, 700, 800, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		

curtains



1

GEV No.	533016	Ref. No.	TR0460
description	curtain W 640mm H 410mm plastic thickness 1.5mm warewashing		
For models:	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		

washing and rinsing systems



1

GEV No.	519032	Ref. No.	900520
description	bush for rinse arm		
For models:	400, 600, 700		



1

GEV No.	519033	Ref. No.	900530
description	bush for rinse arm		
For models:	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		



1

GEV No.	519030	Ref. No.	900513
description	bush for wash arm		
For models:	1000, 400, 600, 700		



1

GEV No.	519088	Ref. No.	902891
description	bush for wash arm		
For models:	1300, 1300S, GLS945S-GIGA, N1300		



1

GEV No.	519167	Ref. No.	904281
description	bush for wash arm		
For models:	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		

accessories for 519167



GEV No.	519087	Ref. No.	902890
locknut for wash arm			



1

GEV No.	519062	Ref. No.	902351
description	cap		
For models:	024, 030, 620, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, SVELTINA		



1

GEV No.	519221	Ref. No.	905399
description	connecting fitting		
For models:	400, 600, 700		



1

GEV No.	519324	Ref. No.	TR0715
description	elbow wash pipe ID ø 51mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84		



1

GEV No.	519047	Ref. No.	901775 901779
description	flange		
For models:	600, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, N50, V40, V45, V50		



1

GEV No.	501351	Ref. No.	908124 908154
description	flange mounting pos. upper ø 91mm H 11mm ID ø 45mm hole ø 5.5mm		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS905-GIGA, GLS925-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		



1

GEV No.	519122	Ref. No.	903351
description	flat gasket for rinse arm		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 600, 620, 700, 800, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N1300, R20, R20A, R23A, R29A, SVELTINA		



2

GEV No.	530430	Ref. No.	903321
description	gasket for rinse pipe rubber ø 33mm ID ø 24mm thickness 11mm for Silanos		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		



1

GEV No.	519478	Ref. No.	903379
description	gasket ø 14mm ID ø 9.5mm L 23mm		
For models:	E1000		



1

GEV No.	507519	Ref. No.	TR1340
description	gasket silicone ED ø 18mm ID ø 12mm thickness 4mm Qty 1 pcs for rinse arm		
For models:	T1400, TS3700		



1

GEV No.	519006	Ref. No.	900035
description	locknut		
For models:	024, 030, 1000, 600, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, N50, SVELTINA, V40, V45, V50		



1

GEV No.	519087	Ref. No.	902890
description	locknut for wash arm		
For models:	1300, 1300S, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1300		



1

GEV No.	519520	Ref. No.	908745
description	opposite support for wash arm support thread M8 D1 ø 45mm D2 ø 11.5mm D3 ø 11.5mm		
For models:	E1000		



1

GEV No.	519007	Ref. No.	900049
description	opposite support mounting pos. lower for wash arm support		
For models:	1300S, GLS945S-GIGA, N1300		



1

GEV No.	519444	Ref. No.	905449
description	opposite support mounting pos. upper/lower for wash arm support suitable for Silanos		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		
accessories for	519444		
	GEV No.	519445	Ref. No. 908141
gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes			



1

GEV No.	519238	Ref. No.	906002
description	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
For models:	020, 024, 030, 600, 620, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, N50, SVELTINA, V40, V45, V50		

			
1			
GEV No.	501349	Ref. No.	908456
description	reducer for rinse arm shaft		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS945-GIGA, N1000-SILANOS, N700F, N700FPS, N700F-PS		

			
1			
GEV No.	519197	Ref. No.	904752
description	rinse arm shaft		
For models:	LP109, LP124, LP67, LP84		

			
1			
GEV No.	519279	Ref. No.	907930
description	rinse arm support mounting pos. upper		
For models:	400, 600, 700		



1

GEV No.	519280	Ref. No.	907932
description	rinse arm support mounting pos. upper		
For models:	LP109, LP124, LP67, LP84		
accessories for	519280		
	GEV No.	519510	Ref. No.
			TR0966
	rinse pipe mounting pos. upper/lower ø 12mm L 320mm thread 3/8"		

			
1			
GEV No.	519196	Ref. No.	904750
description	rinse pipe		
For models:	1300, 1300S		

			
1			
GEV No.	519201	Ref. No.	904765
description	rinse pipe		
For models:	020, 024, 030, 1000, 600, 620, 627, 627PS, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, N50, SVELTINA, V40, V45, V50		

			
1			
GEV No.	519198	Ref. No.	904753
description	rinse pipe mounting pos. lower ø 16mm L 13.5mm		
For models:	1300S, GLS945S-GIGA, N1300		

			
1			
GEV No.	519510	Ref. No.	TR0966
description	rinse pipe mounting pos. upper/lower ø 12mm L 320mm thread 3/8"		
For models:	LP109, LP124		

			
1			
GEV No.	501348	Ref. No.	906004
description	shim for rinse arm shaft		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS945-GIGA, N1000-SILANOS, N700F, N700FPS, N700F-PS, N700PS		

			
1			
GEV No.	519437	Ref. No.	902183
description	spacer piece		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		

			
1			
GEV No.	517355	Ref. No.	908702
description	spacer piece for wash arm support ID ø 44mm ED ø 80mm thickness 18mm L 55mm plastic		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

			
1			
GEV No.	519085	Ref. No.	902880 902892
description	Thumb screw ø 34mm thread M6		
For models:	020, 024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS...(Other models you can see in the webshop)		



1

GEV No.	519457	Ref. No.	901651
description	wash arm support		
For models:	TS3700		



1

GEV No.	519042	Ref. No.	901713
description	wash arm support mounting pos. upper/lower		
For models:	250, Ambra, R23A, R29A		



1

GEV No.	519043	Ref. No.	901716
description	wash arm support mounting pos. upper/lower		
For models:	R20, R20A, Rubinia		



1

GEV No.	519019	Ref. No.	900164
description	wash pipe mounting pos. upper		
For models:	1000, GLS935-GIGA		



1

GEV No.	519458	Ref. No.	908747
description	wash pipe mounting pos. upper edition since 12/2005		
For models:	E1000		



1

GEV No.	519459	Ref. No.	908729 908730
description	wash pipe mounting pos. upper edition until 11/2005		
For models:	GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		



1

GEV No.	519438	Ref. No.	903743 903744
description	wash pipe ø 37mm L 700mm plastic suitable for Silanos		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		



1

GEV No.	519537	Ref. No.	908701
description	wash pipe ø 37mm L 720mm plastic suitable for Silanos		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

washing and rinsing systems (sorted by producer)

SILANOS



1

GEV No.	519586	Ref. No.	903031
description	rinse arm L 332mm nozzles 5 mounting ø 12mm		
accessories for	519586		
	GEV No.	524509	Ref. No. 908771
rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"			



1

GEV No.	519467	Ref. No.	907957
description	rinse arm L 425mm nozzles 6 mounting ø 13mm mounting pos. upper and bottom W 30mm		
accessories for	519467		
	GEV No.	519085	Ref. No. 902880 902892
Thumb screw ø 34mm thread M6			
	GEV No.	524509	Ref. No. 908771
rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"			

			
1			
GEV No.	512439	Ref. No.	903016
description	rinse arm L 428mm mounting pos. upper/lower nozzles 6 mounting ø 12/13mm		
For models:	600, E45, N45, V45		

1

GEV No.	519466	Ref. No.	907898 907958	
description	rinse arm L 492mm nozzles 6 mounting ø 13mm mounting pos. upper and bottom complete W 28mm			
For models:	A670-TRONIC, E1000, N50-TRONIC-PDS-PBS			
spare parts for	519466			
	GEV No.	519085	Ref. No.	902880 902892
	Thumb screw ø 34mm thread M6			
	GEV No.	524509	Ref. No.	908771
	rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"			

			
1			
GEV No.	524504	Ref. No.	907955
description	rinse arm mounting pos. upper/lower L 330mm nozzles 5 mounting ø 13mm W 40mm		
For models:	020, 620		

			
1			
GEV No.	517647	Ref. No.	907956
description	rinse arm mounting pos. upper/lower L 380mm nozzles 6 mounting ø 12mm		
For models:	627, 627PS		

			
1			
GEV No.	512412	Ref. No.	903028
description	rinse arm mounting pos. upper/lower L 493mm nozzles 6 mounting ø 12mm		

			
1			
GEV No.	519107	Ref. No.	903104
description	wash arm complete with hub and pin L 365mm nozzles 8 mounting ø 16/44.5mm mounting pos. lower		
For models:	020, 620, 627, 627PS, F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA		

1

GEV No.	519089	Ref. No.	902905	
description	wash arm L 365mm nozzles 8 mounting ø 16/45mm mounting pos. lower			
For models:	020, 620, 627, 627PS, F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA			
spare parts for	519089			
	GEV No.	507445	Ref. No.	906445
	end cap for wash arm			
	GEV No.	519165	Ref. No.	904277
	wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm			
	GEV No.	519199	Ref. No.	904760
	rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"			
	GEV No.	529545	Ref. No.	904324
	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs			



1

GEV No.	519108	Ref. No.	903105
description	wash arm L 395mm nozzles 8 mounting ø 16/45mm mounting pos. lower complete with hub and pin		
For models:	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		



1

GEV No.	519090	Ref. No.	902906
description	wash arm L 395mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower		
For models:	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		



1

GEV No.	519374	Ref. No.	903106 903108	
description	wash arm L 435mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower complete			
For models:	600, E1000, E45, GLS905-GIGA, GLS925-GIGA, N45, N700PS, N90, V45			
spare parts for	519374			
	GEV No.	519085	Ref. No.	902880 902892
Thumb screw ø 34mm thread M6				
	GEV No.	519165	Ref. No.	904277
wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm				
	GEV No.	519169	Ref. No.	904292
rinse arm boss				
	GEV No.	519199	Ref. No.	904760
rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"				



1

GEV No.	519095	Ref. No.	902950 903107
description	wash arm L 495mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower		
For models:	1000, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E50, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, V50		



1

GEV No.	519098	Ref. No.	902961	
description	wash arm L 535mm nozzles 10 mounting ø 16/60mm mounting pos. upper/lower complete			
For models:	1300, 1300S, GLS945S-GIGA, N1300			
spare parts for	519098			
	GEV No.	519087	Ref. No.	902890
locknut for wash arm				
	GEV No.	519088	Ref. No.	902891
bush for wash arm				



1

GEV No.	507445	Ref. No.	906445
description	end cap for wash arm		
For models:	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, N1000-SILANOS, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS		



1

GEV No.	529545	Ref. No.	904324
description	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs		
For models:	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, N1000-SILANOS, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS		

			
1			
GEV No.	519335	Ref. No.	TR0994
description	wash arm L 575mm nozzles 12 mounting ø 16/61.5mm mounting pos. upper/lower		
For models:	LP109, LP124		

			
1			
GEV No.	519334	Ref. No.	TR0993
description	wash arm L 632mm nozzles 12 mounting ø 16/61.5mm mounting pos. upper		
For models:	LP67, LP67E, LP67E-TRONIC, LP84		

			
1			
GEV No.	519336	Ref. No.	TR0996
description	wash arm L 655mm nozzles 16 mounting ø 16/63mm mounting pos. upper complete		
For models:	LP67, LP67E, LP67E-TRONIC, LP84		
spare parts for	519336		
	GEV No.	519087	Ref. No. 902890
	locknut for wash arm		
	GEV No.	519167	Ref. No. 904281
	bush for wash arm		
	GEV No.	519334	Ref. No. TR0993
	wash arm L 632mm nozzles 12 mounting ø 16/61.5mm mounting pos. upper		
	GEV No.	519341	Ref. No. TR2051
	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
	GEV No.	519472	Ref. No. TR3230
	end cap for wash arm ø 41mm		

			
1			
GEV No.	519342	Ref. No.	TR2054
description	end cap		
For models:	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84		

			
1			
GEV No.	519472	Ref. No.	TR3230
description	end cap for wash arm ø 41mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP67E, LP67E-TRONIC, T1400, TS3700		

			
1			
GEV No.	519341	Ref. No.	TR2051
description	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
For models:	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		

			
1			
GEV No.	519012	Ref. No.	900116
description	wash arm mounting pos. lower H 0mm L 200mm nozzles 4 straight/short thread 3/4"		
For models:	250, R20, R20A, R23A, R29A, Rubinia		
spare parts for	519012		
	GEV No.	510302	Ref. No. 904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	GEV No.	519255	Ref. No. 906440
	end cap		

			
1			
GEV No.	519014	Ref. No.	900124
description	wash arm mounting pos. upper H 135mm L 225mm nozzles 3 angled		
For models:	250, R29A		
spare parts for	519014		
	GEV No.	510302	Ref. No. 904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	GEV No.	519038	Ref. No. 901701
	opposite support		
	GEV No.	519220	Ref. No. 905394
	nozzle holder		

Table continues overleaf



spare parts for 519014				
	GEV No.	519255	Ref. No.	906440
end cap				
	GEV No.	519285	Ref. No.	908060
swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm				
	GEV No.	519286	Ref. No.	908070
wash jet				

1

				
GEV No.	519013	Ref. No.	900123	
description	wash arm mounting pos. upper H 45mm L 210mm nozzles 3 angled/ short thread 3/4" suitable for R20			
For models:	Ambra, R20, R20A, Rubinia			
spare parts for	519013			
	GEV No.	510302	Ref. No.	904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	GEV No.	519038	Ref. No.	901701
	opposite support			
	GEV No.	519220	Ref. No.	905394
	nozzle holder			
	GEV No.	519244	Ref. No.	906070
	wash jet			
	GEV No.	519255	Ref. No.	906440
	end cap			
	GEV No.	519285	Ref. No.	908060
	swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm			



1

GEV No.	519010	Ref. No.	900112
description	wash arm mounting pos. upper H 85mm L 220mm nozzles 3 angled		
For models:	R23A		
spare parts for	519010		
	GEV No.	510302	Ref. No. 904320
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	GEV No.	519038	Ref. No. 901701
opposite support			
	GEV No.	519220	Ref. No. 905394
nozzle holder			

spare parts for 519010				
	GEV No.	519244	Ref. No.	906070
wash jet				
	GEV No.	519255	Ref. No.	906440
end cap				
	GEV No.	519285	Ref. No.	908060
swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm				

			
1			
GEV No.	519255	Ref. No.	906440
description	end cap		
For models:	250, 400, 600, 700, Ambra, R20, R20A, R23A, R29A, Rubinia		

			
1			
GEV No.	519220	Ref. No.	905394
description	nozzle holder		
For models:	250, Ambra, R20, R20A, R23A, R29A		

1 			
GEV No.	519038	Ref. No.	901701
description	opposite support		
For models:	1000, 400, 600, 700, R20, R20A, R23A, R29A, Rubinia		

1 			
GEV No.	510302	Ref. No.	904320
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

1 			
GEV No.	519285	Ref. No.	908060
description	swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

 1			
GEV No.	519286	Ref. No.	908070
description	wash jet		
For models:	Ambra, R29A, Rubinia		

			
1			
GEV No.	519077	Ref. No.	902793
description	wash jet complete		
For models:	R20, R20A, R23A, R29A, Rubinia		

			
1			
GEV No.	519015	Ref. No.	900130
description	rinse arm H 320mm L 235mm nozzles 5 thread M16		
For models:	Ambra		
spare parts for	519015		
	GEV No.	510177	Ref. No. 904392
O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			
	GEV No.	519040	Ref. No. 901702 901704
opposite support for rinse jet			
	GEV No.	519287	Ref. No. 908080
swirl H 15.5mm ø 10mm 2mm H1 5mm			
	GEV No.	519288	Ref. No. 908090
rinse jet			

			
1			
GEV No.	519018	Ref. No.	900145 900146
description	rinse arm H 320mm L 240mm nozzles 5 thread M16 complete with nozzle		
For models:	R20, R20A, Rubinia		
spare parts for	519018		
	GEV No.	510177	Ref. No. 904392
O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			
	GEV No.	517386	Ref. No. —
nozzle complete for rinse arm ø 19mm H 26mm			
	GEV No.	519040	Ref. No. 901702 901704
opposite support for rinse jet			
	GEV No.	519287	Ref. No. 908080
swirl H 15.5mm ø 10mm 2mm H1 5mm			

spare parts for	519018		
	GEV No.	519288	Ref. No. 908090
rinse jet			

			
1			
GEV No.	519017	Ref. No.	900141
description	rinse arm H 350mm L 235mm nozzles 5 thread M16 complete with nozzle		
For models:	R23A		
spare parts for	519017		
	GEV No.	503042	Ref. No. 902100
nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs			
	GEV No.	510177	Ref. No. 904392
O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			
	GEV No.	519040	Ref. No. 901702 901704
opposite support for rinse jet			
	GEV No.	519126	Ref. No. 903410
gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs			
	GEV No.	519287	Ref. No. 908080
swirl H 15.5mm ø 10mm 2mm H1 5mm			
	GEV No.	519288	Ref. No. 908090
rinse jet			

			
1			
GEV No.	519370	Ref. No.	900147
description	rinse arm H 410mm L 245mm nozzles 5 thread M16		
For models:	R29A		
spare parts for	519370		
	GEV No.	510177	Ref. No. 904392
O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			
	GEV No.	519040	Ref. No. 901702 901704
opposite support for rinse jet			
	GEV No.	519126	Ref. No. 903410
gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs			
	GEV No.	519287	Ref. No. 908080
swirl H 15.5mm ø 10mm 2mm H1 5mm			

Table continues overleaf



spare parts for	519370			
	GEV No.	519288	Ref. No.	908090
	rinse jet			



1

GEV No.	519016	Ref. No.	900140
description	rinse arm H 410mm L 340mm nozzles 5 thread M16		
For models:	250		
spare parts for	519016		



GEV No.	510177	Ref. No.	904392
----------------	--------	-----------------	--------

O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs



GEV No.	519040	Ref. No.	901702 901704
----------------	--------	-----------------	------------------

opposite support for rinse jet



GEV No.	519126	Ref. No.	903410
----------------	--------	-----------------	--------

gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs



GEV No.	519287	Ref. No.	908080
----------------	--------	-----------------	--------

swirl H 15.5mm ø 10mm 2mm H1 5mm



GEV No.	519288	Ref. No.	908090
----------------	--------	-----------------	--------

rinse jet

1			
GEV No.	519040	Ref. No.	901702 901704
description	opposite support for rinse jet		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

1			
GEV No.	510177	Ref. No.	904392
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

 1			
GEV No.	519288	Ref. No.	908090
description	rinse jet		
For models:	250, Ambra, R20, R20A, R23A, R29A		

1 			
GEV No.	519078	Ref. No.	902795
description	rinse jet complete		
For models:	1000, R20, R20A, R23A, R29A, Rubinia		

1 			
GEV No.	519039	Ref. No.	905401
description	rinse jet holder		

1 			
GEV No.	519287	Ref. No.	908080
description	swirl H 15.5mm ø 10mm 2mm H1 5mm		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

1 			
GEV No.	519255	Ref. No.	906440
description	end cap		
For models:	250, 400, 600, 700, Ambra, R20, R20A, R23A, R29A, Rubinia		

1 			
GEV No.	519038	Ref. No.	901701
description	opposite support		
For models:	1000, 400, 600, 700, R20, R20A, R23A, R29A, Rubinia		

1			
GEV No.	505045	Ref. No.	904310 904311
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	1000, 400, 600, 700		

 1			
GEV No.	519080	Ref. No.	902802
description	wash jet mounting pos. left		
For models:	1000, 400, 700		

			
1			
GEV No.	519079	Ref. No.	902801
description	wash jet mounting pos. right		
For models:	1000, 400, 600		

1

				
GEV No.	519101	Ref. No.	903009	
description	rinse arm L 332mm nozzles 6 mounting ø 10mm mounting pos. upper and bottom complete with threaded shaft			
For models:	F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA			
spare parts for	519101			
	GEV No.	510303	Ref. No.	904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs				
	GEV No.	519081	Ref. No.	902816
rinse jet				
	GEV No.	519085	Ref. No.	902880 902892
Thumb screw ø 34mm thread M6				
	GEV No.	519169	Ref. No.	904292
rinse arm boss				
	GEV No.	519199	Ref. No.	904760
rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"				
	GEV No.	519256	Ref. No.	906450
end cap ø 9.5mm H 20mm				
	GEV No.	560266	Ref. No.	907651
countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm				

1

GEV No.	519104	Ref. No.	903015
description	rinse arm L 378mm nozzles 6 mounting ø 10mm mounting pos. upper and bottom complete		
For models:	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		
spare parts for	519104		

GEV No.	510303	Ref. No.	904321
----------------	--------	-----------------	--------

O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs

spare parts for		519104		
	GEV No.	519081	Ref. No.	902816
rinse jet				
	GEV No.	519085	Ref. No.	902880 902892
Thumb screw ø 34mm thread M6				
	GEV No.	519169	Ref. No.	904292
rinse arm boss				
	GEV No.	519256	Ref. No.	906450
end cap ø 9.5mm H 20mm				
	GEV No.	560266	Ref. No.	907651
countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm				
accessories for		519104		
	GEV No.	519090	Ref. No.	902906
wash arm L 395mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower				

			
1			
GEV No.	519450	Ref. No.	903019
description	rinse arm L 427mm nozzles 6 mounting ø 10mm mounting pos. upper complete		

			
1			
GEV No.	519103	Ref. No.	903011
description	rinse arm L 490mm nozzles 6 mounting ø 10mm mounting pos. upper/lower complete		
For models:	700		

			
1			
GEV No.	519256	Ref. No.	906450
description	end cap ø 9.5mm H 20mm		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA V40, V45, V50		
spare parts for	519256		
			
GEV No.	510303	Ref. No.	904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			

			
GEV No.	510303	Ref. No.	904321
description O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
For models: 024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50			

			
GEV No.	519181	Ref. No.	904388
description O-ring EPDM thickness 1mm ID ø 5mm Qty 1 pcs			
For models: 024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, T1400, TS3700, V40, V45, V50			

			
GEV No.	519169	Ref. No.	904292
description rinse arm boss			
For models: 024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50			

			
GEV No.	519081	Ref. No.	902816
description rinse jet			
For models: 024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50			
accessories for 519081			
	GEV No.	519181	Ref. No. 904388
O-ring EPDM thickness 1mm ID ø 5mm Qty 1 pcs			
	GEV No.	532536	Ref. No. —
O-ring for rinse jet			

			
GEV No.	519327	Ref. No.	TR0902
description rinse arm L 560mm nozzles 6 mounting ø 10mm mounting pos. upper complete			
For models: LP109, LP124			
spare parts for 519327			
	GEV No.	510303	Ref. No. 904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	GEV No.	519033	Ref. No. 900530
bush for rinse arm			
	GEV No.	519200	Ref. No. 904762
rinse arm shaft			
	GEV No.	519256	Ref. No. 906450
end cap ø 9.5mm H 20mm			
	GEV No.	519315	Ref. No. TR0003 TR0009
rinse jet			
	GEV No.	519326	Ref. No. TR0894
rinse arm			

			
GEV No.	519332	Ref. No.	TR0960
description rinse arm L 625mm nozzles 6 mounting ø 10mm mounting pos. upper complete			
For models: LP67, LP67E, LP67E-TRONIC, LP84			
spare parts for 519332			
	GEV No.	510303	Ref. No. 904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	GEV No.	519033	Ref. No. 900530
bush for rinse arm			
	GEV No.	519200	Ref. No. 904762
rinse arm shaft			
	GEV No.	519256	Ref. No. 906450
end cap ø 9.5mm H 20mm			
	GEV No.	519315	Ref. No. TR0003 TR0009
rinse jet			

Table continues overleaf

spare parts for	519332		
	GEV No.	519325	Ref. No. TR0893
Image not available	rinse arm		

1 			
GEV No.	519256	Ref. No.	906450
description	end cap ø 9.5mm H 20mm		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		
spare parts for	519256		
	GEV No.	510303	Ref. No. 904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			

1 			
GEV No.	510303	Ref. No.	904321
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		

1 			
GEV No.	519315	Ref. No.	TR0003 TR0009
description	rinse jet		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		

1 			
GEV No.	519560	Ref. No.	900134
description	wash arm L 200mm W 45mm nozzles 3		

1 			
GEV No.	519566	Ref. No.	900133
description	wash arm mounting pos. upper H 45mm L 210mm nozzles 3 angled/ short thread 3/4" suitable for R20/R23/R29		

miscellaneous

1 			
GEV No.	507444	Ref. No.	906451
description	end cap for rinse arm		

1 			
GEV No.	517778	Ref. No.	TR3227
description	end cap for wash arm mounting pos. upper/lower H 14mm Qty 1 pcs WS 30		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		

1 			
GEV No.	519568	Ref. No.	TR0032
description	nozzle holder ø 42mm		

1 			
GEV No.	519567	Ref. No.	TR0030
description	opposite support H 22mm ø 31mm		

1 			
GEV No.	519569	Ref. No.	TR3350
description	rinse jet		
For models:	T1400, TS3700		



1

GEV No.	519293	Ref. No.	TR0179
description	rinse jet for rinse arm ø 15mm H 12.5mm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, TS3700		



2

GEV No.	504468	Ref. No.	TR0172
description	rinse jet ø 12.5mm H 9.5mm		



1

GEV No.	501350	Ref. No.	905388
description	opposite support mounting pos. lower		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		



1

GEV No.	519065	Ref. No.	908744
description	wash arm support		



1

GEV No.	519501	Ref. No.	900041 905557
description	wash arm support for dishwasher mounting pos. lower thread 57 ø 44mm D1 ø 22mm D2 ø 28mm H 55mm		
For models:	N50		



1

GEV No.	519351	Ref. No.	900031
description	wash arm support mounting pos. lower D1 ø 32mm D2 ø 39mm D3 ø 42mm L1 120mm L2 136mm usable height 79mm		
For models:	024, 030, 1000, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, SVELTINA, V40, V45, V50		



1

GEV No.	524505	Ref. No.	905558	
description	wash arm support mounting pos. lower H 136mm			
For models:	020, 620			
accessories for	524505			
	GEV No.	519117	Ref. No.	903301 903302
	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs			
	GEV No.	519201	Ref. No.	904765
	rinse pipe			



1

GEV No.	519166	Ref. No.	904278 905555	
description	wash arm support mounting pos. lower H 75mm			
For models:	1300S, 620, 627, 627PS, GLB615-GIGA			
accessories for	519166			
	GEV No.	519006	Ref. No.	900035
	locknut			
	GEV No.	519117	Ref. No.	903301 903302
	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs			
	GEV No.	519201	Ref. No.	904765
	rinse pipe			



1

GEV No.	519416	Ref. No.	905556
description	wash arm support mounting pos. lower usable height 104mm		



1

GEV No.	519168	Ref. No.	904290
description	wash arm support mounting pos. upper		
For models:	1000, 400, 600, 700, GLS935-GIGA		





1

GEV No.	519373	Ref. No.	900033
description	wash arm support mounting pos. upper		
For models:	600, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, N50, V40, V45, V50		
accessories for	519373		
	GEV No.	519047	Ref. No. 901775 901779
	flange		
	GEV No.	519120	Ref. No. 903330
	gasket D1 ø 90mm D2 ø 57mm thickness 3mm with 4 screw holes wash arm support equiv. no. 903330 suitable for Silanos		
	GEV No.	519201	Ref. No. 904765
	rinse pipe		



1

GEV No.	519519	Ref. No.	908743
description	wash arm support mounting pos. upper		
For models:	E1000		
accessories for	519519		



GEV No.	519520	Ref. No.	908745
opposite support for wash arm support thread M8 D1 ø 45mm D2 ø 11.5mm D3 ø 11.5mm			



GEV No.	550797	Ref. No.	903413
gasket for wash arm support L 105mm W 65mm			

1

GEV No.	524033	Ref. No.	908700	
description	wash arm support mounting pos. upper			
For models:	E1000, GLS945-GIGA, N1000-SILANOS			
accessories for	524033			
	GEV No.	501351	Ref. No.	908124 908154
	flange mounting pos. upper ø 91mm H 11mm ID ø 45mm hole ø 5.5mm			
	GEV No.	519165	Ref. No.	904277
	wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm			
	GEV No.	524273	Ref. No.	908707
	rinse arm shaft mounting pos. upper ø 16mm H 84mm thread 1/4"			

			
1			
GEV No.	517645	Ref. No.	908732
description	wash arm support mounting pos. upper ø 60mm H 364mm ID ø 57mm		
For models:	GLS945S-GIGA, LP67E, LP67E-TRONIC, N1300		

			
1			
GEV No.	519376	Ref. No.	905456
description	wash arm support mounting pos. upper/lower for pipe ø 37mm hose ø 14mm		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

			
1			
GEV No.	519120	Ref. No.	903330
description	gasket D1 ø 90mm D2 ø 57mm thickness 3mm with 4 screw holes wash arm support equiv. no. 903330 suitable for Silanos		
For models:	400, 600, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, N50, V40, V45, V50		

			
1			
GEV No.	519124	Ref. No.	903381
description	gasket D2 ø 51mm thickness 4mm with 4 screw holes wash arm support equiv. no. 903381 suitable for Silanos L 85mm W 85mm hole ø 51mm		
For models:	1300, 1300S, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, T1400, TS3700		

			
1			
GEV No.	550797	Ref. No.	903413
description	gasket for wash arm support L 105mm W 65mm		
For models:	E1000, N1000-SILANOS, N1300		



1

GEV No.	519165	Ref. No.	904277
description	wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm		
For models:	020, 024, 030, 1000, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700F-PS, N700F-P, N700PS, N90, SVELTINA, V40, V45, V50		

rinse arm shafts



1

GEV No.	519200	Ref. No.	904762
description	rinse arm shaft		
For models:	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		



1

GEV No.	517648	Ref. No.	908705
description	rinse arm shaft mounting pos. lower ø 15mm H 160mm thread 1/4" thread L 12mm		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		



1

GEV No.	524034	Ref. No.	908734
description	rinse arm shaft mounting pos. lower ø 16mm H 100mm		
For models:	E1000, GLS945-GIGA, N1000-SILANOS		



1

GEV No.	519199	Ref. No.	904760
description	rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700F-PS, N700F-P, N700PS, N90, SVELTINA, V40, V45, V50		



1

GEV No.	524272	Ref. No.	904799
description	rinse arm shaft mounting pos. upper ø 16mm H 70mm thread 1/4"		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		



1

GEV No.	524273	Ref. No.	908707
description	rinse arm shaft mounting pos. upper ø 16mm H 84mm thread 1/4"		
For models:	E1000, GLS945-GIGA, N1000-SILANOS		



1

GEV No.	524509	Ref. No.	908771
description	rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"		
For models:	020, 620, A670-TRONIC, E1000, N50-TRONIC-PDS-PBS		

handles and hand wheels

handle rails

SILANOS



1

GEV No.	524271	Ref. No.	903933	
description	handle rail L 512mm W 28mm H 40mm dark blue Qty 1 pcs			
For models:	A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS			
accessories for	524271			
	GEV No.	697926	Ref. No.	901657
sticker for handle rail L 460mm				



1

GEV No.	511195	Ref. No.	903934
description	handle rail L 562mm W 40mm suitable for Silanos blue hole distance 257/393/493mm		
For models:	GLS905-GIGA, GLS925-GIGA, N50, N50-TRONIC-PDS-PBS, N90		



GEV No.	970695	Ref. No.	901504
description	mix basket L 450mm W 450mm H 106mm		

accessories

plate inserts




GEV No.	970044	Ref. No.	903520
description	plate insert L 345mm W 100mm plates 17		

gaskets


O-rings

EPDM


ø1.78mm


GEV No.	510302	Ref. No.	904320
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		


GEV No.	529545	Ref. No.	904324
description	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs		
For models:	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, N1000-SILANOS, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS		

GEV No.	505045	Ref. No.	904310 904311
description	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
For models:	1000, 400, 600, 700		





GEV No.	510303	Ref. No.	904321
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		





GEV No.	510177	Ref. No.	904392
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
For models:	250, Ambra, R20, R20A, R23A, R29A, Rubinia		


ø2.62mm


GEV No.	511508	Ref. No.	906222
description	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		


GEV No.	528333	Ref. No.	904390
description	O-ring EPDM thickness 2.62mm ID ø 13.1mm Qty 1 pcs		
For models:	1000, 400, 600, 700, GLS935-GIGA		






GEV No.	504590	Ref. No.	904330
description	O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs		
For models:	1000, 250, 400, 600, 700, Ambra, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, R20, R20A, R23A, R29A, Rubinia, T1400, TS3700		


 			
GEV No.	510893	Ref. No.	904391
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	024, 030, 250, 400, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		


ø3.53mm


 			
GEV No.	511322	Ref. No.	904340 904430
description	O-ring EPDM thickness 3.53mm ID ø 20.22mm Qty 1 pcs		
For models:	020, 024, 030, 1000, 250, 400, 600, 620, 627, 627PS, 700, 800, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A...(Other models you can see in the webshop)		

 			
GEV No.	501352	Ref. No.	904404
description	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs		
For models:	670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N90		


 			
GEV No.	510072	Ref. No.	904350
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		

 			
GEV No.	519179	Ref. No.	904380
description	O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		


 			
GEV No.	511331	Ref. No.	904395 TR0189
description	O-ring EPDM thickness 3.53mm ID ø 53.57mm Qty 1 pcs		
For models:	1000, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84, N1000-SILANOS, N1300		

 			
GEV No.	510551	Ref. No.	904374 904397
description	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		

ø5.34mm

 			
GEV No.	521120	Ref. No.	907981
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, A670-TRONIC, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84, N45, N50, N50-TRONIC-PDS-PBS, N90, Rubinia, SVELTINA, T1400, TS3700		

miscellaneous



1			
GEV No.	519181	Ref. No.	904388
description	O-ring EPDM thickness 1mm ID ø 5mm Qty 1 pcs		
For models:	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, T1400, TS3700, V40, V45, V50		

sealing washers

fibre gaskets



1			
GEV No.	519440	Ref. No.	903412
description	flat gasket ED ø 24mm ID ø 10.2mm thickness 1mm Qty 1 pcs		



1			
GEV No.	519125	Ref. No.	903400
description	flat gasket FIBER ED ø 18mm ID ø 10mm thickness 1.5mm Qty 1 pcs equiv. no. 903400		
For models:	250, Ambra		



1			
GEV No.	510405	Ref. No.	903300
description	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
For models:	1000, 600, 700		



1			
GEV No.	519126	Ref. No.	903410
description	gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
For models:	1000, 250, Ambra, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP84, R20, R20A, R23A, R29A, Rubinia, T1400, TS3700		

rubber gaskets



1			
GEV No.	511649	Ref. No.	903263
description	flat gasket rubber ED ø 20mm ID ø 12mm thickness 2mm Qty 1 pcs		
For models:	020, 620		



1			
GEV No.	511936	Ref. No.	904991 (Gummi)
description	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 1.8mm Qty 1 pcs warewashing		



1			
GEV No.	519114	Ref. No.	903260
description	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs		
For models:	024, 030, 1300, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N700F, N700FPS, N700F-PS...(Other models you can see in the webshop)		



1			
GEV No.	519113	Ref. No.	903250
description	flat gasket rubber ED ø 28mm ID ø 19mm thickness 3mm Qty 1 pcs		
For models:	1000, 1300, 1300S, 250, 400, 600, 700, Ambra, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300, Rubinia, T1400, TS3700		



1			
GEV No.	519341	Ref. No.	TR2051
description	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
For models:	LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		



1			
GEV No.	519115	Ref. No.	903280
description	flat gasket rubber ED ø 48mm ID ø 32mm thickness 3mm Qty 1 pcs		
For models:	1000, 400, 600, 700, Rubinia		

			
1			
GEV No.	519123	Ref. No.	903360
description	flat gasket rubber ED ø 50mm ID ø 40mm thickness 4.5mm Qty 1 pcs suitable for Silanos		
For models:	250, 600, 700, Ambra		

			
1			
GEV No.	519119	Ref. No.	903325
description	flat gasket rubber ED ø 58mm ID ø 42mm thickness 3mm Qty 1 pcs		
For models:	400, 600, 700, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		

			
1			
GEV No.	519117	Ref. No.	903301 903302
description	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs		
For models:	020, 024, 030, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50, SVELTINA, V40, V45, V50		

			
1			
GEV No.	519118	Ref. No.	903320
description	flat gasket rubber ED ø 70mm ID ø 52mm thickness 3mm Qty 1 pcs		
For models:	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

			
1			
GEV No.	519347	Ref. No.	TR2448
description	flat gasket rubber ED ø 80mm ID ø 60mm thickness 3mm Qty 1 pcs equiv. no. TR2448 suitable for Silanos		
For models:	1300, 1300S, 800, 900, GLS945S-GIGA, N1300		

			
1			
GEV No.	519121	Ref. No.	903340
description	flat gasket rubber ED ø 80mm ID ø 67mm thickness 3mm Qty 1 pcs suitable for Silanos		
For models:	250, 400, Ambra, F22A, F27A, F28A, R20A, R23A, R29A		

plastic gaskets			
			
1			
GEV No.	504435	Ref. No.	908146
description	flat gasket plastic ED ø 18mm ID ø 9.5mm thickness 2.5mm for door hinge Qty 1 pcs		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		

paper gasket			
			
1			
GEV No.	511650	Ref. No.	903403
description	flat gasket paper ED ø 24mm ID ø 10.5mm thickness 1mm Qty 1 pcs warewashing		
For models:	020, 620, 627, 627PS, 670-TRONIC, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

silicone gaskets			
			
1			
GEV No.	507519	Ref. No.	TR1340
description	gasket silicone ED ø 18mm ID ø 12mm thickness 4mm Qty 1 pcs for rinse arm		
For models:	T1400, TS3700		

			
1			
GEV No.	507520	Ref. No.	903404
description	gasket silicone ED ø 38mm ID ø 30mm thickness 4mm Qty 1 pcs for wash arm		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67E, LP67E-TRONIC, T1400, TS3700		

special gaskets			
miscellaneous			
			
1			
GEV No.	530430	Ref. No.	903321
description	gasket for rinse pipe rubber ø 33mm ID ø 24mm thickness 11mm for Silanos		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		



gaskets for wash arm support



1

GEV No.	506223	Ref. No.	905257
description	gasket D1 ø 110mm D2 ø 82mm thickness 3mm with 4 screw holes flange		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		



1

GEV No.	519445	Ref. No.	908141
description	gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings open



1

GEV No.	519048	Ref. No.	901970
description	deep-groove ball bearing shaft ø 9mm ED ø 24mm W 7mm type 609 DIN 625-1		
For models:	250, Ambra, Rubinia		

springs

roller springs

roller springs




1

GEV No.	519339	Ref. No.	TR1858
description	roller spring		
For models:	LP67, LP67E, LP67E-TRONIC, LP84		



1

GEV No.	519340	Ref. No.	TR1859
description	roller spring		
For models:	LP109, LP124		



1

GEV No.	519616	Ref. No.	TR1853
description	roller spring W 40mm ID ø 36mm lug length 50mm		
For models:	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		



1

GEV No.	519619	Ref. No.	TR1866
description	roller spring with holder W 40mm ID ø 36.5mm lug length 60mm mounting distance 18mm bore ø 5mm		
For models:	T1400, TS3700		

tension springs



1

GEV No.	519443	Ref. No.	904051 908041 908042 908043
description	tension spring ø 11.5mm total length 220mm wire gauge ø 2mm		
For models:	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

1 			
GEV No.	519163	Ref. No.	904133 904137
description	tension spring ø 38.5mm total length 394mm wire gauge ø 6.5mm for hood		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

dosing pumps

peristaltic dosing pumps

BORES

built-in version

with frequency control

1 			
GEV No.	361406 ¹	Ref. No.	901998
description	dosing pump BORES frequency control 1l/h 230VAC rinse aid hose ø 4x6mm hose silicone type Mybo built-in version with integrated non-return valve CODE PBEM1.0		
spare parts for	361406		
	GEV No.	361233	Ref. No. —
roller assembly rinse aid hose type silicone pump type PROTHO/MYBO			
	GEV No.	361234	Ref. No. —
cover pump type PROTHO/MYBO hose type			
	GEV No.	361291	Ref. No. —
pump hose PROTHO/MYBO rinse aid hose ø 2x6mm hose type silicone			
	GEV No.	361410	Ref. No. —
pump head pump type PROTHO/MYBO hose type silicone rinse aid hose ø 3x7mm			
accessories for	361406		
	GEV No.	361142	Ref. No. —
mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent			
	GEV No.	520090	Ref. No. —
PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent			
	GEV No.	520091	Ref. No. —
nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent			

¹with integrated back flow preventer

GERMAC

built-in version

with frequency control

1 			
GEV No.	361802	Ref. No.	902344
description	dosing pump frequency control 0.7l/h 230VAC rinse aid hose ø 4mm hose silicone type G302E connection angled		
spare parts for	361802		
	GEV No.	361822	Ref. No. 908323
pump hose GERMAC rinse aid hose type silicone hose ø 4mm for model DC035DP/DC070DP with screw connection			
	GEV No.	362032	Ref. No. —
cover for GERMAC			

1 			
GEV No.	361862	Ref. No.	902340
description	dosing pump GERMAC frequency control 3l/h 230VAC detergent hose ø 4mm hose type angled connection hose thermoplastic type G300E 4W 90°		
spare parts for	361862		
	GEV No.	361926	Ref. No. 907287
pump hose GERMAC detergent hose type TP hose ø 4mm for model DC035DP/DC070DP with screw connection			
	GEV No.	362032	Ref. No. —
cover for GERMAC			

spare parts

1 			
GEV No.	361926	Ref. No.	907287
description	pump hose GERMAC detergent hose type TP hose ø 4mm for model DC035DP/DC070DP with screw connection		

			
1			
GEV No.	361822	Ref. No.	908323
description	pump hose GERMAC rinse aid hose type silicone hose ø 4mm for model DC035DP/DC070DP with screw connection		

SEKO

built-in version

with frequency control

			
1			
GEV No.	362002	Ref. No.	902052
description	dosing pump SEKO frequency control 2.8l/h 230VAC detergent hose ø 5mm hose type hose Santoprene screw type NBR 3		
For models:	N50-TRONIC-PDS-PBS		

with time control

			
1			
GEV No.	361894	Ref. No.	902058 902062
description	dosing pump SEKO time control 0.7l/h 230VAC rinse aid hose ø 4x6/6mm hose Sekobril suction level 1.5m type NBM 0.7 0-30s 3.5W		
spare parts for	361894		
		GEV No.	361135
	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		
		GEV No.	361136
	roller assembly for dosing pump hole ø 4.8x4mm		

membrane dosing pumps

self-priming

LANG

			
1			
GEV No.	361032	Ref. No.	902270
description	dosing pump type N6 membrane dosing pump rinse aid pressure connection ø angled, 4x6mm suction connection ø angled, 4x6mm		
For models:	400		
spare parts for	361032		
		GEV No.	361079
	spring for type N5/N6 for ball		
		GEV No.	361080
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
		GEV No.	361085
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
		GEV No.	361309
	ball for type N5/N6		
		GEV No.	361310
	bracket for type N6 ball guide		
		GEV No.	361311
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
		GEV No.	361314
	valve ring for type N6 holder for O-ring		
		GEV No.	361317
	sealing disc for type N6		
		GEV No.	361886
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		

			
1			
GEV No.	361575	Ref. No.	902199
description	dosing pump type N6 rinse aid pressure connection ø straight, 4x6mm suction connection ø angled, 6mm LANG		
For models:	024, 030, 1000, 1300, 1300S, 600, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
spare parts for	361575		
	GEV No.	361079	Ref. No. —
	spring for type N5/N6 for ball		
	GEV No.	361080	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	GEV No.	361085	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	GEV No.	361309	Ref. No. —
	ball for type N5/N6		
	GEV No.	361310	Ref. No. —
	bracket for type N6 ball guide		
	GEV No.	361311	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	GEV No.	361314	Ref. No. —
	valve ring for type N6 holder for O-ring		
	GEV No.	361317	Ref. No. —
	sealing disc for type N6		
	GEV No.	361886	Ref. No. —
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		

various

			
1			
GEV No.	361015	Ref. No.	902203
description	dosing pump membrane dosing pump rinse aid inlet 6x8mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 6x8mm		
For models:	250, 600, 700, Ambra, N50		
spare parts for	361015		
	GEV No.	361132	Ref. No. —
	membrane dosing pump		

spare parts for	361015		
	GEV No.	510298	Ref. No. —
	lip valve dosing pump suitable for DB2/DS5		

self-priming with supporting pressure

GERMAC

type 2001

			
1			
GEV No.	361545	Ref. No.	902013 902018
description	dosing pump type 2001 rinse aid inlet 4x6mm outlet M10x1 suction connection ø 4x6mm supporting pressure 11mm rebound ball PTFE 1mm GERMAC CODE VNR/U3		
For models:	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N700F, N700FPS, N700F-PS, N700PS, N90, PIASTRA-DOPPIA		
spare parts for	361545		
	GEV No.	361551	Ref. No. —
	compression spring wire gauge ø 1mm		
	GEV No.	361700	Ref. No. —
	hose connector rotary hose ø 4x6mm plastic connection M10x1		
	GEV No.	361702	Ref. No. —
	hose connector brass hose ø 4x6mm		
	GEV No.	361705	Ref. No. —
	gasket for hose connector M12x1		
	GEV No.	510298	Ref. No. —
	lip valve dosing pump suitable for DB2/DS5		
accessories for	361545		
	GEV No.	361142	Ref. No. —
	mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent		
	GEV No.	361550	Ref. No. —
	hose connector hose ø 4x6mm		
	GEV No.	361553	Ref. No. —
	membrane EPDM		
	GEV No.	361701	Ref. No. —
	hose connector thread M10x1 grommet ø 7.5mm		
	GEV No.	361703	Ref. No. —
	hose connector thread M10x1 brass pipe connection ø 4x6mmmm		
	GEV No.	361704	Ref. No. —
	hose connector brass straight thread M12x1 hose ø 11mm Qty 1 pcs		
	GEV No.	510296	Ref. No. —
	membrane silicone		

Table continues overleaf



accessories for 361545			
GEV No.	520090	Ref. No.	—
PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent			
GEV No.	520091	Ref. No.	—
nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent			

accessories

container filters



1

GEV No.	361062	Ref. No.	902568
description	container filter hose ø 4mm		
For models:	1000, 1300, 1300S, E1000, F19, F19A, F22, F22A, F27A, F28A, GLS935-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, R20, R20A, R23A, R29A		



1

GEV No.	361251	Ref. No.	902569
description	container filter hose ø 4mm		
For models:	600, 700, Rubinia		

T-pieces

without non-return valve



1

GEV No.	519217	Ref. No.	905381
description	T-piece plastic hose ø 12-9-12mm 3-way hose ø 12-9-12mmmm		
For models:	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E40, E45, E50, GLS935-GIGA, N50, V40, V45, V50		

hoses

supply hoses

PVC supply hoses




1

GEV No.	520460	Ref. No.	907348
description	supply hose PVC straight-curved DN12 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval WRAS		
accessories for	520460		
	GEV No.	520053	Ref. No. —
	GEV No.	520054	Ref. No. —



1

GEV No.	520010	Ref. No.	907344
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
For models:	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
accessories for	520010		
	GEV No.	520053	Ref. No. —
	GEV No.	520054	Ref. No. —




1

GEV No.	520017	Ref. No.	907350
description	supply hose ID ø 13mm ED ø 20mm L 5m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 5m		
For models:	1000, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, T1400, TS3700		

drain hoses

			
1			
GEV No.	530571	Ref. No.	907440
description	drain hose DN24 L 1500mm straight ø inside 24mm straight ext. ø 29mm elbow ø inside 29mm elbow ext. ø 35mm outer hose ø 28mm		
For models:	020, 024, 030, 620, 627, 627PS, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

			
1			
GEV No.	519272	Ref. No.	907450 907451
description	drain hose DN24 L 1500mm straight ø inside 32mm straight ext. ø 35mm elbow ø inside 40mm elbow ext. ø 46mm outer hose ø 38mm		
For models:	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F		

industrial hoses

nylon hoses

			
1			
GEV No.	520032	Ref. No.	907260
description	nylon hose ID ø 4mm ED ø 6mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C blue		
For models:	GLS805-GIGA, GLS845-GIGA, N700F		

PVC hoses

PVC hoses without fabric

			
1			
GEV No.	520381	Ref. No.	907271
description	PVC hose ID ø 5mm ED ø 8mm L 2m thickness 1.5mm t.max. 60°C blue		
For models:	LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84		

silicone hoses

without fabric

			
1			
GEV No.	530410	Ref. No.	907272 907279
description	silicone hose ID ø 4mm ED ø 7mm L 2m thickness 1.5mm t.max. 200°C transparent		
For models:	020, 024, 030, 1000, 1300, 1300S, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, F19, F19A, F22, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N1300, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		

formed hoses

straight

			
1			
GEV No.	519130	Ref. No.	903667
description	formed hose dishwasher straight equiv. no. 903667		
For models:	E40, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, V40		

			
1			
GEV No.	519321	Ref. No.	TR0475
description	formed hose ext. ø 60 ID ø 50mm L 500mm dishwasher straight equiv. no. TR0475		
For models:	1300S, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		



1

GEV No.	517777	Ref. No.	908922
description	formed hose hose int. ø 27mm L 54mm black Qty 1		



1

GEV No.	519392	Ref. No.	903756
description	formed hose L 61mm dishwasher straight hose ext. ø 50mm hose int. ø 38mm		
For models:	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

form L



1

GEV No.	519136	Ref. No.	903690
description	formed hose		
For models:	1300, 800, 900		



1

GEV No.	519137	Ref. No.	903701
description	formed hose D1 ø 75mm D2 ø 59mm L 220mm curved		
For models:	1000, GLS935-GIGA, LP67E, LP67E-TRONIC, T1400, TS3700		



1

GEV No.	524274	Ref. No.	903713
description	formed hose end piece A ext. ø 36mm end piece A int. ø 27mm AD2 ø 37mm ø end piece B 28mm for pump L 187mm L-shape Qty 1 black		



1

GEV No.	519563	Ref. No.	908136
description	formed hose end piece A ext. ø 56mm end piece A int. ø 45mm AD2 ø 56mm ø end piece B 44mm L 160mm Qty 1 L-shape		
For models:	GLS905-GIGA, GLS925-GIGA, N50-TRONIC-PDS-PBS, N90		



1

GEV No.	519160	Ref. No.	903876
description	formed hose L 150mm warewashing L-shape equiv. no. 903876 W 110mm hose int. ø 40mm		
For models:	600, 700, GLS805-GIGA, GLS845-GIGA, N700F, N700PS		



1

GEV No.	519430	Ref. No.	903758
description	formed hose warewashing L-shape		
For models:	A670-TRONIC, N50		



1

GEV No.	519128	Ref. No.	903665
description	formed hose warewashing L-shape equiv. no. 903665		
For models:	024, 030, F27A, GLB785-GIGA, GLB795-GIGA, SVELTINA		



1

GEV No.	519132	Ref. No.	903674
description	formed hose warewashing L-shape equiv. no. 903674		
For models:	020, 024, 030, 620, 627, 627PS, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		



1

GEV No.	519139	Ref. No.	903704
description	formed hose warewashing L-shape equiv. no. 903690		
For models:	1300S		



1

GEV No.	519151	Ref. No.	903761 908713
description	formed hose warewashing L-shape equiv. no. 903761		
For models:	1300, GLS945S-GIGA, N1300		

form S



1

GEV No.	519129	Ref. No.	903666
description	formed hose S-shape warewashing equiv. no. 903666		
For models:	E40, V40		



1

GEV No.	519148	Ref. No.	903737
description	formed hose S-shape warewashing equiv. no. 903737		
For models:	R20, R20A, R23A, R29A		

form U



1

GEV No.	519142	Ref. No.	903721
description	formed hose		
For models:	F19, F19A, F22, F22A		



1

GEV No.	519147	Ref. No.	903726
description	formed hose		
For models:	700, 800, 900		

for dishwashers

miscellaneous



1

GEV No.	519448	Ref. No.	907295
description	hose D1 ø 12mm D2 ø 19.5mm		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		



1

GEV No.	530590	Ref. No.	907359
description	hose ED ø 15mm ID ø 8mm equiv. no. 200117 Qty supplied by meter		
For models:	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E40, E45, E50, F19, GLS935-GIGA, N50, V40, V45, V50		



1

GEV No.	530432	Ref. No.	907360
description	pressure hose ED ø 17mm ID ø 10mm L 1000mm operating p. 10bar burst p. 25bar temp.-resist. 110°C		
For models:	020, 024, 030, 1000, 250, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

fittings, hose and pipe connectors

hose connectors

without screw connection



1

GEV No.	519216	Ref. No.	905382
description	T-piece plastic hose ø 12-12-12mm 3-way		
For models:	020, 024, 030, 1000, 1300S, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45...(Other models you can see in the webshop)		



1

GEV No.	519217	Ref. No.	905381
description	T-piece plastic hose ø 12-9-12mm 3-way hose ø 12-9-12mmmm		
For models:	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E40, E45, E50, GLS935-GIGA, N50, V40, V45, V50		

fittings

angle pieces



1

GEV No.	520821	Ref. No.	908120
description	angle piece thread 1/4" IT - 1/4" IT nickel-plated brass		
For models:	024, 030, 1000, 1300, 1300S, E1000, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, SVELTINA		

hose connectors

plastic



1

GEV No.	519277	Ref. No.	907908
description	hose connector plastic angled thread 1/4" hose ø 10mm Qty 1 pcs		
For models:	800, 900		

brass



1

GEV No.	504862	Ref. No.	907890
description	hose connector brass straight thread 3/4" hose ø 20mm Qty 1 pcs		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67V, LP84, T1400, TS3700		

nickel-plated brass



1

GEV No.	519239	Ref. No.	905452 905453 908100 908101
description	hose connector nickel-plated brass thread 1/4" hose ø 11mm Qty 1 pcs		
For models:	020, 620, E1000, GLB615-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

producer-specific



1

GEV No.	519278	Ref. No.	907920
description	hose connector		
For models:	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T3000, R20, R20A, R23A, R29A, Rubinia		

			
1			
GEV No.	519290	Ref. No.	908121
description	hose connector		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300		

			
1			
GEV No.	519291	Ref. No.	906003
description	hose connector		
For models:	024, 030, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, SVELTINA		

			
1			
GEV No.	519223	Ref. No.	905410
description	hose connector for drain		
For models:	600, 700, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, TS3700		

			
1			
GEV No.	519226	Ref. No.	905416
description	T-piece plastic		
For models:	600, 700		

ancillary products

clamps

hose clamps

DIN 3017 - W2

			
1			
GEV No.	520115	Ref. No.	902460
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	020, 024, 030, 1000, 1300S, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67E, LP67E-TRONIC, N45, N50, N50-TRONIC-PDS-PBS, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA...(Other models you can see in the webshop)		

			
1			
GEV No.	520116	Ref. No.	902441
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
For models:	020, 024, 030, 1000, 1300, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45...(Other models you can see in the webshop)		

			
1			
GEV No.	520117	Ref. No.	902480
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700F-PS, N700PS		



DIN 3017 - W4



1

GEV No.	520120	Ref. No.	902440
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		

oval head screws



1

GEV No.	560569	Ref. No.	907785
description	oval head screw thread M6 internal thread L 13mm head ø 16mm stainless steel Qty 1 pcs ø 9x13mm		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, N1000-SILANOS, N1300		

hexagonal screws



1

GEV No.	560539	Ref. No.	907845
description	hexagonal screw thread M10 thread L 42mm SS WS 17 Qty 1 pcs head thickness 6.5mm DIN 933 / ISO 4017		
For models:	T1400, TS3700		



1

GEV No.	560086	Ref. No.	907780
description	hexagonal screw thread M6 thread L 10mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
For models:	600, 627, 627PS, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLS945-GIGA, N1000-SILANOS, V40, V45, V50		



1

GEV No.	560464	Ref. No.	907820
description	hexagonal screw thread M8 thread L 12mm SS WS 13 Qty 1 pcs head thickness 5mm DIN 933 / ISO 4017		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 700, 800, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, Rubinia, SVELTINA		

side bolts



1

GEV No.	519276	Ref. No.	907860
description	side bolts thread M5 L 12mm		
For models:	600, 700, Ambra		

measuring equipment

thermometers

built-in thermometers



1

GEV No.	541086	Ref. No.	907090
description	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm		
For models:	1000, 1300, 1300S, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, T1400		

fastening material

screws

countersunk screws



1

GEV No.	560266	Ref. No.	907651
description	countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm		
For models:	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		



1

GEV No.	560267	Ref. No.	907871
description	countersunk screw thread M5 L 25mm SS DIN 965/ISO 7046 Qty 1 pcs intake Phillips		
For models:	670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		



nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1

GEV No.	560197	Ref. No.	902022 902025
description	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	020, 1000, 1300, 1300S, 620, 627, 627PS, 670-TRONIC, A670-TRO-NIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N700F, N700FPS, N700F-PS, N700PS, R29A, T1400, TS3700		

DIN 985



1

GEV No.	560142	Ref. No.	902040
description	hexagonal nut thread M6 H 6mm SS WS 10 Qty 20 pcs DIN/ISO DIN 985 self-locking		
For models:	030, 250, 400, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, LP109, LP124, LP67, LP84, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

hexagonal nuts metric (without norm)



1

GEV No.	519059	Ref. No.	902130
description	locknut thread 1"		
For models:	1000, 400, 600, 700, GLS935-GIGA		



1

GEV No.	519056	Ref. No.	902090
description	locknut thread 1 3/4"		
For models:	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		



1

GEV No.	519348	Ref. No.	TR2449
description	locknut thread 2"		
For models:	1300, 800, 900		



1

GEV No.	519050	Ref. No.	902023
description	nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock		
For models:	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

hexagonal nuts inch thread



1

GEV No.	519310	Ref. No.	905422 956053
description	nut thread 1" Qty 1 pcs		
For models:	1000, 400, 600, 700		



1

GEV No.	519058	Ref. No.	902110
description	nut thread 1/2" H 8mm SS WS 28 Qty 1 pcs		
For models:	250, 400, 600, 700, Ambra, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		



1

GEV No.	507518	Ref. No.	904526 904534
description	nut thread 1/4" H 5mm WS 17 SS Qty 1 pcs		
For models:	R20, R20A		



1

GEV No.	503042	Ref. No.	902100
description	nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs		
For models:	024, 030, 1000, 1300, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N50, N700F, N700FPS...(Other models you can see in the webshop)		



1

GEV No.	506024	Ref. No.	902104
description	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
For models:	020, 620, 627, 627PS, A670-TRONIC, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

washers

spring rings



1

GEV No.	519235	Ref. No.	905941
description	lock washer		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, R29A		



1

GEV No.	560124	Ref. No.	905940
description	lock washer ID ø 8.3mm ED ø 15mm SS DIN127 Qty 20 pcs for thread M8		
For models:	1000, 1300, 1300S, E1000, GLS935-GIGA, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP84, T1400, TS3700		

washers

DIN 125A



1

GEV No.	560312	Ref. No.	906055
description	plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10		
For models:	020, 1000, 1300, 1300S, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700F-PS, N700F-PS, N700PS		

miscellaneous



1

GEV No.	519242	Ref. No.	906060
description	plain washer		
For models:	Ambra, R20, R20A, R23A, R29A		



1

GEV No.	519238	Ref. No.	906002
description	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
For models:	020, 024, 030, 600, 620, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, N50, SVELTINA, V40, V45, V50		

tooth lock washers

miscellaneous



1

GEV No.	519234	Ref. No.	905900
description	tooth lock washer		
For models:	250, Ambra, R20, R20A, R23A, R29A		

fasteners

clamps

hose clamps

DIN 3017 - W2



1

GEV No.	520115	Ref. No.	902460
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	020, 024, 030, 1000, 1300S, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67E, LP67E-TRONIC, N45, N50, N50-TRONIC-PDS-PBS, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA...(Other models you can see in the webshop)		



1

GEV No.	520116	Ref. No.	902441
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
For models:	020, 024, 030, 1000, 1300, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45...(Other models you can see in the webshop)		



			
1			
GEV No.	520117	Ref. No.	902480
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700F-PS, N700F-PS, N700PS		

DIN 3017 - W4			
			
1			
GEV No.	520120	Ref. No.	902440
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		

retaining rings			
DIN 471			
			
1			
GEV No.	519248	Ref. No.	906160
description	retaining ring shaft ø 10mm thickness 1mm SS DIN 471		
For models:	250, Ambra		

			
1			
GEV No.	692708	Ref. No.	TR0321
description	retaining ring shaft ø 7mm thickness 1mm DIN 471		
For models:	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		

B

bi-metal thermostats 5, 6

C

cable glands 28
 cables 28
 cam switches 10
 clamps 75, 78
 coil heating elements 2
 condensators & interference suppression filters 27
 contactors 14
 container filters 70
 control equipment 11
 control thermostats 6, 6
 countersunk screws 76

D

dosing pumps 67
 drain hoses 71
 drain pumps 27

E

electric accessories 28

F

fasteners 78
 fastening material 76
 filters 28
 fittings 74
 formed hoses 71
 fuses 28

G

gaskets for wash arm support 66

H

heating elements 2
 hexagonal nuts 77
 hexagonal screws 76
 hose clamps 75, 78
 hose connectors 74, 74
 hoses 70

I

immersion heating elements 2
 indicator lights 12
 indicator lights (complete) 12
 industrial hoses 71

L

lamps 12

M

magnetic switches 10
 measuring equipment 76

N

nuts 77
 nylon hoses 71

O

operating capacitors 27
 O-rings 62
 oval head screws 76

P

plunger sockets 7
 pressure switches 20
 probes 16
 programme timers 13
 pumps 20
 push/momentary push switches 8
 PVC hoses 71
 PVC supply hoses 70

R

relays 15
 retaining rings 79
 ribbon cables 28
 rocker/momentary rocker switches 8

S

safety bi-metal thermostats 5
 safety thermostats 7
 screws 76
 sealing washers 64
 side bolts 76
 silicone hoses 71
 solenoid valves 18
 spring rings 78
 supply hoses 70
 switches and momentary switches 8
 system switches (ROLD) 8

T

terminals 28
 thermostats 5
 threaded cable glands 28
 timers 13
 tooth lock washers 78
 transformers 16

W

wash and rinse pumps 20

washers

78