



fittings, hose and pipe connectors

6

hose connectors.....	156
water sockets.....	157
fittings.....	158
hose connectors.....	162
couplings.....	163
push-in fittings.....	164



fittings, hose and pipe connectors

hose connectors

without screw connection



1

technical data:
material plastic

fig.	GEV No.	hose ø (mm)	fig.	GEV No.	hose ø (mm)
1	361494	4-4	1	361496	8-8
1	361497	4-6	1	361679	10-10
1	361498	4-8	1	361680	12-12
1	361495	6-6	1	361681	13-13
1	361499	6-8	1	361682	19-19



2

technical data:
material plastic

fig.	GEV No.	hose ø (mm)
2	515148	8/10/13/19/25



1

technical data:
material plastic

fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	361683	10-10	1	501212	13-13	1	695873	17-17
1	361684	12-12	1	526673	15-15	1	361042	19-19



1

technical data:
material plastic

fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	501488	5-5-5	1	504583	12-12-12
1	501341	6-6-6	1	505088	12-12-12
1	541109	8-6-8	1	501040	13-13-13
1	501210	10-10-10	1	501211	19-19-19
1	517166	10-10-10			



1

technical data:
material plastic

fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	507174	4-4-4	1	518347	10-10-10
1	504302	10-6-10	1	519216	12-12-12
1	510843	10-6-10	1	510842	13-13-13
1	361491	12-6-12	1	698507	13-13-13
1	516082	12-7-12	1	510685	14-23-14
1	361490	10-8-10	1	695187	17-17-17
1	361492	12-8-12	1	695343	19-19-19
1	519217	12-9-12			



1

technical data:
material plastic

fig.	GEV No.	HCø (mm)
1	516103	12-12-12-12



1

technical data:
material brass

fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	540498	13-13	1	540499	19-19



1

technical data:
material SS

fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	504836	4-4	1	504801	7-13.5
1	504855	4-7	1	504804	10-10
1	504837	4.5-4.5	1	504803	10-13.5
1	504800	7-7	1	504824	13-13
1	504802	7-10			



1

technical data:
material SS

fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	504805	7-7	1	504807	13.5-13.5
1	504806	10-10			

			technical data: material SS		
1					
fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	504808	7-7	1	504810	13.5-13.5
1	504809	10-10			

			technical data: material SS		
1					
fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	504811	7-7-7	1	504832	13.5-10-13.5
1	504812	10-7-10	1	504814	13-13-13
1	504830	7-10-7	1	504842	13-7/16"UNF-13
1	504813	10-10-10			

			technical data: material SS		
2					
fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
2	504843	7-7-7	2	504845	12.5-12.5-12.5
2	504844	10-10-10			

			technical data: material SS		
1					
fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	504815	4-4-4	1	504817	10-10-10
1	504854	5-5-5	1	504821	13-10-13
1	504816	7-7-7	1	524187	11-11-11
1	504819	10-7-10	1	504820	10-13-10
1	504831	13.5-7-13.5	1	504829	13-13-13
1	504818	7-10-7			

			technical data: material SS		
1					
fig.	GEV No.	HCø (mm)	fig.	GEV No.	HCø (mm)
1	504822	7-7-7-7			
1	504834	7-10-7-10			
1	504823	10-10-10-10			
1	504835	10-13.5-10-13.5			
1	504582	11-11-11-11			
1	504833	13.5-13.5-13.5-13.5			

with screw connection

			technical data: material nickel-plated brass		
1					
fig.	GEV No.	hose ø (mm)	fig.	GEV No.	hose ø (mm)
1	361176	4x6	1	361508	6x8

			technical data: material nickel-plated brass		
2					
fig.	GEV No.	hose ø (mm)	fig.	GEV No.	hose ø (mm)
2	361177	4x6	2	361509	6x8

			technical data: material nickel-plated brass		
1					
fig.	GEV No.	hose ø (mm)	fig.	GEV No.	hose ø (mm)
1	361180	4x6	1	361510	6x8

water sockets

					
1			2		
fig.	GEV No.	description	fig.	GEV No.	description
1	591454	coupling stainless steel thread 1/2" Qty 1 pcs	2	591453	nipple stainless steel thread 1/2" hose ø 13mm Qty 1 pcs



3

fig.	GEV No.	description
3	591452	water socket stainless steel complete thread 1/2" hose ø 13mm Qty 1 pcs

fittings

double nipples



1

technical data:
material brass

fig.	GEV No.	connection	fig.	GEV No.	connection
1	520661	1/8" - 1/8"	1	520218	3/8" - 3/4"
1	520680	1/8" - 1/4"	1	520664	1/2" - 1/2"
1	520681	1/8" - 3/8"	1	520685	1/2" - 3/4"
1	520662	1/4" - 1/4"	1	520169	3/4" - 3/4"
1	520682	1/4" - 3/8"	1	520170	3/4" - 1"
1	520663	3/8" - 3/8"	1	520171	1" - 1"



1

technical data:
material nickel-plated brass

fig.	GEV No.	connection	fig.	GEV No.	connection
1	520160	1/8" - 1/8"	1	520165	1/4" - 1/2"
1	520161	1/8" - 1/4"	1	520166	3/8" - 3/8"
1	520162	1/8" - 3/8"	1	520167	3/8" - 1/2"
1	520163	1/4" - 1/4"	1	520168	1/2" - 1/2"
1	520164	1/4" - 3/8"	1	520208	1/2" - 3/4"



1

technical data:
material SS

fig.	GEV No.	connection	fig.	GEV No.	connection
1	506013	1/4" - 3/8"	1	542150	1/2" - 3/4"
1	542149	1/2" - 1/2"	1	520887	3/4" - 3/4"
1	520874	1/2" - 3/4"			



2

technical data:
material SS

fig.	GEV No.	connection
2	540525 ¹	1/2" - 1/2"

¹rotary

1

technical data:
material plastic

fig.	GEV No.	connection	fig.	GEV No.	connection
1	520063	1/2" - 1/2"	1	520064	3/4" - 3/4"
1	520374	1/2" - 1/2"			

reducers



1

technical data:
material brass

fig.	GEV No.	IT	ET	fig.	GEV No.	IT	ET
1	520692	1/8"	1/4"	1	520698	3/8"	1/2"
1	520690	1/4"	1/8"	1	529733	3/8"	1/2"
1	527207	1/4"	1/8"	1	520696	1/2"	3/8"
1	520694	1/4"	3/8"	1	520699	1/2"	1/2"
1	520691	3/8"	1/8"	1	520697	3/4"	3/8"
1	520693	3/8"	1/4"	1	520700	3/4"	1/2"
1	520695	3/8"	3/8"				



2

technical data:
material brass

fig.	GEV No.	IT	ET	fig.	GEV No.	IT	ET
2	520879	1/2"	3/4"	2	520880	1"	1 1/4"
2	520183	3/4"	1"	2	520211	1 1/2"	2"




1

technical data:
material nickel-plated brass

fig.	GEV No.	IT	ET
1	520184	1/8"	1/8"
1	520185	1/4"	1/8"
1	520186	1/4"	1/4"
1	520187	3/8"	1/4"

fig.	GEV No.	IT	ET
1	520188	3/8"	3/8"
1	520189	1/2"	3/8"
1	520190	1/2"	1/2"



2

technical data:
material nickel-plated brass

fig.	GEV No.	IT	ET
2	520177	1/8"	1/4"
2	520178	1/8"	3/8"
2	520179	1/4"	3/8"
2	520180	1/4"	1/2"

fig.	GEV No.	IT	ET
2	520181	3/8"	1/2"
2	520209	3/8"	3/4"
2	520182	1/2"	3/4"



1

technical data:
material SS

fig.	GEV No.	IT	ET
1	542146	1/2"	3/4"



2

technical data:
material SS

fig.	GEV No.	IT	ET
2	540524 ¹	1/2"	1/2"

¹rotary

sleeves



1

technical data:
material nickel-plated brass

fig.	GEV No.	connection
1	520172	1/8" - 1/8"
1	520207	1/8" - 1/4"
1	520191	1/8" - 3/8"

fig.	GEV No.	connection
1	520173	1/4" - 1/4"
1	520192	1/4" - 3/8"

fig.	GEV No.	connection	fig.	GEV No.	connection
1	520193	1/4" - 1/2"	1	520175	1/2" - 1/2"
1	520174	3/8" - 3/8"	1	520176	3/4" - 3/4"
1	520194	3/8" - 1/2"			

angle pieces



1

technical data:
material brass

fig.	GEV No.	TS
1	541675	1/2" ET - 1/2" IT



2

technical data:
material brass

fig.	GEV No.	TS
2	510464	1/4" IT - 3/8" IT



3

technical data:
material brass

fig.	GEV No.	TS
3	531261	1/2" ET - 1/2" ET



4

technical data:
material brass

fig.	GEV No.	TS
4	541924	1/2" IT - 1/2" IT



1

technical data:
material chrome-plated brass

fig.	GEV No.	TS
1	541493	1/2" IT - 1/2" ET



2

technical data:
material chrome-plated brass

fig.	GEV No.	TS
2	540020	1/2" IT - 1/2" IT



1

technical data:
material nickel-plated brass

fig.	GEV No.	TS
1	520816	1/8" ET - 1/8" ET
1	501162 ¹	1/4" ET - 1/4" ET
1	520817	1/4" ET - 1/4" ET
1	520818	3/8" ET - 3/8" ET
1	520819	1/2" ET - 1/2" ET

¹incl. olive 10mm and union nut


2

technical data:
material nickel-plated brass

fig.	GEV No.	TS
2	520824	1/8" ET - 1/8" IT
2	520827	1/2" ET - 1/2" IT
2	520825	1/4" ET - 1/4" IT
2	520826	3/8" ET - 3/8" IT



3

technical data:
material nickel-plated brass

fig.	GEV No.	TS
3	520820	1/8" IT - 1/8" IT
3	520821	1/4" IT - 1/4" IT
3	520822	3/8" IT - 3/8" IT
3	520823	1/2" IT - 1/2" IT



1

technical data:
material stainless steel

fig.	GEV No.	TS
1	511951	3/8" IT - 3/8" IT



1

technical data:
material zinc-coated cast iron

fig.	GEV No.	TS
1	541496	1/2" ET - 3/4" IT
1	541494	3/4" ET - 3/4" IT



1

technical data:
material plastic

fig.	GEV No.	TS
1	520051	3/4" IT - 3/4" ET

T-pieces

brass



1

technical data:
material brass

fig.	GEV No.	TS	L (mm)
1	520918	1/8" ET - 1/8" ET - 1/8" ET	32
1	520711	3/8" ET - 3/8" ET - 3/8" ET	52

nickel-plated brass



1

technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
1	520386	1/8" ET - 1/8" ET - 1/8" ET	39
1	520343	1/4" ET - 1/4" ET - 1/4" ET	49
1	520344	3/8" ET - 3/8" ET - 3/8" ET	54
1	520345	1/2" ET - 1/2" ET - 1/2" ET	64
1	520358	3/4" ET - 3/4" ET - 3/4" ET	64



2

technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
2	520804	1/8" ET - 1/8" ET - 1/8" IT	37
2	520805	1/4" ET - 1/4" ET - 1/4" IT	47.5
2	520806	3/8" ET - 3/8" ET - 3/8" IT	52.5
2	520807	1/2" ET - 1/2" ET - 1/2" IT	61.5



technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
3	520800	1/8" ET - 1/8" IT - 1/8" ET	35
3	520801	1/4" ET - 1/4" IT - 1/4" ET	46
3	520802	3/8" ET - 3/8" IT - 3/8" ET	51
3	520803	1/2" ET - 1/2" IT - 1/2" ET	59



technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
4	520812	1/8" ET - 1/8" IT - 1/8" IT	37
4	520813	1/4" ET - 1/4" IT - 1/4" IT	47.5
4	520814	3/8" ET - 3/8" IT - 3/8" IT	52.5
4	520815	1/2" ET - 1/2" IT - 1/2" IT	61.5



technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
5	520808	1/8" IT - 1/8" ET - 1/8" IT	39
5	520809	1/4" IT - 1/4" ET - 1/4" IT	49
5	520810	3/8" IT - 3/8" ET - 3/8" IT	54
5	520811	1/2" IT - 1/2" ET - 1/2" IT	64



technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
6	520385	1/8" IT - 1/8" IT - 1/8" IT	35
6	520340	1/4" IT - 1/4" IT - 1/4" IT	46
6	520341	3/8" IT - 3/8" IT - 3/8" IT	51.5
6	520342	1/2" IT - 1/2" IT - 1/2" IT	59

stainless steel



technical data:
material stainless steel

fig.	GEV No.	TS	L (mm)
1	520710	1/4" ET - 1/4" ET - 1/4" ET	49
1	520712	1/2" ET - 1/2" ET - 1/2" ET	62

Y-pieces



technical data:
material stainless steel

fig.	GEV No.	TS	material
1	520052	3/4" IT - 3/4" ET - 3/4" ET	plastic

cross fitting




1
2

technical data:
material nickel-plated brass

fig.	GEV No.	TS	L (mm)
1	520832	1x 1/8" ET - 3x 1/8" IT	37x39
1	520833	1x 1/4" ET - 3x 1/4" IT	48.5x49
1	520834	1x 3/8" ET + 3x 3/8" IT	54x56
1	520835	1x 1/2" ET - 3x 1/2" IT	61x64
2	520828	4x 1/8" IT	39x39
2	520829	4x 1/4" IT	49x49
2	520830	4x 3/8" IT	56x56
2	520831	4x 1/2" IT	64x64

screw pipe fittings

angle pieces




1
2

fig.	GEV No.	TS	tube ø (mm)	material
1	698714	1/2"	12	brass
2	520348	5/8"	15	stainless steel
2	520349	M23x1.5	16	stainless steel

T-pieces





				material stainless steel			
fig.	GEV No.	TS	tube ø (mm)	fig.	GEV No.	TS	tube ø (mm)
1	520346	5/8"	15	1	520347	M23x1.5	16

extensions



fig.	GEV No.	TS	L (mm)	material
1	541925	1/2" IT - 1/2" ET	40	brass
1	541926	3/4" IT - 3/4" ET	30	brass
2	541927	3/4" IT - 3/4" ET	40	chrome-plated brass

hose connectors

plastic



fig.	GEV No.	TS	HCø (mm)	Qty (pcs)	fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	361688	1/8"	4	1	1	361698	3/8"	12	1
1	361690	1/8"	6	1	1	361697	1/2"	8	1
1	361694	1/8"	8	1	1	361750	1/2"	12	1
1	361689	1/4"	4	1	1	520050	3/4"	10	1
1	361691	1/4"	6	1	1	361751	3/4"	19	1
1	361695	1/4"	8	1	1	361099	M10x1	4	1
1	361692	3/8"	6	1	1	361100	M10x1	6	1
1	361696	3/8"	8	1	1	361693	M10x1	8	1



fig.	GEV No.	TS	HCø (mm)	Qty (pcs)	fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
2	520056	3/4"	11	5	2	506122	1 1/4"	31	1
2	520057	3/4"	13	5					



fig.	GEV No.	TS	HCø (mm)	Qty (pcs)	fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	361752	1/8"	4	1	1	361760 ¹	3/8"	8	1
1	361754	1/8"	6	1	1	506125	3/8"	12	1
1	361758	1/8"	8	1	1	361761	1/2"	8	1
1	361753	1/4"	4	1	1	361686	1/2"	12	1
1	361755	1/4"	6	1	1	361762	3/4"	19	1
1	361735	1/4"	7	1	1	361101	M10x1	4	1
1	361759	1/4"	8	1	1	361102	M10x1	6	1
1	519277	1/4"	10	1	1	361757	M10x1	8	1
1	361756	3/8"	6	1					

¹incl. inlet and conveyor hose


fig.	GEV No.	TS	HCø (mm)	Qty (pcs)	fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
2	520058	3/4"	11	5	2	520059	3/4"	13	5
2	528985 ¹	3/4"	13	1					

¹incl. flat rubber gasket

brass



fig.	GEV No.	TS	HCø (mm)	Qty (pcs)	fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	520333	1/8"	7	1	1	520866	3/4"	30	1
1	103228	3/8"	10	1	1	511278	M8	6	1
1	511279	3/8"	12	1	1	361704	M12x1	11	1
1	520677	3/8"	13	1	1	520877	M14x1	11	1
1	103229	1/2"	10	1	2	512431	1/2"	10	1
1	520676	1/2"	12	1	2	512432	1/2"	12	1
1	540473	1/2"	13	1	2	520673	1/2"	14	1
1	511280	1/2"	14	1	3	512433	1/2"	10	1
1	505323	3/4"	10	1	3	512434	1/2"	12	1
1	540474	3/4"	19	1					



fig.	GEV No.	TS	HCø (mm)	Qty (pcs)	fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
4	540510	3/4"	13	1	4	540511	3/4"	19	1

				
1				
fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	513253	1/4"	12	1

nickel-plated brass

 				
1	2			
fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	520159	1/8"	6	1
1	520195	1/8"	7	1
1	520197	1/8"	8	1
1	520198	1/8"	9	1
1	520908	1/4"	5	1
1	520196	1/4"	7	1
1	520199	1/4"	9	1
1	520201	1/4"	12	1

fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	520200	3/8"	9	1
1	520202	3/8"	12	1
1	520204	3/8"	17	1
1	520203	1/2"	12	1
1	520205	1/2"	17	1
1	520206	3/4"	20	1
2	530230	3/4"	12	1

 				
1	2			
fig.	GEV No.	TS	hose ø (mm)	Qty (pcs)
1	361170	1/8"	4/6	1
1	361500	1/8"	6/8	1
1	361171	1/4"	4/6	1
1	361501	1/4"	6/8	1
1	361172	3/8"	4/6	1

fig.	GEV No.	TS	hose ø (mm)	Qty (pcs)
2	361173	1/8"	4/6	1
2	361503	1/8"	6/8	1
2	361174	1/4"	4/6	1
2	361504	1/4"	6/8	1

  				
1	2	3		
fig.	GEV No.	TS	HCø (mm)	Qty (pcs)
1	520248	1/8"	6	1
2	519239	1/4"	11	1
3	517108	3/8" ET - M10x1 IT	12	1

 				
1	2			
fig.	GEV No.	TS	hose ø (mm)	Qty (pcs)
1	361178	1/8"	4/6	1
1	361506	1/8"	6/8	1
1	361179	1/4"	4/6	1

fig.	GEV No.	TS	hose ø (mm)	Qty (pcs)
1	361507	1/4"	6/8	1
2	520247	1/8"	4/6	1

stainless steel

  					
1	2	3			
fig.	GEV No.	version	TS	HCø (mm)	Qty (pcs)
1	542143	straight	1/2"	10	1
1	542142	straight	1/2"	13	1
1	501121	straight	1/2"	19	1
2	542145	straight	1/2"	10	1
2	540512	straight	1/2"	13	1
2	542144	straight	1/2"	13	1
3	540477 ¹	rotary	1/2"	13	1

¹rotary

 					
4	5				
fig.	GEV No.	version	TS	HCø (mm)	Qty (pcs)
4	540513 ¹	with union nut	1/2"	13	1
5	542956	rotary	1/2"	13	1
5	542957	rotary	1/2"	19	1

¹rotary

 					
1	2				
fig.	GEV No.	version	TS	HCø (mm)	Qty (pcs)
1	504828	angled	3/8"	9	1
2	542141	angled	1/2"	11	1

couplings

chrome-plated brass

  				
1	2	3		
fig.	GEV No.	description	type	connection
1	540515	coupling plug	DN13	1/2" (ø13mm)
1	541987	coupling plug	DN13	3/4" (ø19mm)
2	540484	coupling plug	DN13	1/2" ET
2	540514	coupling plug	DN13	3/4" ET
3	540486	coupling plug	DN13	1/2" IT
3	540487	coupling plug	DN13	3/4" IT



fig.	GEV No.	description	type	connection
1	540485	coupling bush	DN13	1/2" (ø13mm)
1	540643	coupling bush	DN13	3/4" (ø19mm)
2	540641	coupling bush	DN13	1/2" ET
2	540642	coupling bush	DN13	3/4" ET
3	540516	coupling bush	DN13	1/2" IT
3	540640	coupling bush	DN13	3/4" IT



fig.	GEV No.	description	type	connection
1	540488	coupling plug	DN19	1/2" ET
2	540518	coupling plug	DN19	3/4" (ø19mm)
3	541988	coupling plug	DN19	3/4" ET



fig.	GEV No.	description	type	connection
1	540489	coupling bush	DN19	3/4" (ø19mm)
2	541989	coupling bush	DN19	3/4" ET
3	540519	coupling bush	DN19	3/4" IT

stainless steel



fig.	GEV No.	description	type	connection
1	540520	coupling plug	DN13	3/8" ET
1	540521	coupling plug	DN13	1/2" ET
2	542140	coupling plug	DN13	1/2" (ø13mm)
3	540522	coupling plug	DN13	1/2" IT



fig.	GEV No.	description	type	connection
1	542139	coupling bush	DN13	1/2" (ø13mm)
2	540523	coupling bush	DN13	1/2" ET
3	540479	coupling bush	DN13	1/2" IT

push-in fittings

JOHN GUEST



fig.	GEV No.	stub ø	grommet ø
1	440679	5/16"	1/4"
1	440680	5/16"	5/16"
1	440681	5/16"	3/8"
1	440682	3/8"	1/4"
1	440683	3/8"	5/16"
1	440684	3/8"	3/8"

fig.	GEV No.	stub ø	grommet ø
1	440685	3/8"	1/2"
1	440686	1/2"	3/8"
1	440687	1/2"	1/2"
1	440688 ¹	1/2"	1/2"
1	440678	8mm	6mm
1	440022	8mm	10mm

¹long version




fig.	GEV No.	stub ø	grommet ø
1	440689	5/16"	1/4"
1	440690	3/8"	5/16"



fig.	GEV No.	pipe connection	grommet ø
1	440624	3/16"	5/16"
1	440625	3/16"	3/8"
1	440626	1/4"	3/8"
1	440627	5/16"	3/8"
1	440628	3/8"	1/2"
1	440629	3/8"	15mm
2	440630	3/8"	5/16"
2	440631	1/2"	3/8"
3	440020	ø6mm	8mm
3	440019	ø6mm	10mm
3	440015	ø8mm	10mm




fig.	GEV No.	pipe connection	grommet ø
1	440666	1/4"	1/4"
1	440667	5/16"	5/16"
1	440668	5/16"	3/8"
1	440669	3/8"	3/8"
1	440670	1/2"	1/2"

Table continues overleaf



fig.	GEV No.	pipe connection	grommet ø
2	440021	ø6mm	6mm
2	440671	ø8mm	8mm
2	520359	ø10mm	10mm
2	440672	ø12mm	12mm
2	440673	ø15mm	15mm
3	440885	ø 8mm	8mm



fig.	GEV No.	pipe connection
1	440651	3/16" - 5/16"
1	440613	1/4" - 1/4"
1	440652	1/4" - 5/16"
1	440653	1/4" - 3/8"
1	440614	5/16" - 5/16"
1	440654	5/16" - 3/8"
1	440658 ¹	5/16" - 3/8"
1	440615	3/8" - 3/8"
1	440618 ²	3/8" - 3/8"
1	440656	3/8" - 1/2"
1	440655	1/2" - 5/16"
1	440616	1/2" - 1/2"
1	440657	1/2" - ø15mm

fig.	GEV No.	pipe connection
1	440617 ²	ø8mm - ø8mm
2	440646	ø4mm - ø6mm
2	440607	ø6mm - ø6mm
2	440647	ø6mm - ø8mm
2	520497	ø8mm - ø8mm
2	440619 ¹	ø8mm - ø8mm
2	440648	ø8mm - ø10mm
2	520493	ø8mm - ø10mm
2	440649	ø8mm - ø12mm
2	520492	ø10mm - ø10mm
2	440610	ø12mm - ø12mm
2	440611	ø15mm - ø15mm

¹both ends for Stainless Steel tubes ²one end for Stainless Steel tubes



fig.	GEV No.	pipe connection
1	440597	3/16" - 3/16"
1	440661	3/16" - 5/16"
1	440598	1/4" - 1/4"
1	440662	1/4" - 5/16"
1	440604 ¹	1/4" - 3/8"
1	440599	5/16" - 5/16"
1	440606 ²	5/16" - 5/16"
1	440602 ¹	5/16" - 5/16"
1	440663	5/16" - 3/8"
1	440605 ¹	5/16" - 3/8"
1	440600	3/8" - 3/8"
1	440603 ¹	3/8" - 3/8"

fig.	GEV No.	pipe connection
1	440665	3/8" - 1/2"
1	440664	1/2" - 5/16"
1	440601	1/2" - 1/2"
2	440590	ø4mm - ø4mm
2	440591	ø6mm - ø6mm
2	440659	ø6mm - ø8mm
2	440592	ø8mm - ø8mm
2	440660	ø8mm - ø12mm
2	520494	ø10mm - ø10mm
2	440594	ø12mm - ø12mm
2	440595	ø15mm - ø15mm

¹one end for Stainless Steel tubes ²both ends for Stainless Steel tubes



fig.	GEV No.	pipe connection
1	440674	5/16" - 5/16" - 5/16"
1	440677	5/16" - 3/8" - 5/16"
1	440675	3/8" - 3/8" - 3/8"
1	440676	1/2" - 1/2" - 1/2"



fig.	GEV No.	pipe connection
1	440584	1/4" - 1/4" - 1/4"
1	440585	5/16" - 5/16" - 5/16"
1	440586	3/8" - 3/8" - 3/8"
1	440588	1/2" - 3/8" - 1/2"
1	440587	1/2" - 1/2" - 1/2"
2	440589	ø15mm - 3/8" - ø15mm
2	440579	ø4mm - ø4mm - ø4mm
2	440580	ø6mm - ø6mm - ø6mm
2	520363	ø10mm - ø10mm - ø10mm
2	440583	ø12mm - ø12mm - ø12mm



fig.	GEV No.	pipe connection
1	440716	1/2" - 1/2"

fig.	GEV No.	pipe connection
2	440715	ø15mm - ø15mm



fig.	GEV No.	pipe connection
1	440712	3/8" - 3x 3/8"



fig.	GEV No.	TS	stub ø
1	520495	1/8" BSP	8mm
1	440620	3/8" BSP	15mm
1	440608	1/2" BSP	10mm

fig.	GEV No.	TS	stub ø
2	440621	1/4" BSP	3/8"
2	440622	3/8" BSP	3/8"
3	440623	1/2" NPTF	1/2"



fig.	GEV No.	TS	pipe connection
------	---------	----	-----------------

1	440561	1/8" BSP	ø8mm
1	440562	1/4" BSP	ø8mm
1	440564	1/4" BSP	ø10mm
1	440563	3/8" BSP	ø8mm
1	440565	3/8" BSP	ø10mm
1	440566	3/8" BSP	ø12mm
2	440567	1/4" BSP	1/4"
2	440568	1/4" BSP	3/8"
3	440555	1/4" BSPT	5/16"
3	440557	1/4" BSPT	3/8"
3	440556	3/8" BSPT	5/16"
3	440558	3/8" BSPT	3/8"
3	440559	3/8" BSPT	1/2"
3	440560	1/2" BSPT	1/2"



fig.	GEV No.	TS	pipe connection
------	---------	----	-----------------

4	440550	1/4" BSPT	ø6mm
4	440551	1/4" BSPT	ø8mm
4	440552	1/4" BSPT	ø10mm
4	440553	3/8" BSPT	ø8mm
4	440554	3/8" BSPT	ø10mm
5	440578 ¹	1/4" MFL	5/16"
5	440577	3/8" MFL	3/8"
5	440576	1/2" MFL	3/8"
5	440575 ²	1/2" MFL	ø8mm
6	440569	1/4" NPTF	1/4"
6	440571	1/4" NPTF	5/16"
6	440573	1/4" NPTF	3/8"
6	440570	3/8" NPTF	1/4"
6	440572	3/8" NPTF	5/16"
6	440574	3/8" NPTF	3/8"

¹for Stainless Steel tubes ²conical seal

fig.	GEV No.	TS	pipe connection
------	---------	----	-----------------

7	440014	1/2" BSP	ø8mm - ø8mm
---	--------	----------	-------------



fig.	GEV No.	TS	pipe connection
------	---------	----	-----------------

1	440636	1/4" BSP	ø6mm
1	440637	1/4" BSP	ø8mm
1	440639	1/4" BSP	ø10mm
1	440638	3/8" BSP	ø8mm
2	440640	1/4" BSPT	1/4"
2	440641	1/4" BSPT	5/16"
2	440643	1/4" BSPT	3/8"
2	440642	3/8" BSPT	5/16"
2	440644	3/8" BSPT	3/8"
3	440645	1/4" NPTF	3/8"



fig.	GEV No.	TS	pipe connection	sealing
------	---------	----	-----------------	---------

1	520501	1/4" BSP	ø6mm	flat seal
1	440692	1/4" BSP	ø8mm	flat seal
1	440693	3/8" BSP	ø8mm	flat seal
2	440697	3/8" BSP	3/8"	flat seal
2	440694	1/2" BSP	5/16"	flat seal
2	440698	1/2" BSP	3/8"	flat seal
2	440695	5/8" BSP	5/16"	flat seal
2	440699	5/8" BSP	3/8"	flat seal
2	440701	5/8" BSP	1/2"	flat seal
3	440709	7/16" UNF (1/4" FFL)	5/16"	conical
3	440710	7/16" UNF (1/4" FFL)	3/8"	conical
3	520452	7/16" UNS	5/16"	conical
3	440706	1/2"-16 UNS	5/16"	conical
3	440707	1/2"-16 UNS	3/8"	conical
3	440708	1/2"-16 UNS	1/2"	conical



fig.	GEV No.	TS	pipe connection	sealing
------	---------	----	-----------------	---------

4	440704	1/2" BSP	3/8"	conical
4	440703	5/8" BSP	5/16"	with collet
4	440702	5/8" BSP	3/8"	with collet
4	440705	5/8" BSP	1/2"	with collet
5	440734 ¹	3/4" BSP	ø8mm	with collet

¹with brass insert

			
fig.	GEV No.	description	Qty (pcs)
1	440733	John Guest for external tube ø 1/2"	1
1	440732	John Guest for external tube ø 3/8"	1
2	440700	insert John Guest for external tube ø 8"	1
3	440635	plug John Guest ext. stem ø 1/2"	1
3	440634	plug John Guest ext. stem ø 3/8"	1
3	440633	plug John Guest ext. stem ø 5/16"	1

			
fig.	GEV No.	description	Qty (pcs)
4	440632	plug John Guest ext. stem ø 8"	1
5	440742	protection cap John Guest for external tube ø 3/8" blue	1
5	440743	protection cap John Guest blue for external tube ø 8mm	1
6	440740	retaining ring John Guest for external tube ø 1/2"	10
6	440738	retaining ring John Guest for external tube ø 1/4"	10
6	440739	retaining ring John Guest for external tube ø 3/8"	10
6	440735	retaining ring John Guest for external tube ø 8mm	10

			
fig.	GEV No.	description	Qty (pcs)
7	440741	retaining ring John Guest for external tube ø 15mm	1
8	440744	spanner set John Guest	1
9	440745	spanner Speedfitting John Guest	1

DMfit			
			
fig.	GEV No.	pipe connection	grommet ø
1	440864	5/16"	5/16"
2	440865	ø12mm	12mm

fig.	GEV No.	pipe connection
1	440844	1/4" - 1/4"
1	440860	1/4" - 5/16"
1	440861	1/4" - 3/8"

fig.	GEV No.	pipe connection
1	440845	5/16" - 5/16"
1	440862	5/16" - 3/8"
1	440846	3/8" - 3/8"



fig.	GEV No.	pipe connection	fig.	GEV No.	pipe connection
2	440855	ø4mm - ø6mm	2	440841	ø12mm - ø12mm
2	440838	ø6mm - ø6mm	2	440859	ø12mm - ø16mm
2	440856	ø6mm - ø8mm	2	440842	ø15mm - ø15mm
2	440839	ø8mm - ø8mm	2	440843	ø16mm - ø16mm
2	440857	ø8mm - ø10mm	2	440013	ø18mm - ø18mm
2	440858	ø8mm - ø12mm	3	440884 ¹	ø6mm - ø6mm
2	440840	ø10mm - ø10mm	3	520301 ^{1,2}	ø6mm - ø10mm

¹thread size M16x1 ²thread size M20x1.5

The image shows two DMfit fittings. On the left is a light-colored (tan) fitting, labeled '1', which is a 3/16 inch fitting. On the right is a black fitting, labeled '2', which is a 3/8 inch fitting. Both fittings are L-shaped and have a threaded end and a flared end.

fig.	GEV No.	pipe connection
1	440834	3/16" - 3/16"
1	440835	1/4" - 1/4"
1	440836	5/16" - 5/16"
1	440837	3/8" - 3/8"
2	440828	ø4mm - ø4mm
2	440829	ø6mm - ø6mm

fig.	GEV No.	pipe connection
2	440830	ø8mm - ø8mm
2	440863	ø8mm - ø12mm
2	440831	ø10mm - ø10mm
2	440832	ø12mm - ø12mm
2	440833	ø16mm - ø16mm

			
fig.	GEV No.	pipe connection	
1	440825	1/4" - 1/4" - 1/4"	
1	440826	5/16" - 5/16" - 5/16"	
1	440827	3/8" - 3/8" - 3/8"	
2	440820	ø4mm - ø4mm - ø4mm	
2	440821	ø6mm - ø6mm - ø6mm	
2	440822	ø8mm - ø8mm - ø8mm	
2	440823	ø10mm - ø10mm - ø10mm	
2	440824	ø12mm - ø12mm - ø12mm	

			
fig.	GEV No.	pipe connection	
1	440866	5/16" - 5/16" - 5/16"	



1

fig.	GEV No.	pipe connection	fig.	GEV No.	pipe connection
1	440874	ø12mm - ø12mm	1	440875	ø16mm - ø16mm



fig.	GEV No.	TS	pipe connection
1	440814	1/4" BSP	1/4"
1	440815	1/4" BSP	3/8"
1	440810	3/8" BSP	5/16"
2	440809	1/4" BSP	ø8mm
2	440811	1/4" BSP	ø10mm
2	440812	3/8" BSP	ø10mm
2	440813	3/8" BSP	ø12mm
3	440805	1/4" BSPT	5/16"
3	440807	1/4" BSPT	3/8"
3	440806	3/8" BSPT	5/16"
3	440808	3/8" BSPT	3/8"



fig.	GEV No.	TS	pipe connection
4	440800	1/4" BSPT	ø6mm
4	440801	1/4" BSPT	ø8mm
4	440802	1/4" BSPT	ø10mm
4	440803	3/8" BSPT	ø8mm
4	440804	3/8" BSPT	ø10mm
5	440817	1/4" NPTF	5/16"
5	440816	3/8" NPTF	1/4"
5	440818	3/8" NPTF	5/16"
5	440819	3/8" NPTF	3/8"



fig.	GEV No.	TS	pipe connection
1	440847	1/4" BSP	ø6mm
1	440848	1/4" BSP	ø8mm
1	440850	1/4" BSP	ø10mm
1	440849	3/8" BSP	ø8mm
2	440851	1/4" BSPT	1/4"
2	440852	1/4" BSPT	5/16"
2	440853	3/8" BSPT	5/16"
2	440854	3/8" BSPT	3/8"



fig.	GEV No.	TS	pipe connection	sealing
1	440867	1/4" BSP	ø6mm	flat seal
1	440868	5/8" BSP	ø12mm	flat seal
2	440870	3/8" BSP	3/8"	flat seal
2	440871	1/2" BSP	3/8"	flat seal
2	440869	5/8" BSP	5/16"	flat seal
2	440872	5/8" BSP	3/8"	flat seal
2	440873	5/8" BSP	3/8"	with collet
3	440876	3/4" BSP	ø8mm	flat seal




fig.	GEV No.	description	Qty (pcs)
1	440882	retaining ring DMfit for external tube ø (A) 1/2"	10
1	440880	retaining ring DMfit for external tube ø (A) 1/4"	10
1	440878	retaining ring DMfit for external tube ø (A) 12"	10
1	440881	retaining ring DMfit for external tube ø (A) 3/8"	10
1	440877	retaining ring DMfit for external tube ø (A) 8"	10
1	440879	snap ring DMfit for external tube ø (A) 16"	10
2	440883	spanner set DMfit	1

Unable to find the right part?



www.gev-online.com
www.gev-online.co.uk

You will find even more
catering spare parts
in the GEV Webshop