



drain systems and wash basins

10

wash basins.....	206
drain fittings.....	207
standpipes.....	207
drain valve connections.....	210
HT drain pipes.....	211
U-bends.....	212
washbasin drain valves.....	213

drain systems and wash basins

wash basins



1

fig.	GEV No.	description
1	542124	hand-wash basin W 400mm D 320mm H 180mm basin 340x250x100mm stainless steel hole ø 22mm
1	542138	hand-wash basin W 400mm D 320mm H 180mm basin 340x250x100mm stainless steel hole ø 35mm



2

fig.	GEV No.	description
2	542125	hand-wash basin W 400mm D 295mm H 230mm basin 340x250x100mm operation knee switch



3

fig.	GEV No.	description
3	542153	hand-wash basin W 400mm D 295mm H 520mm basin 340x250x100mm operation knee switch



4

fig.	GEV No.	description
4	542250 ¹	hand-wash basin stainless steel W 400mm D 320mm H 180mm basin 340x250x100mm


¹with sensor tap for mains or battery operation (6VDC/230VAC)

spare parts and accessories




1

fig.	GEV No.	description
1	547901	inlet spout connection 1/2" ET tube ø 18mm spout projection 200mm overall height 240mm




2


fig.	GEV No.	description
2	540332	pillar tap tap head 1/2" spout length 155mm spout height 210mm connection 1/2" HU-spout



1

fig.	GEV No.	description
1	542181	sensor tap for mains or battery operation 6VDC/230VAC with lever mixer projection 140mm






drain fittings

universal




producer-specific

Acopa



Afinox




Rieber



standpipes

3/4"



1 1/4"



1½"



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515042	1½"	-	32	69	chrome-plated brass
2	515051	1½"	170	185	40	SS
2	515052	1½"	220	235	40	SS
2	515053	1½"	260	275	40	SS
2	515054	1½"	310	325	40	SS



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515042	1½"	-	32	69	chrome-plated brass
2	515029	1½"	200	220	40	chrome-plated brass
2	515031	1½"	235	255	40	chrome-plated brass
2	515030	1½"	270	290	40	chrome-plated brass



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515042	1½"	-	32	69	chrome-plated brass
2	515119	1½"	200	240	32	chrome-plated brass
2	515124	1½"	300	340	32	chrome-plated brass



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515042	1½"	-	32	69	chrome-plated brass
2	515062	1½"	190	200	46	chrome-plated brass
2	515063	1½"	230	240	46	chrome-plated brass
2	515064	1½"	280	290	46	chrome-plated brass



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515089	1½"	-	40	71	stainless steel
2	515106	1½"	210	245	48	SS/plastic
2	515107	1½"	260	295	48	SS/plastic
2	515108	1½"	310	340	48	SS/plastic
2	515135	1½"	160	195	48	SS/plastic

2"



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515043	2"	-	31	74	chrome-plated brass
2	515055	2"	170	190	50	SS
2	515056	2"	220	240	50	SS
2	515057	2"	260	280	50	SS
2	515058	2"	310	330	50	SS



fig.	GEV No.	size	usable height (mm)	overall height (mm)	ED ø (mm)	material
1	515043	2"	-	31	74	chrome-plated brass
2	515065	2"	185	200	46	chrome-plated brass
2	515066	2"	235	250	46	chrome-plated brass
2	515067	2"	295	310	46	chrome-plated brass

producer-specific

ALPENINOX



fig.	GEV No.	description	Ref. No.
1	501354	drain fitting thread M35x2 brass ø 45mm H 25mm ID ø 30mm	—
2	510597	flat gasket fibre D1 ø 34mm D2 ø 24mm thickness 2mm Qty 1 pcs	—
3	501355	nut thread M35x2 H 8mm WS 41 steel	—
4	540969	overflow pipe ø 20mm L 85mm	—

BARON



fig.	GEV No.	description	Ref. No.
1	691388	overflow pipe ø 20mm L 115mm	41822160210

ELECTROLUX




fig.	GEV No.	description	Ref. No.
1	501354	drain fitting thread M35x2 brass ø 45mm H 25mm ID ø 30mm	032244
2	510597	flat gasket fibre D1 ø 34mm D2 ø 24mm thickness 2mm Qty 1 pcs	050296
3	501355	nut thread M35x2 H 8mm WS 41 steel	032245
4	540969	overflow pipe ø 20mm L 85mm	0A5181



EMAINOX



fig.	GEV No.	description	Ref. No.
1	515060	drain fitting thread 3/4" H 18mm ID ø 20mm ED ø 38mm	3600077
2	504618	O-ring EPDM thickness 2,62mm ID ø 15,54mm Qty 1 pcs	3600035
3	515048	standpipe size 3/4" usable height 48mm overall height 74mm ED ø 20mm chrome-plated brass	2300567

FAGOR



fig.	GEV No.	description	Ref. No.
1	515041	drain fitting size 3/4" overall height 30mm ED ø 38mm chrome-plated brass	12000168
2	691024	overflow pipe L 165mm ø 20mm	12019791

GICO



fig.	GEV No.	description	Ref. No.
1	515116	drain fitting thread M36x2 H 20mm ID ø 30mm complete with overflow pipe ED ø 45mm WS 41	270122320

LAVINOX



fig.	GEV No.	description	Ref. No.
1	515133	drain fitting size 1 1/2" SS	0830318600
2	515134	standpipe size 1 1/2" usable height 225mm overall height 250mm ED ø 40mm SS	0515373900

MARENO



fig.	GEV No.	description	Ref. No.
1	515042	drain fitting size 1 1/2" overall height 32mm ED ø 69mm chrome-plated brass	MA1031402200
2	515086	standpipe usable height 135mm overall height 150mm size 1 1/2" SS ED ø 40mm	MA1031402300

ZANUSSI



fig.	GEV No.	description	Ref. No.
1	501354	drain fitting thread M35x2 brass ø 45mm H 25mm ID ø 30mm	032244
2	510597	flat gasket fibre D1 ø 34mm D2 ø 24mm thickness 2mm Qty 1 pcs	050296
3	501355	nut thread M35x2 H 8mm WS 41 steel	032245
4	540969	overflow pipe ø 20mm L 85mm	0A5181

drain valve connections



fig.	GEV No.	material	TS	HCo (mm)	fig.	GEV No.	material	TS	HCo (mm)
1	515033	brass	1"	26	2	515093	plastic	1 1/4"	32
1	515034	brass	1 1/4"	26	2	515094	plastic	1 1/2"	40
1	515035	brass	1 1/2"	38	3	515036	plastic	1 1/4"	40



fig.	GEV No.	material	TS	HCo (mm)	fig.	GEV No.	material	TS	HCo (mm)
4	515095	plastic	1 1/4"	50	5	515098	plastic	1 1/2"	40
4	515037	plastic	1 1/2"	40	6	515099	plastic	1 1/4"	32
4	515096	plastic	1 1/2"	50	7	515100	plastic	1 1/2"	40
5	515097	plastic	1 1/4"	32					

HT drain pipes

HT bends



fig.	GEV No.	NS	connection	version
1	515150	DN40	1 sleeve + pipe	0-90° continuously adjustable
1	515151	DN50	1 sleeve + pipe	0-90° continuously adjustable
2	515152	DN40	1 sleeve + pipe	45-90° continuously adjustable
2	515153	DN50	1 sleeve + pipe	45-90° continuously adjustable



fig.	GEV No.	NS	connection	version
3	515161	DN40	2 sleeves	45-90° continuously adjustable
3	515162	DN50	2 sleeves	45-90° continuously adjustable

HT branches



fig.	GEV No.	NS	connection	version
1	515163	DN40	3 sleeves	45-90° continuously adjustable
1	515164	DN50	3 sleeves	45-90° continuously adjustable
2	515149	DN50	2 sleeves + pipe	45-90° continuously adjustable

HT reducers



fig.	GEV No.	NS	fig.	GEV No.	NS
1	515158	DN50/40	2	515160	DN50/40

rubber sleeves



fig.	GEV No.	ED ø (mm)	ID ø (mm)	fig.	GEV No.	ED ø (mm)	ID ø (mm)
1	515085	40	20-32	3	515084	50	25-32
2	515083	50	40				

hose nipples



fig.	GEV No.	DN (mm)	for hose ID (mm)
1	515145	32	8/10/13/19/25
1	515144	40	8/10/13/19/25
1	515143	50	8/10/13/19/25
2	515147	40	8/10/13/19/25



fig.	GEV No.	DN (mm)	for hose ID (mm)
3	515146	50	19/21

HT connection hoses



fig.	GEV No.	NS	L (mm)
1	515154	DN50 - DN40/50	250
1	515155	DN50 - DN40/50	500
1	515156	DN50 - DN40/50	750
1	515157	DN50 - DN40/50	1000



HT telescopic pipes



fig.	GEV No.	NS	L (mm)
1	515159	DN50	250-400

U-bends



fig.	GEV No.	TS	outflow distance max. (mm)	spout ø (mm)
1	515006	-	150	40
2	515007	-	150	50



fig.	GEV No.	TS	outflow distance max. (mm)	spout ø (mm)
3	515015	1½"	150	40
4	515120	1½"	150	40




fig.	GEV No.	TS	outflow distance max. (mm)	spout ø (mm)
5	515009	1½"	150	50
5	515008	1½"	240	40
6	515001	1½"	240	50



fig.	GEV No.	TS	outflow distance max. (mm)	spout ø (mm)
1	515002	1½"	260	40
1	515003	1½"	260	50








fig.	GEV No.	TS	outflow distance max. (mm)	spout ø (mm)
2	515121	1½"	540	40



fig.	GEV No.	TS	outflow distance max. (mm)	spout ø (mm)
3	515004	1½"	630	40
3	515005	1½"	630	50




fig.	GEV No.	description
1	515011	U-bend basins 1 thread 1½" single ø 40mm PP H 80mm
2	515122	drain connection thread 1½" hose ø 50mm



washbasin drain valves

drain valves






fig.	GEV No.	TS	material
5	515130	2"	nickel-plated brass

accessories

1

fig.	GEV No.	description
1	548492	bar for washbasin drain valve L 340mm ø 4mm

2

fig.	GEV No.	description
2	548494	joint for washbasin drain valve



COFFEE MACHINES

ANY PART JUST A CLICK AWAY
IN THE GEV WEBSHOP

