

THE PERFECT KIT FOR THE HOME BARISTA

*Adaptables compatible
with Breville/Sage*





In accordance with the principles of fairness and honesty in business dealings, we specify that the reference to the names Breville and Sage is for information purposes only and to identify the correct intended use, not to indicate the origin of the goods. The spare parts shown here are compatible and not original. There is no commercial association/affiliation.

BOTTOMLESS FILTER HOLDERS



Breville/Sage has 2 types of group diameters: **54mm and 58mm**, here our compatible filter holders.



5149000

BOTTOMLESS FILTER HOLDER

wings 5.8 mm
ABS handle
complete with spring
suitable for Breville coffee
machines **54mm**



5149001

BOTTOMLESS FILTER HOLDER

wings 5.8 mm
wooden handle
complete with spring
suitable for Breville coffee
machines **54mm**



3165022

BOTTOMLESS FILTER HOLDER

wings 5.3 mm
ABS handle
complete with spring
suitable for Breville coffee
machines **58mm**



3165023

BOTTOMLESS FILTER HOLDER

wings 5.3 mm
wooden handle
complete with spring
suitable for Breville coffee
machines **58mm**

PRODUCT RANGE FOR 54mm GROUP

We recommend the following **standard and precision** filters and showers to complete the bottomless filter holder assembly.



54mm is used on: The Barista Express, The Infuser, The Duo Temp, The Bambino Plus.

STANDARD EXTRACTION



1460140

FILTER 1 CUP ø 62.7x23 mm

edge ø 62.7 mm
height 23 mm



1460135

FILTER 2 CUPS ø 62.7x24.2 mm

edge ø 62.7 mm
height 24.2 mm



1460136

FILTER 2 CUPS ø 62.7x28 mm

edge ø 62.7 mm
height 28 mm

BARISTA EXTRACTION



1460138

PRECISION FILTER 1 CUP H23

edge ø 62.5 mm - height 23 mm
253 holes
flat bottom
circular holes with conical section
Aisi 304 steel
food grade certified
matching tamper ø 53 mm



1460137

PRECISION FILTER 2 CUPS H24.2

edge ø 62.5 mm - height 24.2 mm
641 holes
flat bottom
circular holes with conical section
Aisi 304 steel
food grade certified
matching tamper ø 53 mm



1460139

PRECISION FILTER 2 CUPS H28

edge ø 62.5 mm - height 28 mm
641 holes
flat bottom
circular holes with conical section
Aisi 304 steel
food grade certified
matching tamper ø 53 mm



1081142

PRECISION SHOWER ø 53 mm

central hole ø 5.5 mm
89 holes ø 2 mm
Aisi 316 steel
food-grade certified
integrated membrane 200 µm

PRODUCT RANGE FOR 58mm GROUP

We recommend the following **precision** filters and showers to complete the bottomless filter holder assembly



ENHANCED
BODY AND
CREMA

58mm is used on: The Dual Boiler.

BARISTA EXTRACTION



1160052

**FILTER 1 CUP ø 70x24.5 mm
7 g**

edge ø 70 mm
height 24.5 mm



1460020

**FILTER BARISTAPRO 2 CUPS
18 g**

edge ø 70 mm - height 24 mm
661 holes



1460027

**FILTER BARISTAPRO 2 CUPS
22 g**

edge ø 70 mm - height 28 mm
661 holes

1460020 and 1460027: Aisi steel 304 - food-safe certified. Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed to the center to eliminate channeling. Electropolishing, to guarantee a surface with higher strength and durability. 100% made in Italy



1460022

**FILTER BARISTAPRO 2 CUPS
18 g NANOTECH**


edge ø 70 mm - height 24 mm
661 holes



1460024

**FILTER BARISTAPRO 2 CUPS
22 g NANOTECH**

edge ø 70 mm - height 28 mm
661 holes



1081600

**PRECISION SHOWER SCREEN
NANOTEC ø 51.5 mm**

non-stick NANOQUARTZ coating
increases the resistance to
corrosion and to chemical
reaction
central hole 5 mm
98 holes ø 3 mm
Aisi 301 steel
food-safe certified
integrated membrane 200 µm



1460200

**PRECISION SHOWER SCREEN
ø 51.5 mm**

central hole 5 mm
98 holes ø 3 mm
Aisi 301 steel
food-safe certified
integrated membrane 200 µm

1460022 and 1460024: Aisi steel 304 - food-safe certified. Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed to the center to eliminate channeling. Non-stick coating made of NANOQUARTZ increases the resistance to corrosion and chemical reaction. 100% made in Italy

PRECISION FILTERS AND SHOWERS




The competition filters and showers ranges are designed to bring out the best in your coffee. The SHAPE and PERFORATION have been designed and calibrated to

ensure the ideal extraction. The recalibration of the perforation type means that there is uniformity in the diameter of the holes and the surface mirror finish facilitates the

filter cleaning. Using a precision filter and shower enhances the specific features of each coffee variety, maintaining the body and texture of the crema.

WHY CHOOSING PRECISION?




CIRCULAR HOLE

Perfectly conical holes,
0.30 mm in Diameter= better passage
Water= 30% more crema




ELECTROPOLISHING

- Easier to clean
- Improve corrosion resistance



Before



After

RECALIBRATION

Unique technique for burr removal ensures
hardening of surface and longer life span

PRECISION SHOWERS


The INTEGRATED MEMBRANE SHOWER SCREEN designed by I.M.S. consists of a special membrane built inside the supporting body of the shower and has a **filtering capacity of 200 µm**.

The key feature of this product is the **unique perforation design** which, in addition to ensuring the best possible

coffee, makes this product **extremely durable and easy to clean**.


Manufactured as a single piece.

The holes pattern distributed throughout the surface of the disk forces the water to flow and wet the coffee puck evenly, thus improving the extraction and the crema.



INTEGRATED MEMBRANE

The membrane is created directly within the body of the shower, it therefore does not require any blocking



SHAPE

- External diameter: 51.5 mm
- Central hole M5



CI 200 IM

Integrated membrane shower screen with 200 µm filtering capacity



WHY PRECISION NANOTECH?

In addition to the features already mentioned, non-stick coating made of **Nanoquartz increases the resistance to corrosion and chemical reaction**.

Nanoquartz coating also improves the flow of water and positively impacting the **productivity of crema**.

TAMPERS FOR COFFEE



The right tampers for 54mm and 58mm filter holder

Ø 53mm



1385068

Ø 58mm



1385066

TAMPER ESSENTIAL WOOD

100% Made in Italy, quality and durability. The wooden handle has been designed to ensure maximum performance. The ergonomic shape ensures a comfortable, safe and easy to use handle. The essential line is made with a slighter base without impacting the high quality and comes with a wooden handle and stainless steel base. Flat pressing zone.

ADDITIONAL ADAPTABLES COMPATIBLE WITH BREVILLE/SAGE



1120441

SOLENOID VALVE CEME 2-WAY 230V

V799 - pressure connections -
max 17 bar
VITON seal - orifice \varnothing 1.5 mm
with coil B4 13.5VA 230V 50Hz
NSF certified



1120433

SOLENOID VALVE CEME 2-WAY 100/120V 60Hz

for solenoid valve assembly
suitable for Breville model
BES870



1120440

SOLENOID VALVE CEME 3-WAY 230V

V397 - pressure connections -
outlet \varnothing 1/8 "M
VITON seal - orifice \varnothing 2.5 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C
NSF certified



1120432

SOLENOID VALVE CEME 3-WAY 120V 60Hz

for solenoid valve assembly
suitable for Breville model
BES870



1120458

SOLENOID VALVE OLAB 2 WAYS 240V 50/60Hz

coil 240V 50/60Hz 9VA
connections \varnothing 1/8 "F
orifice \varnothing 2.0 mm



1120459

SOLENOID VALVE OLAB 3 WAYS 240V 50/60Hz

coil 240V 50/60Hz
connections \varnothing 1/8 "F
orifice \varnothing 1.0 mm



5114926

SOLENOID VALVE OLAB 3 WAYS 240V 50Hz

exhaust \varnothing 7 mm
VITON seal
orifice \varnothing 1.2 mm



1120438

SOLENOID VALVES GROUP 240V 50/60Hz



1122737

VIBRATORY PUMP EP5 48W 230V 50Hz

fittings \varnothing 1/8" - \varnothing 6 mm
max pressure 15 bar
max water temperature 20°C
integrated diode (1N 4007P)
connector terminal 6.3x0.8 mm
NSF certified



5062552

VIBRATORY PUMP EAP5 52W 120V 60Hz

fittings \varnothing 1/8" - \varnothing 6 mm
max pressure 15 bar
water temperature max 25°C
integrated diode (1N 4007P)
connector terminal 6.3x0.8 mm
NSF certified



5075067

VIBRATORY PUMP 22000/15 48W 230V 50Hz

connections \varnothing 1/8" - \varnothing 7 mm
max pressure 15 bar
max water temperature 35°C
connector terminal 6.3x0.8 mm
NSF certified

HOME BARISTA "MUST HAVES"

NEW



1480021

KNOCKBOX OF PLASTIC BLACK

ø at base 100 mm
upper ø 113 mm
height 106 mm
not dishwasher safe

NEW



1480016

KNOCKBOX OF PLASTIC GREY

ø at base 100 mm
upper ø 113 mm
height 106 mm
not dishwasher safe

NEW



1480017

KNOCKBOX OF PLASTIC RED

ø at base 100 mm
upper ø 113 mm
height 106 mm
not dishwasher safe

NEW



1494024

BEATER WDT COFFEE DISPENSER

wooden handle
stainless steel pins
It favours the uniform distribution
of coffee inside the filter in order
to facilitate its flow and uniform
extraction. This improves the taste
of the espresso coffee in the cup



1384021

SHOWER CLEANING BRUSH OF WOOD

bristles of nylon
with leather string for hanging



1092034

BARISTA CLOTH 500x300 mm WITH SNAP-HOOK

dimensions 500x300 mm
black
for the cleaning of coffee filters
and all bar steel surfaces



1385779

MAT FOR FILTER HOLDER/ TAMPER

dimensions 170x140x37 mm
with thermometer-holding hole
for milk pitcher - dishwasher
safe



1505002

EXTRACTOR FOR FILTER S.STEEL WITH HOLE



1017004

DIGITAL SCALE 600 g

dimensions 116x78x20 mm
units of measurement:
g - oz - dwt - gn
precision: 0.1g
automatic OFF function
TARE function
batteries included
black colour



3092250

SCALE REMOVER AXOR RIO 250 ml

removes scale residues from
the hydraulic system and coffee
machines boilers household
type. It does not corrode nor
leaves residues.
for MACHINES TYPE GAGGIA-
LAVAZZA-PAVONI-SGL-MITACA-
GRIMAC-RDL-SPINEL-SAECO
ETC.



1092213

DETERGENT GRIND CLEANER 340 g

detergent for grinders cleaning
natural grain-based ingredients
100% biological



In accordance with the principles of fairness and honesty in business dealings, we specify that the reference to the names Breville and Sage is for information purposes only and to identify the correct intended use, not to indicate the origin of the goods. The spare parts shown here are compatible and not original. There is no commercial association/affiliation.



GEV Großküchen-Ersatzteil-Vertrieb GmbH

Gadastr. 4
85232 Bergkirchen - Germany
T +49 8142 6522-50
info.ger@repagroup.com
www.gev-online.com

LF S.p.A. a socio unico

Via Voltri 80
47522 Cesena FC - Italy
T +39 0547 341111
info.it@repagroup.com
www.lfspareparts724.com

EPGC S.a.s.

13 Rue des Forts
59960 Neuville en Ferrain - France
T +33 3 20250621
France@repagroup.com
www.epgc.com

Commercial Catering Spares Ltd.

Block C - Axis Point Hill Top Road
Heywood - Lancashire - OL10 2RQ - UK
T +44 1706 621 155
info@ccspares.co.uk
www.ccspares.co.uk

Atel S.r.l. a socio unico

Via Selvuzzis 51/2
33100 Udine UD - Italy
T +39 0432 602095
atel@repagroup.com
www.atelitalia.com