



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

CARPIGIANI

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



contactors

ABB

power contactors



1

GEV No.	381385	Ref. No.	IC571100228
description	power contactor resistive load 27A 24V/50-60Hz (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A12-30-10		

probes

producer-specific probes

probes



1

GEV No.	378302	Ref. No.	572910101 IC572910101
description	temperature probe PTC cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire thread probe ø6x40mm cable length 2m		

keypads

keypad units



1

GEV No.	403087	Ref. No.	573800509 IC573800613
description	keypad unit buttons 5 L 127mm W 59mm		


fans

axial fans

ebm-papst



1


GEV No.	601754 ¹	Ref. No.	552290151 IC552290151
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 13W bearing ball bearing manuf. no. 4856Z connection male faston 2.8mm ebm-papst		
accessories for	601754		
	GEV No.	692497	Ref. No. —
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		

¹with ball bearings

import



1

GEV No.	601800 ¹	Ref. No.	10000575 193014059 551310182 IC10000575 IC193014059 IC551310182
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22/21W bearing slide bearing manuf. no. DP200A2123XST.GN connection male faston 2.8mm kit SUNON		
spare parts for	601800		
	GEV No.	601080	Ref. No. —
	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		

¹with slide bearings

equipment-specific units

for ice dispensers

gaskets

shaft gaskets




1

GEV No.	511948	Ref. No.	IC177120260
description	V-ring ID ø 20mm ED ø 30mm thickness 12mm silicone		

gaskets

O-rings


EPDM



1

GEV No.	511517	Ref. No.	541000219
description	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 10 pcs		


silicone



1

GEV No.	532645	Ref. No.	541000470 IC541000470
description	O-ring silicone thickness 7mm ID ø 187.3mm Qty 1 pcs		

NBR



1

GEV No.	532551	Ref. No.	541000238
description	O-ring NB 40 thickness 3.53mm ID ø 61.91mm Qty 1 pcs		



1

GEV No.	532550	Ref. No.	541000119
description	O-ring NBR 787/70 thickness 2.62mm ID ø 9.13mm Qty 10 pcs		

shaft gaskets

v-rings



1

GEV No.	511948	Ref. No.	IC177120260
description	V-ring ID ø 20mm ED ø 30mm thickness 12mm silicone		

special gaskets

miscellaneous



1

GEV No.	511949	Ref. No.	IC158200710
description	gasket suitable for CARPIGIANI for ice dispenser Qty 1m ED ø 113mm ID ø 106mm EPDM thickness 4mm		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



1

GEV No.	516267	Ref. No.	521111326
description	ball bearing type 62205-2RS shaft ø 25mm ED ø 52mm W 18mm DIN 625-1		

drive belts

V-belts

profile Z/10




1

GEV No.	692304	Ref. No.	531001026 IC531001026
description	V-belt belt width 10mm L 775mm H 6mm CODE Z30 1/2 profile Z/10		



poly-v belts



GEV No.	698667	Ref. No.	531300127
description	drive belt grooves 20 W 46.5mm L 1473mm profile J rubber with textile insertion		

consumables

lubricants

food-grade lubricant



GEV No.	890295	Ref. No.	IC743000104 IC743000116
description	food-grade lubricant Lubri-Film-Plus tube 113g food standard		

A

axial fans 3

C

consumables 5

contactors 3

F

fans 3

food-grade lubricant 5

L

lubricants 5

O

O-rings 4

P

probes 3

S

shaft gaskets 4