



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**GEMM**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)




- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## switches and momentary switches

### rocker/momentary rocker switches

27.8x25mm



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>GEV No.</b>     | 347763  | <b>Ref. No.</b> | 80007619 |
| <b>description</b> | rocker switch mounting measurements 25x25mm green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40 |                 |          |

## electronic controllers









### DIXELL






#### refrigeration controllers

##### built-in version



1

|   |  |                 |                 |   |
|---|--|-----------------|-----------------|---|
| <b>GEV No.</b>  | 379996   | <b>Ref. No.</b> | 80007103        |   |
| <b>description</b>  | electronic controller DIXELL XR20CX-5N0C0 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-8A(3) NTC/PTC DI yes protection IP54 -50 up to +150°C display 3½ digits |                 |                 |   |
| <b>spare parts for</b>  | 379996   |                 |                 |   |
|  | <b>GEV No.</b>   | 379995          | <b>Ref. No.</b> | — |
| <b>accessories for</b>  | 379996   |                 |                 |   |
|  | <b>GEV No.</b>   | 378194          | <b>Ref. No.</b> | — |
|   | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire                                       |                 |                 |   |
|  | <b>GEV No.</b>   | 378551          | <b>Ref. No.</b> | — |
|   | adapter for reducer mounting measurements 71x29mm  |                 |                 |   |
|  | <b>GEV No.</b>   | 379052          | <b>Ref. No.</b> | — |
|   | temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire                                   |                 |                 |   |
|  | <b>GEV No.</b>   | 379053          | <b>Ref. No.</b> | — |
|   | temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire   |                 |                 |   |
|  | <b>GEV No.</b>   | 379057          | <b>Ref. No.</b> | — |
|   | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire  |                 |                 |   |
|  | <b>GEV No.</b>   | 379064          | <b>Ref. No.</b> | — |
|   | temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire                                     |                 |                 |   |
|  | <b>GEV No.</b>   | 379160          | <b>Ref. No.</b> | — |
|   | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire                             |                 |                 |   |

|   |  |        |                 |   |
|---|--|--------|-----------------|---|
| <b>accessories for</b>  | 379996   |        |                 |   |
|  | <b>GEV No.</b>   | 379161 | <b>Ref. No.</b> | — |
|   | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire |        |                 |   |
|  | <b>GEV No.</b>   | 379343 | <b>Ref. No.</b> | — |
|   | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire                               |        |                 |   |
|  | <b>GEV No.</b>   | 379458 | <b>Ref. No.</b> | — |
|   | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire    |        |                 |   |
|  | <b>GEV No.</b>   | 379782 | <b>Ref. No.</b> | — |
|   | temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm            |        |                 |   |
|  | <b>GEV No.</b>   | 402818 | <b>Ref. No.</b> | — |
|   | programming key 4K for electronic controller DIXELL  |        |                 |   |













|   |   |        |                 |     |
|---|---|--------|-----------------|-----|
|   | <b>GEV No.</b>  | 378384 | <b>Ref. No.</b> | N/A |
|   | <b>description</b> electronic controller DIXELL XR40CX-5N0C1 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 NO-20A(8) CO-8A(3) NTC/PTC NTC/PTC DI -50 up to +150°C display 3½ digits |        |                 |     |
| <b>accessories for</b>  | 378384  |        |                 |     |
|  | <b>GEV No.</b>  | 378551 | <b>Ref. No.</b> | —   |
|   | adapter for reducer mounting measurements 71x29mm   |        |                 |     |
|  | <b>GEV No.</b>  | 379053 | <b>Ref. No.</b> | —   |
|   | temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire  |        |                 |     |
|  | <b>GEV No.</b>  | 379057 | <b>Ref. No.</b> | —   |
|   | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire   |        |                 |     |
|  | <b>GEV No.</b>  | 379064 | <b>Ref. No.</b> | —   |
|   | temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire  |        |                 |     |
|  | <b>GEV No.</b>  | 379142 | <b>Ref. No.</b> | —   |
|   | temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire  |        |                 |     |
|  | <b>GEV No.</b>  | 379160 | <b>Ref. No.</b> | —   |
|   | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire  |        |                 |     |
|  | <b>GEV No.</b>  | 379161 | <b>Ref. No.</b> | —   |
|   | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire  |        |                 |     |
|  | <b>GEV No.</b>  | 379343 | <b>Ref. No.</b> | —   |
|   | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire  |        |                 |     |


Table continues overleaf



|   |   |        |          |   |
|---|---|--------|----------|---|
| <b>accessories for</b>  | 378384  |        |          |   |
|   | GEV No.   | 379749 | Ref. No. | — |
|  | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x30mm cable length 1.5m without screw connection 2-wire |        |          |   |
|   | GEV No.   | 379782 | Ref. No. | — |
|  | temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm         |        |          |   |
|  | GEV No.   | 402818 | Ref. No. | — |
|   | programming key 4K for electronic controller DIXELL   |        |          |   |

profile 9153


We offer custom-made gaskets for this profile



|                    |  |                 |     |
|--------------------|--|-----------------|-----|
| <b>GEV No.</b>     | 902266   | <b>Ref. No.</b> | N/A |
| <b>description</b> | refrigeration gasket profile 9153 Wmm L 2500mm |                 |     |

profile 9195

We offer custom-made gaskets for this profile



|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>GEV No.</b>     | 901581  | <b>Ref. No.</b> | 80007635 |
| <b>description</b> | refrigeration gasket profile 9195 W 470mm L 640mm plug size |                 |          |


**gaskets**

refrigeration gaskets

plug-in gaskets

profile 9753


We offer custom-made gaskets for this profile



|                    |  |                 |     |
|--------------------|--|-----------------|-----|
| <b>GEV No.</b>     | 900875   | <b>Ref. No.</b> | N/A |
| <b>description</b> | refrigeration gasket profile 9753 Wmm L 2500mm |                 |     |

profile 9151

We offer custom-made gaskets for this profile



|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>GEV No.</b>     | 901595  | <b>Ref. No.</b> | 80007247 |
| <b>description</b> | refrigeration gasket profile 9151 W 500mm L 660mm plug size L1 650mm W1 490mm external size |                 |          |

**E**

electronic controllers 3

**P**

plug-in gaskets 4

**R**

refrigeration gaskets 4

rocker/momentary rocker switches 3

**S**

switches and momentary switches 3