



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**GRAEF**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



1

<b>GEV No.</b>	348113	<b>Ref. No.</b>	19032
<b>description</b>	momentary rocker switch mounting measurements 30x22mm red/green 1NO/1NC 250V 16A momentary/momentary connection male faston 6.3mm ambient temperature max. 125°C protection IP65 with cover cap		

### push/momentary push switches

ø22mm



1

<b>GEV No.</b>	348196	<b>Ref. No.</b>	143822
<b>description</b>	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light connection male faston 2.8mm		



1

<b>GEV No.</b>	348138	<b>Ref. No.</b>	50151
<b>description</b>	momentary push switch mounting ø 22mm black/white 1NO/1NC/indicator light 230V 10A 0-1 connection screw		

## control equipment

### SIEMENS

3SB series ø22mm new

push buttons



1

<b>GEV No.</b>	348021	<b>Ref. No.</b>	143765 901 901+902
<b>description</b>	double momentary switch mounting measurements ø22mm 1NO/1NC/indicator light connection male faston 2.8mm 6A type 3SA8 810-0EB11 rated 380V		

## relays

### power relays

with bracket mounting



1

<b>GEV No.</b>	380312	<b>Ref. No.</b>	81026 908 913
<b>description</b>	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		

## electronics

### PCBs



1

<b>GEV No.</b>	403638	<b>Ref. No.</b>	50113
<b>description</b>	PCB slicer SO22023/SO27523		



1

<b>GEV No.</b>	403560	<b>Ref. No.</b>	19062
<b>description</b>	PCB slicer suitable for GRAEF		



1

<b>GEV No.</b>	403605	<b>Ref. No.</b>	143754
<b>description</b>	PCB slicer suitable for GRAEF repair set		

## equipment-specific units

## for slicers

## blades

## standard



1

<b>GEV No.</b>	698191	<b>Ref. No.</b>	3000434 3060434 401
<b>description</b>	slicing machine blade ED ø 300mm seat ø 57mm 4 hole ID ø 254mm H 22.5mm C45 standard		



1

<b>GEV No.</b>	697375	<b>Ref. No.</b>	3300434
<b>description</b>	slicing machine blade ED ø 330mm seat ø 57mm 4 hole ID ø 270mm H 23mm 100Cr6 standard		

## sharpener units

## sharpener units



1

<b>GEV No.</b>	698777	<b>Ref. No.</b>	50115
<b>description</b>	blade sharpener detachable Solido 220 suitable for GRAEF		



1

<b>GEV No.</b>	698778	<b>Ref. No.</b>	50134
<b>description</b>	blade sharpener detachable Solido 275 suitable for GRAEF		

## grindstones



1

<b>GEV No.</b>	697575	<b>Ref. No.</b>	50116
<b>description</b>	grindstone ø 45mm thickness 10mm bore ø 8mm grained coarse with bevel, without hub		




1

<b>GEV No.</b>	697574	<b>Ref. No.</b>	50117
<b>description</b>	grindstone ø 45mm thickness 10mm bore ø 8mm grained fine with bevel, without hub		

## transmission technology and ball bearings

## drive belts

## poly-v belts



1

<b>GEV No.</b>	697367	<b>Ref. No.</b>	50114
<b>description</b>	poly-v belt grooves 8 W 16mm L 330mm profile TB2		

**C**

control equipment 3

**P**

push/momentary push switches 3

**R**

relays 3

rocker/momentary rocker switches 3

**S**

switches and momentary switches 3