



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**HENDI**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)




- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## heating elements


### heating elements for bain maries



1


<b>GEV No.</b>	420476	<b>Ref. No.</b>	900642
<b>description</b>	heating element 1200W 230V heating circuits 1 L 405mm W 150mm connection M4 connection distance 145mm tube ø 7mm		

### heating elements for contact grills




1

<b>GEV No.</b>	419161	<b>Ref. No.</b>	912171
<b>description</b>	heating element 1100W 415V L 180mm W 180mm H 40mm tube ø 6.5mm connection M4		




1

<b>GEV No.</b>	419002	<b>Ref. No.</b>	902028
<b>description</b>	heating element 1400W 230V heating circuits 1 L 175mm W 305mm H 20mm W1 40mm W2 325mm tube ø 6.3mm windings 5		



1

<b>GEV No.</b>	419003	<b>Ref. No.</b>	902035
<b>description</b>	heating element 1550W 240V L 175mm W 305mm H 40mm tube ø 6.3mm connection M4 windings 5		




1

<b>GEV No.</b>	419160	<b>Ref. No.</b>	912140
<b>description</b>	heating element 900W 400V L 170mm W 180mm H 15mm W1 40mm W2 100mm tube ø 6.5mm windings 3 connection M4		

## thermostats

### bi-metal thermostats


#### safety bi-metal thermostats



1

<b>GEV No.</b>	390708	<b>Ref. No.</b>	902004
<b>description</b>	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 180°C 1NC 1-pole 16A connection M3 mounting ø 15mm		

#### bi-metal thermostats



1

<b>GEV No.</b>	390886	<b>Ref. No.</b>	923153
<b>description</b>	bi-metal thermostat hole distance 24mm switch-off temp. 210°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing Qty 1 pcs		

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.13\_ series



1

<b>GEV No.</b>	390885	<b>Ref. No.</b>	205228
<b>description</b>	thermostat t.max. 190°C temperature range 0-190°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 550mm capillary pipe isolated 260mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position 135° rotation 270°		



E·G·O



<b>GEV No.</b>	390884	<b>Ref. No.</b>	923092
<b>description</b>	thermostat t.max. 250°C temperature range 50-250°C 1-pole 1NO 16A probe ø 6mm probe L 62mm capillary pipe 1450mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position upper rotation 270° probe material SS		

E·G·O



<b>GEV No.</b>	375505	<b>Ref. No.</b>	902011
<b>description</b>	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

## switches and momentary switches

### rocker/momentary rocker switches


30x22mm



<b>GEV No.</b>	347791	<b>Ref. No.</b>	205426
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
<b>For models:</b>	221204		

## cam switches

### 4 operating positions



<b>GEV No.</b>	300243	<b>Ref. No.</b>	912102
<b>description</b>	cam switch 2 operating positions sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-pole		

## lamps

### indicator lights

#### indicator lights (complete)

ø12mm

with plug-in socket



<b>GEV No.</b>	357110	<b>Ref. No.</b>	912119
<b>description</b>	indicator light ø 12mm green 400V connection male faston 6.3mm temp.-resist. 100°C		



<b>GEV No.</b>	360509	<b>Ref. No.</b>	912003
<b>description</b>	indicator light ø 12mm yellow 230V connection male faston 6.3mm thermometer		



<b>GEV No.</b>	357111	<b>Ref. No.</b>	912126
<b>description</b>	indicator light ø 12mm yellow 400V connection male faston 6.3mm thermometer		



## motors

### motors

#### for citrus juicers



1

<b>GEV No.</b>	501426	<b>Ref. No.</b>	900956 JR2004-MS
<b>description</b>	motor for citrus juicers 180W 230-240V 50Hz shaft ø 8mm shaft length 40mm type RCJ298252 0.18kW		
<b>For models:</b>	221204		

## fuses

### thermal fuses



1

<b>GEV No.</b>	358139	<b>Ref. No.</b>	923160
<b>description</b>	thermal fuse switch-off temp. 142°C nominal 15A rated 250V Qty 1 pcs		

## electric accessories

### cables

#### cable harnesses



1

<b>GEV No.</b>	699172	<b>Ref. No.</b>	912089 917089
<b>description</b>	cable harness		



1

<b>GEV No.</b>	699173	<b>Ref. No.</b>	912188
<b>description</b>	cable harness		

### terminals

#### connection terminals with screw connection



1

<b>GEV No.</b>	551109	<b>Ref. No.</b>	912041
<b>description</b>	connecting cable 4-pole max. 15A max 500V connection screw temp.-resist. 150°C		

## equipment-specific units

### for cutters

#### blades

#### blades

#### blades smooth



1

<b>GEV No.</b>	696558	<b>Ref. No.</b>	919613
<b>description</b>	knife L 140mm mounting distance 23mm threaded thickness 2mm		

### for citrus juicers

#### spillage trays



1

<b>GEV No.</b>	696502	<b>Ref. No.</b>	900963
<b>description</b>	drain tray for citrus juicers ø 175mm hole ø 42mm H 110mm SS		
<b>For models:</b>	221204		

### gaskets



1

<b>GEV No.</b>	532647	<b>Ref. No.</b>	900970
<b>description</b>	O-ring EPDM thickness 1.8mm ID ø 11.8mm Qty 1 pcs		
<b>For models:</b>	221204		



1

<b>GEV No.</b>	511953	<b>Ref. No.</b>	900871
<b>description</b>	seal kit for citrus juicers		
<b>For models:</b>	221204		

motors



1

<b>GEV No.</b>	501426	<b>Ref. No.</b>	900956 JR2004-MS
<b>description</b>	motor for citrus juicers 180W 230-240V 50Hz shaft ø 8mm shaft length 40mm type RCJ298252 0.18kW		
<b>For models:</b>	221204		

juicer insert



1

<b>GEV No.</b>	650168	<b>Ref. No.</b>	900901
<b>description</b>	filter for citrus juicers ø 155mm H 23mm plastic		
<b>For models:</b>	221204		



1

<b>GEV No.</b>	650167	<b>Ref. No.</b>	221266
<b>description</b>	juicer insert set for citrus juicers ø 57/62/79mm H 45/50/55mm plastic		
<b>For models:</b>	221204		

spindles



1

<b>GEV No.</b>	650170	<b>Ref. No.</b>	900895
<b>description</b>	spindle L 48mm square thread M8x1.25 for citrus juicers WS 12		
<b>For models:</b>	221204		

miscellaneous



1

<b>GEV No.</b>	650171	<b>Ref. No.</b>	900925
<b>description</b>	cover for spindle ø 44mm H 18mm aluminium		
<b>For models:</b>	221204		



1

<b>GEV No.</b>	650169	<b>Ref. No.</b>	221242
<b>description</b>	drip tray for citrus juicers ø 79mm H 20mm plastic black		
<b>For models:</b>	221204		

for grills

sumps



1

<b>GEV No.</b>	692237	<b>Ref. No.</b>	263990
<b>description</b>	grease collecting tray L 357mm W 37mm H 29mm		



1

<b>GEV No.</b>	692238	<b>Ref. No.</b>	263983
<b>description</b>	grease collecting tray L 497mm W 37mm H 29mm		

for panini grill

guiding pieces



1

<b>GEV No.</b>	698565	<b>Ref. No.</b>	902097
<b>description</b>	shaft bearing mounting pos. rear L 35mm W 14mm H 12.5mm		

for contact grills

miscellaneous



1

<b>GEV No.</b>	692241	<b>Ref. No.</b>	902195 912195
<b>description</b>	spindle for contact grill		




1

<b>GEV No.</b>	692239	<b>Ref. No.</b>	902226
<b>description</b>	spindle for contact grill L 404mm ø 12mm		

## knobs


### producer-specific knobs

HENDI



1

<b>GEV No.</b>	112870	<b>Ref. No.</b>	904411
<b>description</b>	knob t.max. 300°C 50-300°C ø 58mm shaft ø 6x4.6mm shaft flat left		



1

<b>GEV No.</b>	112674	<b>Ref. No.</b>	904411 old version
<b>description</b>	knob thermostat t.max. 300°C 50-300°C ø 58mm shaft ø 6x4.6mm shaft flat lower		

## handles and hand wheels

### folding grill handles




1

<b>GEV No.</b>	692149	<b>Ref. No.</b>	902264
<b>description</b>	handle L 155mm ø 30mm seat ø 10mm for contact grill		


## equipment feet and end caps

### screw-in feet



1

<b>GEV No.</b>	701230	<b>Ref. No.</b>	900888
<b>description</b>	equipment feet kit thread M5 thread L 10mm ø 22mm H 12mm rubber WS Qty 4 pcs bore ø 5/10mm		
<b>For models:</b>	221204		



1

<b>GEV No.</b>	802048	<b>Ref. No.</b>	912058
<b>description</b>	equipment foot thread M6 thread L 14mm ø 30mm H 16mm Qty 4 pcs		

## gaskets

### gaskets for heated units

#### door seals with fixing hook




1

<b>GEV No.</b>	900394	<b>Ref. No.</b>	225332
<b>description</b>	oven gasket L 370mm W 640mm 6 hooks external size		

## O-rings

### EPDM



1

<b>GEV No.</b>	532647	<b>Ref. No.</b>	900970
<b>description</b>	O-ring EPDM thickness 1.8mm ID ø 11.8mm Qty 1 pcs		
<b>For models:</b>	221204		

## shaft gaskets

## miscellaneous



<b>GEV No.</b>	511953	<b>Ref. No.</b>	900871
<b>description</b>	seal kit for citrus juicers		
<b>For models:</b>	221204		

## springs

## torsion springs



<b>GEV No.</b>	700569	<b>Ref. No.</b>	901908
<b>description</b>	torsion spring $\varnothing$ 21.5mm L2 40mm wire gauge $\varnothing$ 3.3mm L1 100mm L3 45mm		

## fastening material

## fasteners

## roll pins



<b>GEV No.</b>	692236	<b>Ref. No.</b>	902240
<b>description</b>	roll pin $\varnothing$ 4mm L 40mm		

## consumables

## fuses

## thermal fuses



<b>GEV No.</b>	358139	<b>Ref. No.</b>	923160
<b>description</b>	thermal fuse switch-off temp. 142°C nominal 15A rated 250V Qty 1 pcs		



<b>B</b>			
bi-metal thermostats	3, 3		
<b>C</b>			
cables	5		
cam switches	4		
consumables	8		
control thermostats	3		
<b>D</b>			
door seals with fixing hook	7		
<b>E</b>			
electric accessories	5		
<b>F</b>			
fasteners	8		
fastening material	8		
fuses	5, 8		
<b>G</b>			
gaskets for heated units	7		
<b>H</b>			
heating elements	3		
heating elements for bain maries	3		
heating elements for contact grills	3		
<b>I</b>			
indicator lights	4		
indicator lights (complete)	4		
<b>L</b>			
lamps	4		
<b>M</b>			
motors	5		
<b>O</b>			
O-rings	7		
<b>R</b>			
rocker/momentary rocker switches	4		
roll pins	8		
<b>S</b>			
safety bi-metal thermostats	3		
shaft gaskets	8		
switches and momentary switches	4		
<b>T</b>			
terminals	5		
		thermal fuses	8
		thermostats	3