



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**NUOVA SIMONELLI**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)







- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed











## heating elements

### heating elements for coffee machine

			
<b>GEV No.</b>	417193	<b>Ref. No.</b>	14100035
<b>description</b>	heating cartridge 14W 230V ø 12mm L 64mm connection cable cable length 230mm		

			
<b>GEV No.</b>	417194	<b>Ref. No.</b>	14100037
<b>description</b>	heating cartridge 600W 230V heating circuits 1 L 74mm ø 10mm thread 3/8" cable length 250mm immersion heater screw mounting		
<b>accessories for</b>	417194		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	518393		—
	flat gasket FIBER ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	528885		—
	flat gasket PTFE ED ø 26mm ID ø 17mm thickness 2mm Qty 1 pcs suitable for SPAZIALE		

			
<b>GEV No.</b>	417132	<b>Ref. No.</b>	14100008
<b>description</b>	heating element 1200W 230V heating circuits 1 ø 88mm H 42mm W1 70mm H1 20mm H2 22mm mounting distance 62mm thread 1/4" copper windings 2 tube ø 8mm immersion heater 2 hole fixing connection M4		
<b>accessories for</b>	417132		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	361182		18010386
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	510417		—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	520228		—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	550262		—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
<b>GEV No.</b>	417195	<b>Ref. No.</b>	14100040
<b>description</b>	heating element 1200W 230V heating circuits 1 thread 1" L 155mm W 22mm H 22mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 160mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater flange with thread WS 30		
<b>accessories for</b>	417195		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	510404		—
	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	528018		—
	flat gasket PTFE ED ø 41mm ID ø 33mm thickness 3mm size 1" Qty 1 pcs		

			
<b>GEV No.</b>	417054	<b>Ref. No.</b>	14100009
<b>description</b>	heating element 1400W 230V heating circuits 1 ø 70mm H 60mm H1 18mm H2 42mm mounting distance 40mm thread 1/4" windings 4 tube ø 8.5mm immersion heater 2 hole fixing connection M3		
<b>accessories for</b>	417054		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	361182		18010386
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	510417		—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	520228		—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	527169		—
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	550262		—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	560110		—
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	560130		—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
<b>GEV No.</b>	417052	<b>Ref. No.</b>	14100024 14100084
<b>description</b>	heating element 1800W 230V heating circuits 3 mounting ø 54mm hole distance 54/76mm L 165mm W 31mm H 46mm L1 20mm L2 36mm L3 120mm H1 26mm H2 20mm tube ø 8.5mm connection M4 immersion heater 6 hole flange		
<b>accessories for</b>	417052		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	528805		—
	flat gasket PTFE ED ø 68mm ID ø 55mm thickness 2.4mm Qty 1 pcs suitable for NUOVA SIMONELLI		








			
<b>GEV No.</b>	415202	<b>Ref. No.</b>	14100038 14100054
<b>description</b>	heating element 2000W 230V heating circuits 1 thread 1" L 170mm W 22mm H 23mm tube ø 8mm connection male faston 6.3mm immersion heater flange with thread		
<b>accessories for</b>	415202		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	510404		—
	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		





Table continues overleaf









<b>accessories for</b>	415202			
	GEV No.	510422	Ref. No.	—
	gasket copper ED $\phi$ 37.7mm ID $\phi$ 32.5mm thickness 2.7mm for thread 1"			
	GEV No.	520233	Ref. No.	—
	nut thread 1" H 6mm brass WS 47 Qty 1 pcs			



	1		
<b>GEV No.</b>	417490	<b>Ref. No.</b>	14100054
<b>description</b>	heating element 2300W 230V heating circuits 1 thread 1" L 172mm W 22mm H 25mm tube $\phi$ 8.5mm connection male faston 6.3mm WS 30 coffee machine parts stainless steel		





	1			
<b>GEV No.</b>	417131	<b>Ref. No.</b>	14100027	
<b>description</b>	heating element 2700W 230V heating circuits 3 mounting $\phi$ 54mm hole distance 77mm L 182mm W 32mm H 52mm L1 120mm L2 36mm L3 120mm H1 25mm H2 27mm hole $\phi$ 8mm tube $\phi$ 8mm connection M4 immersion heater 6 hole flange			
<b>accessories for</b>	417131			
	GEV No.	528804	Ref. No.	—
	flat gasket fibre ED $\phi$ 66mm ID $\phi$ 56mm thickness 2mm Qty 1 pcs			


	1			
<b>GEV No.</b>	417053	<b>Ref. No.</b>	14100011	
<b>description</b>	heating element 3000W 230V heating circuits 3 mounting $\phi$ 54mm hole distance 55mm L 330mm W 38mm H 55mm L1 22mm L2 66mm L3 237mm H1 26mm H2 29mm hole $\phi$ 8mm tube $\phi$ 8.5mm connection M3 immersion heater 6 hole flange			
<b>accessories for</b>	417053			
	GEV No.	527169	Ref. No.	—
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	GEV No.	560110	Ref. No.	—
	plain washer ID $\phi$ 3.2mm ED $\phi$ 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	GEV No.	560130	Ref. No.	—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

	1			
<b>GEV No.</b>	417182	<b>Ref. No.</b>	14100004	
<b>description</b>	heating element 3400W 230V heating circuits 3 mounting $\phi$ 54mm hole distance 55mm L 340mm W 39mm H 24mm hole $\phi$ 8mm tube $\phi$ 8.5mm connection 1/8" immersion heater 6 hole flange			
<b>accessories for</b>	417182			
	GEV No.	528804	Ref. No.	—
	flat gasket fibre ED $\phi$ 66mm ID $\phi$ 56mm thickness 2mm Qty 1 pcs			




	1			
<b>GEV No.</b>	417184	<b>Ref. No.</b>	14100031	
<b>description</b>	heating element 4500W 230V heating circuits 2 mounting $\phi$ 54mm hole distance 55mm L 335mm W 37mm H 51mm L1 35mm L2 50mm L3 255mm H1 23mm H2 28mm hole $\phi$ 8mm tube $\phi$ 8.5mm connection M3 immersion heater 6 hole flange			
<b>accessories for</b>	417184			
	GEV No.	527169	Ref. No.	—
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	GEV No.	560110	Ref. No.	—
	plain washer ID $\phi$ 3.2mm ED $\phi$ 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	GEV No.	560130	Ref. No.	—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

	1			
<b>GEV No.</b>	417292	<b>Ref. No.</b>	14100012	
<b>description</b>	heating element 5000W 220V heating circuits 3 mounting $\phi$ 55mm hole distance 77mm L 575mm W 36mm H 60mm L1 25mm L2 60mm L3 490mm H1 24mm H2 36mm hole $\phi$ 8mm tube $\phi$ 8.3mm connection M3 immersion heater 6 hole flange			
<b>accessories for</b>	417292			
	GEV No.	526402	Ref. No.	02060015
	flat gasket PTFE ED $\phi$ 67mm ID $\phi$ 54mm thickness 2mm Qty 1 pcs			


	1			
<b>GEV No.</b>	417130	<b>Ref. No.</b>	14100012	
<b>description</b>	heating element 5000W 230V heating circuits 3 mounting $\phi$ 54mm hole distance 30mm L 522mm W 27mm H 38mm hole $\phi$ 7.5mm connection M3 immersion heater 8 hole flange			
<b>accessories for</b>	417130			
	GEV No.	527169	Ref. No.	—
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	GEV No.	560110	Ref. No.	—
	plain washer ID $\phi$ 3.2mm ED $\phi$ 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	GEV No.	560130	Ref. No.	—
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

	1		
<b>GEV No.</b>	417293	<b>Ref. No.</b>	14100084
<b>description</b>	heating element INCOLOY 1800W 230V heating circuits 3 mounting $\phi$ 55mm hole distance 77mm L 155mm W 36mm H 50mm L1 20mm L2 55mm L3 80mm H1 24mm H2 26mm hole $\phi$ 8mm tube $\phi$ 8.5mm connection M4 6 hole flange		







			
1			
<b>GEV No.</b>	417228	<b>Ref. No.</b>	14100050 14100088
<b>description</b>	heating element INCOLOY 2600W 230V heating circuits 1 thread 1 1/4" L 155mm $\phi$ 35mm tube $\phi$ 6.3mm thermostat sleeves $\phi$ 7.5mm length thermostat sleeves 150mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater flange with thread WS 37 W 52mm H 52mm		
<b>spare parts for</b>	417228		
	<b>GEV No.</b>	510405	<b>Ref. No.</b> 18010760
		flat gasket fibre ED $\phi$ 56mm ID $\phi$ 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs	
<b>accessories for</b>	417228		
	<b>GEV No.</b>	528021	<b>Ref. No.</b> —
		flat gasket PTFE ED $\phi$ 53mm ID $\phi$ 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega	

heating elements for contact grills

			
1			
<b>GEV No.</b>	416590	<b>Ref. No.</b>	15320004
<b>description</b>	heating element 1150W 230V L 192mm W 304mm H 18mm W1 98mm W2 108mm connection length 24mm tube $\phi$ 6.3mm windings 5 connection M4 mounting pos. lower dry heating element		







heating cartridges

			
1			
<b>GEV No.</b>	417194	<b>Ref. No.</b>	14100037
<b>description</b>	heating cartridge 600W 230V heating circuits 1 L 74mm $\phi$ 10mm thread 3/8" cable length 250mm immersion heater screw mounting		
<b>accessories for</b>	417194		
	<b>GEV No.</b>	518393	<b>Ref. No.</b> —
		flat gasket FIBER ED $\phi$ 24mm ID $\phi$ 17mm thickness 2mm Qty 1 pcs	
	<b>GEV No.</b>	528885	<b>Ref. No.</b> —
		flat gasket PTFE ED $\phi$ 26mm ID $\phi$ 17mm thickness 2mm Qty 1 pcs suitable for SPAZIALE	




			
1			
<b>GEV No.</b>	417193	<b>Ref. No.</b>	14100035
<b>description</b>	heating cartridge 14W 230V $\phi$ 12mm L 64mm connection cable cable length 230mm		


immersion heating elements

2 hole flange 74mm


 			
1			
<b>GEV No.</b>	415191	<b>Ref. No.</b>	18000003
<b>description</b>	heating element 2300W 220V heating circuits 1 mounting $\phi$ 42mm L 240mm W 29mm H 27mm L1 35mm L2 35mm L3 170mm tube $\phi$ 8.5mm hole distance 74mm hole $\phi$ 8mm connection M4 immersion heater 2 hole flange H1 8mm H2 23mm flange length 94mm flange width 58mm		
<b>accessories for</b>	415191		
	<b>GEV No.</b>	521103	<b>Ref. No.</b> —
		nut thread M4 H 3mm WS 7 brass Qty 20 pcs	
	<b>GEV No.</b>	521104	<b>Ref. No.</b> —
		washer ID $\phi$ 4.3mm ED $\phi$ 8mm thickness 0.5mm brass Qty 20 pcs for thread M4	
	<b>GEV No.</b>	560111	<b>Ref. No.</b> —
		plain washer ID $\phi$ 4.3mm ED $\phi$ 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4	
	<b>GEV No.</b>	560131	<b>Ref. No.</b> —
		hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs	


3 hole flange  $\phi$ 35.0mm

 			
1			
<b>GEV No.</b>	416210	<b>Ref. No.</b>	18011020
<b>description</b>	heating element 2200W 230V heating circuits 1 mounting $\phi$ 35mm L 253mm W 25mm H 25mm tube $\phi$ 6.5mm hole distance 44mm hole $\phi$ 10mm connection M5 immersion heater 3 hole flange connection length 16mm		
<b>accessories for</b>	416210		
	<b>GEV No.</b>	507048	<b>Ref. No.</b> —
		gasket ID $\phi$ 30mm silicone thickness 3mm hole $\phi$ 10mm hole distance 41mm for heating element warewashing	






**1**

<b>GEV No.</b>	416211	<b>Ref. No.</b>	18010296
<b>description</b>	heating element 2700W 230V heating circuits 1 mounting $\varnothing$ 35mm L 300mm W 25mm H 24mm tube $\varnothing$ 6.3mm hole distance 44mm hole $\varnothing$ 10mm connection male faston 6.3mm immersion heater 3 hole flange connection length 15mm		
<b>accessories for</b>	416211		
	<b>GEV No.</b>	507048	<b>Ref. No.</b> —
	gasket ID $\varnothing$ 30mm silicone thickness 3mm hole $\varnothing$ 10mm hole distance 41mm for heating element warewashing		





**1**

<b>GEV No.</b>	416212	<b>Ref. No.</b>	18010028.1
<b>description</b>	heating element 3000W 230V heating circuits 1 mounting $\varnothing$ 35mm L 330mm W 28.5mm H 25mm tube $\varnothing$ 6.25mm hole distance 44mm hole $\varnothing$ 10mm connection M5 immersion heater 3 hole flange connection length 15mm		
<b>accessories for</b>	416212		
	<b>GEV No.</b>	507048	<b>Ref. No.</b> —
	gasket ID $\varnothing$ 30mm silicone thickness 3mm hole $\varnothing$ 10mm hole distance 41mm for heating element warewashing		



3 hole flange  $\varnothing$  57.5mm



**1**

<b>GEV No.</b>	416213	<b>Ref. No.</b>	18010743
<b>description</b>	heating element 4500W 230V mounting $\varnothing$ 57.5mm heating circuits 3 L 383mm W 50mm H 38mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 8mm length thermostat sleeves 290mm thermostat sleeve eccentric, non clinging tube $\varnothing$ 8mm hole distance 70mm hole $\varnothing$ 8mm connection M5 3 hole flange immersion heater		
<b>accessories for</b>	416213		
	<b>GEV No.</b>	550002	<b>Ref. No.</b> —
	tension strap H 10mm L 21mm W 10mm hole $\varnothing$ 6.5mm for heating element		



**1**

<b>GEV No.</b>	416214	<b>Ref. No.</b>	18010744
<b>description</b>	heating element 6000W 230V mounting $\varnothing$ 57.5mm heating circuits 3 L 410mm W 32mm H 50mm thermostat sleeves $\varnothing$ 8.5mm length thermostat sleeves 270mm thermostat sleeve upper centre not clinging tube $\varnothing$ 8.5mm hole distance 70mm hole $\varnothing$ 10mm connection length 30mm connection M5 3 hole flange immersion heater		
<b>accessories for</b>	416214		
	<b>GEV No.</b>	510409	<b>Ref. No.</b> 18010746
	O-ring EPDM thickness 5.34mm ID $\varnothing$ 56.52mm Qty 1 pcs		
	<b>GEV No.</b>	520332	<b>Ref. No.</b> —
	protection cap for heating element		



**1**

<b>GEV No.</b>	416215	<b>Ref. No.</b>	18010745
<b>description</b>	heating element 9000W 230V mounting $\varnothing$ 57.5mm heating circuits 3 L 410mm W 35mm H 52mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7.5mm length thermostat sleeves 290mm thermostat sleeve eccentric, non clinging tube $\varnothing$ 8mm hole distance 70mm hole $\varnothing$ 8mm connection M5 3 hole flange immersion heater		



**1**

<b>GEV No.</b>	415195	<b>Ref. No.</b>	18000004
<b>description</b>	heating element 2500W 230V heating circuits 1 thread 1" L 200mm W 20mm H 20mm tube $\varnothing$ 8.5mm connection male faston 6.3mm immersion heater flange with thread		
<b>accessories for</b>	415195		
	<b>GEV No.</b>	510404	<b>Ref. No.</b> —
	flat gasket fibre ED $\varnothing$ 44mm ID $\varnothing$ 34mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	510422	<b>Ref. No.</b> —
	gasket copper ED $\varnothing$ 37.7mm ID $\varnothing$ 32.5mm thickness 2.7mm for thread 1"		
	<b>GEV No.</b>	520233	<b>Ref. No.</b> —
	nut thread 1" H 6mm brass WS 47 Qty 1 pcs		



1 1/4"			
1			
<b>GEV No.</b>	416218	<b>Ref. No.</b>	18010716
<b>description</b>	heating element 4500W 230V heating circuits 3 thread 1 1/4" L 275mm W 95mm H 45mm L1 40mm L2 25mm L3 210mm W1 32mm W2 29mm H1 23mm H2 22mm connection male faston 6.3mm immersion heater flange with thread		
<b>spare parts for</b>	416218		
	<b>GEV No.</b>	510405	<b>Ref. No.</b> 18010760
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs		
<b>accessories for</b>	416218		
	<b>GEV No.</b>	507333	<b>Ref. No.</b> —
	flat gasket rubber ED ø 52mm ID ø 41.5mm thickness 3mm Qty 1 pcs equiv. no. G50403GT suitable for IME/Omniwash		
	<b>GEV No.</b>	528021	<b>Ref. No.</b> —
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1			
<b>GEV No.</b>	416216	<b>Ref. No.</b>	18010044.0
<b>description</b>	heating element 1800W 230V heating circuits 1 L 330mm W 48mm H 32mm thread M12x1 mounting distance 40mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
<b>accessories for</b>	416216		
	<b>GEV No.</b>	507332	<b>Ref. No.</b> 02060029
	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	511923	<b>Ref. No.</b> 18010515
	protection cap for heating element thread M12		
	<b>GEV No.</b>	550681	<b>Ref. No.</b> —
	nut thread M12x1.25 H 5mm WS 17 brass Qty 1 pcs		

1			
<b>GEV No.</b>	416217	<b>Ref. No.</b>	18010385
<b>description</b>	heating element 2500W 230V heating circuits 1 L 410mm W 147mm H 27mm thread M12x1 mounting distance 35mm tube ø 8.3mm connection male faston 6.3mm 2 hole fixing immersion heater L1 195mm L2 215mm W1 96mm W2 43mm		
<b>accessories for</b>	416217		
	<b>GEV No.</b>	507332	<b>Ref. No.</b> 02060029
	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		

1			
<b>GEV No.</b>	416219	<b>Ref. No.</b>	18010044.1 18011021
<b>description</b>	heating element 800W 230V heating circuits 1 L 317mm W 55mm H 32mm thread M12x1 mounting distance 46.5mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
<b>accessories for</b>	416219		
	<b>GEV No.</b>	507332	<b>Ref. No.</b> 02060029
	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	520229	<b>Ref. No.</b> —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		

## thermostats

### bi-metal thermostats


#### safety bi-metal thermostats

Image not available			
1			
<b>GEV No.</b>	390295	<b>Ref. No.</b>	09500006
<b>description</b>	bi-metal safety thermostat		

1			
<b>GEV No.</b>	375754	<b>Ref. No.</b>	09500002
<b>description</b>	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 125°C 1NC 1-pole 16A connection F6.3 2 hole fixing		

1			
<b>GEV No.</b>	390197	<b>Ref. No.</b>	09500004
<b>description</b>	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 135°C 1NC 1-pole 16A connection F6.3 2 hole fixing		

1			
<b>GEV No.</b>	390455	<b>Ref. No.</b>	18010789
<b>description</b>	bi-metal safety thermostat hole distance 40mm switch-off temp. 100°C 2NC 2-pole 16A connection F6.3 2 hole fixing		




1

<b>GEV No.</b>	390456	<b>Ref. No.</b>	18010955
<b>description</b>	bi-metal safety thermostat hole distance 40mm switch-off temp. 85°C 2NC 2-pole 16A connection F6.3 2 hole fixing		

control and safety thermostats


IMIT / TEMPOMATIC / ARTERMO

control thermostats




1

<b>GEV No.</b>	390186	<b>Ref. No.</b>	18010042
<b>description</b>	thermostat t.max. 52°C temperature range fixed 52°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft Lmm contacts 1CO		





1

<b>GEV No.</b>	390457	<b>Ref. No.</b>	18010043
<b>description</b>	thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 110mm capillary pipe 1000mm capillary pipe isolated 950mm gland nut shaft ø 6x4.6mm shaft L 19mm shaft position upper shaft position +135° rotation 270° probe material copper		




1

<b>GEV No.</b>	390006	<b>Ref. No.</b>	18010043
<b>description</b>	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
<b>accessories for</b>	390006		
	<b>GEV No.</b>	110100	<b>Ref. No.</b> 18010388
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	<b>GEV No.</b>	110105	<b>Ref. No.</b> —
	rosette knob ø 42mm ø 56mm zero mark		


switches and momentary switches  
rocker/momentary rocker switches

19x22mm



1


<b>GEV No.</b>	346549	<b>Ref. No.</b>	04200057
<b>description</b>	rocker switch mounting measurements 19x22mm black 2NO 250V 10A 0-I connection male faston 4.8mm protection IP40		



1


<b>GEV No.</b>	347275	<b>Ref. No.</b>	04200056
<b>description</b>	rocker switch mounting measurements 19x22mm black 1NO/NO 250V 10A 0-I/0-II connection male faston 4.8mm protection IP40		

30x22mm





1

<b>GEV No.</b>	301135	<b>Ref. No.</b>	18010786
<b>description</b>	momentary rocker switch mounting measurements 30x22mm orange 2NO 24V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		




1

<b>GEV No.</b>	301018	<b>Ref. No.</b>	18010589
<b>description</b>	momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>accessories for</b>	301018		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		





1



<b>GEV No.</b>	301001	<b>Ref. No.</b>	04200011
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>accessories for</b>	301001		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		








			
1			
<b>GEV No.</b>	301278	<b>Ref. No.</b>	18010785
<b>description</b>	rocker switch mounting measurements 30x22mm green 2CO 24V 6A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



			
1			
<b>GEV No.</b>	301132	<b>Ref. No.</b>	18010225
<b>description</b>	momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated rinsing warm/cold connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


			
1			
<b>GEV No.</b>	301017	<b>Ref. No.</b>	18010053
<b>description</b>	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
<b>accessories for</b>	301017		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



			
1			
<b>GEV No.</b>	301134	<b>Ref. No.</b>	18010420
<b>description</b>	momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated outflow connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		


			
1			
<b>GEV No.</b>	301015	<b>Ref. No.</b>	04200027
<b>description</b>	rocker switch mounting measurements 30x22mm red 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		


			
1			
<b>GEV No.</b>	301133	<b>Ref. No.</b>	18010058
<b>description</b>	momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated regeneration connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		

			
1			
<b>GEV No.</b>	301188	<b>Ref. No.</b>	16300122
<b>description</b>	rocker switch mounting measurements 30x22mm black 2NO/2NO 250V 16A IO II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
<b>accessories for</b>	301188		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

<b>34.2x12.6mm</b>			
			
1			
<b>GEV No.</b>	301131	<b>Ref. No.</b>	18010609
<b>description</b>	momentary rocker switch mounting measurements 34.2x12.6mm orange 2NO 250V 16A illuminated rinsing warm/cold connection male faston 6.3mm		

			
1			
<b>GEV No.</b>	347465	<b>Ref. No.</b>	18010826
<b>description</b>	momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP44		
<b>accessories for</b>	347465		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

<b>push/momentary push switches</b>			
<b>27.2x22.2mm</b>			
			
1			
<b>GEV No.</b>	345090 <sup>1</sup>	<b>Ref. No.</b>	04200032
<b>description</b>	momentary push switch mounting measurements 27.2x22.2mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

			
1			
<b>GEV No.</b>	345033 <sup>1</sup>	<b>Ref. No.</b>	04200030
<b>description</b>	push switch mounting measurements 27.2x22.2mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

<sup>1</sup>illuminated

<sup>1</sup>illuminated



ø25mm



1

<b>GEV No.</b>	346121	<b>Ref. No.</b>	04200038
<b>description</b>	momentary push switch mounting ø 25mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



1

<b>GEV No.</b>	345162 <sup>1</sup>	<b>Ref. No.</b>	04200039
<b>description</b>	push switch mounting ø 25mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

<sup>1</sup>illuminated

## accessories

## push buttons



1

<b>GEV No.</b>	112017	<b>Ref. No.</b>	05000176
<b>description</b>	push button mounting ø 19mm shaft 3.5x3.5mm grey		

## microswitches

## lever actuated



1

<b>GEV No.</b>	346169	<b>Ref. No.</b>	04200043
<b>description</b>	microswitch with lever connection male faston		



1

<b>GEV No.</b>	346168	<b>Ref. No.</b>	04200042
<b>description</b>	microswitch with lever		



1

<b>GEV No.</b>	345270	<b>Ref. No.</b>	04200042
<b>description</b>	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 30g lever length 140mm		

## roller-lever actuated

## with mounting components



1

<b>GEV No.</b>	345370	<b>Ref. No.</b>	16000019
<b>description</b>	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm L 27mm ambient temperature max. 125°C mounting distance 24mm actuating force: 45g lever length 26.5mm		

## pin-plunger actuated



1

<b>GEV No.</b>	345528	<b>Ref. No.</b>	18010145 18010625
<b>description</b>	microswitch 250V 4A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm with plunger white		

## M10



1

<b>GEV No.</b>	345156	<b>Ref. No.</b>	04200041
<b>description</b>	microswitch with plunger thread M10x1 thread L 13mm 250V 16A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 46mm L1 13mm ambient temperature max. 85°C type C4A-ZN3 actuating force: 340g		

## with push button


## switches with snap-fit





1


<b>GEV No.</b>	346166	<b>Ref. No.</b>	04200063
<b>description</b>	microswitch mounting measurements 28.5/13.5mm mounting ømm white 1NO 250V 4A connection male faston 6.3mm ambient temperature max. 85°C protection IP40 with plunger actuating force: 150g		





 <p>1</p>			
<b>GEV No.</b>	346772	<b>Ref. No.</b>	15030009
<b>description</b>	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g		

 <p>1</p>			
<b>GEV No.</b>	345651	<b>Ref. No.</b>	18011025
<b>description</b>	switch 2CO 250V 16A connection male faston 6.3mm		


accessories			
 <p>1</p>			
<b>GEV No.</b>	507037	<b>Ref. No.</b>	18010045 18010398
<b>description</b>	back part for microswitch		


 <p>1</p>			
<b>GEV No.</b>	346165	<b>Ref. No.</b>	04200051
<b>description</b>	switch 2NO 250V 16A connection male faston 6.3mm		


 <p>1</p>			
<b>GEV No.</b>	507041	<b>Ref. No.</b>	18010045
<b>description</b>	front part for microswitch		

float switches			
 <p>1</p>			
<b>GEV No.</b>	345371	<b>Ref. No.</b>	16000475
<b>description</b>	float switch with plunger 250V 16A 1CO male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm type EF83161.5 actuating force: 20g blue/black		


### system switches (ROLD)


 <p>1</p>			
<b>GEV No.</b>	345650	<b>Ref. No.</b>	18011026
<b>description</b>	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		

floats			
 <p>1</p>			
<b>GEV No.</b>	695044	<b>Ref. No.</b>	16000520
<b>description</b>	float		


 <p>1</p>			
<b>GEV No.</b>	347466	<b>Ref. No.</b>	40900005
<b>description</b>	push button ø 11.9mm shaft ø 3.6x3.6mm gold shaft L 9mm		

### rotary switches


 <p>1</p>			
<b>GEV No.</b>	345524	<b>Ref. No.</b>	18010953
<b>description</b>	push button ø 23mm red ON-OFF		


BREMAS			
A1700 series			
 <p>1</p>			
<b>GEV No.</b>	347085	<b>Ref. No.</b>	04200015
<b>description</b>	rotary switch 2 0-1 sets of contacts 2 type CA0170002V 400V 20A shaft ø 5x5mm shaft L 18mm shaft square connection screw		




			
1			
<b>GEV No.</b>	346004	<b>Ref. No.</b>	04200015
<b>description</b>	rotary switch 20A shaft L 23mm 2 operating positions 2-pole shaft 5x5mm screw		


**BRETER**  
rotary switches


			
1			
<b>GEV No.</b>	346071	<b>Ref. No.</b>	04200023
<b>description</b>	rotary switch 2 0-1 sets of contacts 4 type 11284 600V 16A shaft square connection screw		


			
1			
<b>GEV No.</b>	346070	<b>Ref. No.</b>	04200015
<b>description</b>	rotary switch connection screw clamp		

**GIOVENZANA**  
rotary switches




			
1			
<b>GEV No.</b>	347404	<b>Ref. No.</b>	04200023
<b>description</b>	rotary switch 0-1 20A shaft ø 5x5mm shaft L 23mm ø 44/48mm L 49mm 2 operating positions 4-pole rotation 60°		

			
1			
<b>GEV No.</b>	346901	<b>Ref. No.</b>	04200022
<b>description</b>	rotary switch 2 0-1 sets of contacts 4 type C052 690V 32A shaft ø 5x5mm shaft L 25mm shaft square connection screw		


			
1			
<b>GEV No.</b>	346069	<b>Ref. No.</b>	04200022
<b>description</b>	rotary switch 20A 2 operating positions 4-pole		

<b>VM</b>			
			
1			
<b>GEV No.</b>	346097	<b>Ref. No.</b>	04200020 40402001
<b>description</b>	rotary switch 3 0-1-2 sets of contacts 3 type P600184 400V 40A shaft ø 5x5mm shaft L 23mm shaft square connection screw		

**magnetic switches**

<b>65x20mm</b>			
			
1			
			
<b>GEV No.</b>	345116	<b>Ref. No.</b>	18010706
<b>description</b>	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
<b>accessories for</b>	345116		
	<b>GEV No.</b>	345399	<b>Ref. No.</b> —
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

**control equipment**  
**SIEMENS**

<b>3SB series ø22mm old</b>			
<b>rotary switches</b>			
			
1			
<b>GEV No.</b>	345526	<b>Ref. No.</b>	18010772 18010777
<b>description</b>	rotary selector mounting measurements ø22mm sequence 0-1 latching black		



3SB series ø22mm new



1			
<b>GEV No.</b>	346631	<b>Ref. No.</b>	18010778
<b>description</b>	contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black		

**lamps**

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-2)



1			
<b>GEV No.</b>	359359	<b>Ref. No.</b>	18010771
<b>description</b>	indicator light housings mounting measurements ø10mm green square		



1			
<b>GEV No.</b>	359358	<b>Ref. No.</b>	18010776
<b>description</b>	indicator light housings mounting measurements ø10mm orange square		

indicator lamps for socket type SRZ / SDK / SDY / SFK



1			
<b>GEV No.</b>	359129	<b>Ref. No.</b>	18010788
<b>description</b>	indicator lamp 24V clear connection male faston 6.3mm		

indicator lights (complete)

ø 9mm



1			
<b>GEV No.</b>	359421	<b>Ref. No.</b>	04200052
<b>description</b>	indicator light ø 9mm 230V red connection male faston 6.3mm		

27.2x22.2mm



1			
<b>GEV No.</b>	359209	<b>Ref. No.</b>	04200031
<b>description</b>	indicator light mounting measurements 27.2x22.2mm 230V red connection male faston 6.3mm temp.-resist. 125°C		

30x22mm



1			
<b>GEV No.</b>	359155	<b>Ref. No.</b>	04200012
<b>description</b>	indicator light mounting measurements 30x22mm 230V red connection male faston 6.3mm temp.-resist. 125°C type RL2		



1			
<b>GEV No.</b>	301138	<b>Ref. No.</b>	18010408 18010612
<b>description</b>	indicator light mounting measurements 30x22mm 230V red/green connection male faston 6.3mm temp.-resist. 125/55°C type RL2		

blank elements



1			
<b>GEV No.</b>	359776	<b>Ref. No.</b>	18010951
<b>description</b>	bezel ø 10mm cycle		



1			
<b>GEV No.</b>	359774	<b>Ref. No.</b>	18010949
<b>description</b>	bezel ø 10mm tank		



1			
<b>GEV No.</b>	359775	<b>Ref. No.</b>	18010950
<b>description</b>	bezel ø 13mm boiler mounting ø 10mm		

LED

indicator lamps

miscellaneous




1			
<b>GEV No.</b>	359229	<b>Ref. No.</b>	04500038
<b>description</b>	indicator light LED		





timers

programme timers

electric components




1

<b>GEV No.</b>	360217	<b>Ref. No.</b>	18010714
<b>description</b>	timer CDC 7807DV engines 2 chambers 7 operation time 6s / 3min 24V manuf. no. 7807DV motor type M37RN/M37LN		
<b>spare parts for</b>	360217		
	<b>GEV No.</b>	360324	<b>Ref. No.</b> —
	motor CDC pinion ø 5.4mm teeth 12 24V voltage AC turn direction right motor ø 37mm motor type M37RN		
	<b>GEV No.</b>	360325	<b>Ref. No.</b> —
	motor CDC pinion ø 5.4mm teeth 12 24V voltage AC turn direction left motor ø 37mm motor type M37LN		





1

<b>GEV No.</b>	360040	<b>Ref. No.</b>	18000094
<b>description</b>	timer CDC 9003F engines 1 chambers 3 operation time 6min 230V shaft ø 6x4.6mm shaft L 21mm manuf. no. 9003F3 / PRCIH5 motor type M48R ATS		
<b>spare parts for</b>	360040		
	<b>GEV No.</b>	360118	<b>Ref. No.</b> —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		
<b>accessories for</b>	360040		
	<b>GEV No.</b>	110197	<b>Ref. No.</b> —
	knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat adjustable black		





1

<b>GEV No.</b>	360219	<b>Ref. No.</b>	18010591
<b>description</b>	timer FIBER P25 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manuf. no. P255J03H3C1 motor type M51B-J0R6400		
<b>spare parts for</b>	360219		
	<b>GEV No.</b>	360673	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		




1

<b>GEV No.</b>	360249	<b>Ref. No.</b>	18011030
<b>description</b>	timer FIBER P25 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. P255J03H4U7 motor type M51B-J0R6400 / 230V		
<b>spare parts for</b>	360249		
	<b>GEV No.</b>	360673	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		




1

<b>GEV No.</b>	360228	<b>Ref. No.</b>	18010421
<b>description</b>	timer FIBER P26 engines 1 chambers 2 operation time 180s 230V shaft ømm shaft Lmm manuf. no. P265J02H545 motor type M61B40R6400		

1

<b>GEV No.</b>	360222	<b>Ref. No.</b>	18010593
<b>description</b>	timer FIBER P26 engines 1 chambers 3 operation time 4min 230V shaft ømm shaft Lmm manuf. no. P265J03H649 motor type M61B40R6400		




1

<b>GEV No.</b>	360218	<b>Ref. No.</b>	18010593
<b>description</b>	timer FIBER P26 engines 2 chambers 5 operation time 40s/4min 230V shaft ømm shaft Lmm manuf. no. P265J05KN48 motor type M61B40R6400 / M61B40L6400		

**contactors**


**ISKRA (FANAL)**

**power contactors**



1

<b>GEV No.</b>	380415	<b>Ref. No.</b>	18010823 18011029
<b>description</b>	power contactor resistive load 16A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type Fanal DSL7 01 type ISKRA K07MF 01		



1

<b>GEV No.</b>	380411	<b>Ref. No.</b>	18010705
<b>description</b>	power contactor resistive load 20A 24VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal DSL7 10 type ISKRA K07M 01		

**relays**

**power relays**

**with bracket mounting**






Image not available

1

<b>GEV No.</b>	380366	<b>Ref. No.</b>	04200046
<b>description</b>	power relays 16A 2CO connection male faston bracket mounting 230V voltage AC		




1





<b>GEV No.</b>	380365	<b>Ref. No.</b>	04200044	
<b>description</b>	power relays 230VAC 12A 2CO connection male faston 4.8mm bracket mounting			
<b>accessories for</b>	380365			
	<b>GEV No.</b>	380476	<b>Ref. No.</b>	—
	relay socket dimensions 78x27x33.5mm 250V voltage AC 10A FINDER manuf. no. 96.72			

**with male contacts**

**female contact 2.0mm**





1


<b>GEV No.</b>	380129	<b>Ref. No.</b>	15010055	
<b>description</b>	power relays 24VAC 12A 2CO connection F2 plug-in connection 94.92.3 250V connection 2mm			
<b>accessories for</b>	380129			
	<b>GEV No.</b>	380341	<b>Ref. No.</b>	—
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4			
	<b>GEV No.</b>	380378	<b>Ref. No.</b>	—
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72			
	<b>GEV No.</b>	380384	<b>Ref. No.</b>	—
	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for			
	<b>GEV No.</b>	380399	<b>Ref. No.</b>	—
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			




relay sockets

			
1			
<b>GEV No.</b>	380137	<b>Ref. No.</b>	09000011
<b>description</b>	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
<b>accessories for</b>	380137		
	GEV No.	380805	Ref. No.
			—
	 support bracket		



level relays

<p>GICAR</p> 			
1			
<b>GEV No.</b>	400240	<b>Ref. No.</b>	09000015
<b>description</b>	level relay 230V voltage AC 50/60Hz 8-pole 5A connection plug-in connection round 8-pole type RL30/1E-2C/8		


miscellaneous

			
1			
<b>GEV No.</b>	400596	<b>Ref. No.</b>	04900195
<b>description</b>	level relay 230V voltage AC connection male faston 6.3mm type MFC-2SN		



time relays

<p>time relays</p> 			
1			
<b>GEV No.</b>	360223	<b>Ref. No.</b>	18010793
<b>description</b>	time relay CDC Sc815 time range 6s 24VAC/DC 10A 1CO connection plug-in connection round 8-pole		
<b>accessories for</b>	360223		
	GEV No.	360230	Ref. No.
			—
	 base		

transformers


<p>open transformers</p> <p>with clamp terminal</p> 			
1			
<b>GEV No.</b>	400134	<b>Ref. No.</b>	18010792
<b>description</b>	transformer primary 230/400VAC secondary 24VAC 100VA secondary 5A H 95mm L 85mm W 85mm connection screw 50/60Hz type USE10BB		

probes


<p>producer-specific probes</p> <p>probes</p> 			
1			
<b>GEV No.</b>	379470	<b>Ref. No.</b>	04900720
<b>description</b>	probe Pt1000 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection plug thread probe ø3-6x140mm cable length 1m		
			
1			
<b>GEV No.</b>	379474	<b>Ref. No.</b>	04900154
<b>description</b>	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection male faston 6.3mm thread 1/4" probe ø8x30mm cable length 0.3m		





1 


<b>GEV No.</b>	379659	<b>Ref. No.</b>	04900561
<b>description</b>	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread 1/8" probe ø8x50mm cable length 0.4m		

1 


<b>GEV No.</b>	698662	<b>Ref. No.</b>	04900775 04900775.1
<b>description</b>	temperature probe NTC cable silicone probe -40 up to +150°C cable -40 up to +120°C connection plug thread 1/8" cable length 0.465m probe L 20mm		

## electronics


### PCBs

1 


<b>GEV No.</b>	402401	<b>Ref. No.</b>	04900712
<b>description</b>	display L 100mm W 47mm with keypad		

1 


<b>GEV No.</b>	400369	<b>Ref. No.</b>	04900035
<b>description</b>	keypad PCB		

1 

<b>GEV No.</b>	400370	<b>Ref. No.</b>	04900036
<b>description</b>	keypad PCB		

1 


<b>GEV No.</b>	400371	<b>Ref. No.</b>	04900037
<b>description</b>	keypad PCB		

1 


<b>GEV No.</b>	400372	<b>Ref. No.</b>	04900042
<b>description</b>	keypad PCB		

1 


<b>GEV No.</b>	400373	<b>Ref. No.</b>	04900044
<b>description</b>	keypad PCB		

1 


<b>GEV No.</b>	400374	<b>Ref. No.</b>	04900043
<b>description</b>	keypad PCB		

1 


<b>GEV No.</b>	400454	<b>Ref. No.</b>	04900051
<b>description</b>	keypad PCB		

1 


<b>GEV No.</b>	400455	<b>Ref. No.</b>	04900052
<b>description</b>	keypad PCB		

1 

<b>GEV No.</b>	400456	<b>Ref. No.</b>	04900053
<b>description</b>	keypad PCB		


1 

<b>GEV No.</b>	400461	<b>Ref. No.</b>	04900090
<b>description</b>	keypad PCB		


1

<b>GEV No.</b>	400462	<b>Ref. No.</b>	04900081
<b>description</b>	keypad PCB		



1

<b>GEV No.</b>	400552	<b>Ref. No.</b>	04900116
<b>description</b>	keypad PCB		




1

<b>GEV No.</b>	400554	<b>Ref. No.</b>	04900067
<b>description</b>	keypad PCB		




1

<b>GEV No.</b>	400591	<b>Ref. No.</b>	04900120
<b>description</b>	keypad PCB		




1

<b>GEV No.</b>	402412	<b>Ref. No.</b>	04900707
<b>description</b>	keypad PCB L 100mm W 37mm		




1

<b>GEV No.</b>	402399	<b>Ref. No.</b>	04900742
<b>description</b>	keypad PCB L 135mm W 34mm		




1

<b>GEV No.</b>	402413	<b>Ref. No.</b>	04900704
<b>description</b>	keypad PCB L 135mm W 37mm		




1

<b>GEV No.</b>	402394	<b>Ref. No.</b>	04900705
<b>description</b>	keypad PCB L 136mm W 37mm		




1

<b>GEV No.</b>	402398	<b>Ref. No.</b>	04900738
<b>description</b>	keypad PCB L 160mm W 34mm		




1

<b>GEV No.</b>	402395	<b>Ref. No.</b>	04900706
<b>description</b>	keypad PCB L 160mm W 37mm		




1

<b>GEV No.</b>	402400	<b>Ref. No.</b>	04900744
<b>description</b>	keypad PCB L 182mm W 34mm		




1

<b>GEV No.</b>	402396	<b>Ref. No.</b>	04900735
<b>description</b>	keypad PCB L 210mm W 15mm		




1

<b>GEV No.</b>	402397	<b>Ref. No.</b>	04900737
<b>description</b>	keypad PCB L 84mm W 33mm		




1

<b>GEV No.</b>	400592	<b>Ref. No.</b>	04900121
<b>description</b>	keypad PCB suitable for NUOVA SIMONELLI with display		




1

<b>GEV No.</b>	400599	<b>Ref. No.</b>	04900153
<b>description</b>	keypad PCB with display		


1

<b>GEV No.</b>	403253	<b>Ref. No.</b>	15030005
<b>description</b>	net board coffee grinder MYTHOS 115V with housing 110V		



1

<b>GEV No.</b>	403624	<b>Ref. No.</b>	04900732
<b>description</b>	PCB coffee machine Appia L 162mm W 74mm		




1

<b>GEV No.</b>	400466	<b>Ref. No.</b>	04900045
<b>description</b>	PCB		




1

<b>GEV No.</b>	402409	<b>Ref. No.</b>	04900732 old
<b>description</b>	PCB coffee machine Appia L 164mm W 75mm 12V type ECO2AAPPI-A220V supply 230VAC		




1

<b>GEV No.</b>	400467	<b>Ref. No.</b>	04900046 04900047
<b>description</b>	PCB		




1

<b>GEV No.</b>	402411	<b>Ref. No.</b>	04900740
<b>description</b>	PCB coffee machine Appia L 75mm W 164mm 12V type ECO-2COMP220V supply 230VAC		



1

<b>GEV No.</b>	400597	<b>Ref. No.</b>	04900152
<b>description</b>	PCB 3/4 groups suitable for NUOVA SIMONELLI		



1

<b>GEV No.</b>	402403	<b>Ref. No.</b>	04900714
<b>description</b>	PCB coffee machine Aurelia L 160mm W 132mm 12V type AVR4VI-P220V supply 230VAC		



1

<b>GEV No.</b>	403679	<b>Ref. No.</b>	04900732
<b>description</b>	PCB coffee machine Appia L 130mm W 115mm		



1

<b>GEV No.</b>	403762	<b>Ref. No.</b>	04900740
<b>description</b>	PCB coffee machine L 122mm W 106mm		



1			
<b>GEV No.</b>	400459	<b>Ref. No.</b>	04900112
<b>description</b>	PCB dosing		



1			
<b>GEV No.</b>	402877	<b>Ref. No.</b>	04900653
<b>description</b>	PCB for coffee machine Microbar L 180mm W 110mm		



1			
<b>GEV No.</b>	402410	<b>Ref. No.</b>	04900733
<b>description</b>	PCB L 118mm W 132mm 230V 12V		



1			
<b>GEV No.</b>	402408	<b>Ref. No.</b>	04900730
<b>description</b>	PCB L 122mm W 65mm 12V type NEWAPPIA1220V supply 230VAC		



1			
<b>GEV No.</b>	402406	<b>Ref. No.</b>	04900717
<b>description</b>	PCB L 132mm W 116mm 12V type AVR2S220V supply 230VAC		



1			
<b>GEV No.</b>	402407	<b>Ref. No.</b>	04900718
<b>description</b>	PCB L 132mm W 116mm 12V type AVR4S220V supply 230VAC		



1			
<b>GEV No.</b>	402405	<b>Ref. No.</b>	04900716
<b>description</b>	PCB L 132mm W 116mm 12V type AVR4V220V supply 230VAC		



1			
<b>GEV No.</b>	402402	<b>Ref. No.</b>	04900713
<b>description</b>	PCB L 160mm W 132mm 12V type AVR2VIP220V supply 230VAC		



1			
<b>GEV No.</b>	402404	<b>Ref. No.</b>	04900715
<b>description</b>	PCB L 162mm W 74mm 12V type ECO2VR220V supply 230VAC		



1			
<b>GEV No.</b>	400594	<b>Ref. No.</b>	04900123
<b>description</b>	PCB with display		



central units




1

<b>GEV No.</b>	400476	<b>Ref. No.</b>	04900117
<b>description</b>	control box		



1

<b>GEV No.</b>	400363	<b>Ref. No.</b>	04900082
<b>description</b>	control box 2-group for coffee machine		




1

<b>GEV No.</b>	400364	<b>Ref. No.</b>	04900031
<b>description</b>	control box 2-group for coffee machine 230V		



1

<b>GEV No.</b>	400367	<b>Ref. No.</b>	04900113
<b>description</b>	control box 2-group for coffee machine 230V type ECO2PREM		




1

<b>GEV No.</b>	400473	<b>Ref. No.</b>	04900084
<b>description</b>	control box 3-4-group		



1

<b>GEV No.</b>	400472	<b>Ref. No.</b>	04900126
<b>description</b>	control box 3-group for coffee machine 230V type ECO3PREM		



1

<b>GEV No.</b>	400471	<b>Ref. No.</b>	04900055 04900055.1
<b>description</b>	control box 4-group for coffee machine 230V		



1

<b>GEV No.</b>	400572	<b>Ref. No.</b>	04900162
<b>description</b>	control box for coffee machine 230V		



			
1			
<b>GEV No.</b>	400593	<b>Ref. No.</b>	04900122
<b>description</b>	control box for coffee machine 230V		

## dosing electronics


### GICAR


			
1			
<b>GEV No.</b>	402393	<b>Ref. No.</b>	04900195
<b>description</b>	dosing electronics 2-group 230V 50/60Hz type RL30/2S/3R		


## keypads


### front foils

			
1			
<b>GEV No.</b>	400587	<b>Ref. No.</b>	05000131.0
<b>description</b>	keypad foil		

			
1			
<b>GEV No.</b>	400588	<b>Ref. No.</b>	05000132.0
<b>description</b>	keypad foil		


			
1			
<b>GEV No.</b>	400589	<b>Ref. No.</b>	05000133.0
<b>description</b>	keypad foil		

			
1			
<b>GEV No.</b>	400590	<b>Ref. No.</b>	05000134.0
<b>description</b>	keypad foil		

			
1			
<b>GEV No.</b>	400458	<b>Ref. No.</b>	78016004
<b>description</b>	keypad foil 3 groups		

			
1			
<b>GEV No.</b>	402591	<b>Ref. No.</b>	79016082
<b>description</b>	keypad foil with control panel L 310mm W 88mm buttons 7		

## membrane keypads

			
1			
<b>GEV No.</b>	401896	<b>Ref. No.</b>	04900668.1
<b>description</b>	membrane keypad buttons 8 suitable for NUOVA SIMONELLI L 145mm W 69mm		

## keypad units

			
1			
<b>GEV No.</b>	400463	<b>Ref. No.</b>	04900033 04900034
<b>description</b>	keypad unit		



→ electric components

**control panel**

1			
<b>GEV No.</b>	525009	<b>Ref. No.</b>	78016020
<b>description</b>	control panel L 594mm grey H 75mm 2-group		

1			
<b>GEV No.</b>	525016	<b>Ref. No.</b>	78016021
<b>description</b>	control panel L 594mm grey H 75mm 2-group		

1			
<b>GEV No.</b>	525014	<b>Ref. No.</b>	78016030
<b>description</b>	control panel L 824mm grey H 75mm 3-group		

1			
<b>GEV No.</b>	525015	<b>Ref. No.</b>	78016031
<b>description</b>	control panel L 824mm grey H 75mm 3-group		

1			
<b>GEV No.</b>	502253	<b>Ref. No.</b>	18010846
<b>description</b>	control panel warewashing L 310mm W 133mm H 7mm black		

**accessories**

1			
<b>GEV No.</b>	112612	<b>Ref. No.</b>	04900707.S
<b>description</b>	buttons strip buttons 1 L 32mm W 37mm		

1			
<b>GEV No.</b>	112609	<b>Ref. No.</b>	04900704.S
<b>description</b>	buttons strip buttons 4 L 114mm W 37mm		

1			
<b>GEV No.</b>	112610	<b>Ref. No.</b>	04900705.S
<b>description</b>	buttons strip buttons 4 L 114mm W 37mm		

1			
<b>GEV No.</b>	112607	<b>Ref. No.</b>	04900702
<b>description</b>	buttons strip buttons 4 L 70mm W 10mm		

1			
<b>GEV No.</b>	112608	<b>Ref. No.</b>	04900703
<b>description</b>	buttons strip buttons 4 L 70mm W 10mm		

1			
<b>GEV No.</b>	112611	<b>Ref. No.</b>	04900706.S
<b>description</b>	buttons strip buttons 5 L 132mm W 37mm		

**solenoid valves**
















**solenoid valves (water)**

<b>RPE</b>			
solenoid valves with reducers			
3-fold			
1			
<b>GEV No.</b>	370240	<b>Ref. No.</b>	18010079
<b>description</b>	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C RPE plastic output B 0.32-0.42l/min flow regulating valve outlet B green		

<b>TP</b>				
1				
<b>GEV No.</b>	370021	<b>Ref. No.</b>	18010078	
<b>description</b>	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
<b>spare parts for</b>	370021			
	<b>GEV No.</b>	371013	<b>Ref. No.</b>	—
	solenoid coil TP 230VAC 50/60Hz			
<b>accessories for</b>	370021			
	<b>GEV No.</b>	371220	<b>Ref. No.</b>	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	<b>GEV No.</b>	371221	<b>Ref. No.</b>	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	<b>GEV No.</b>	371222	<b>Ref. No.</b>	—
	reducer TP flow rate 6l/min grey tolerance ±15%			

Table continues overleaf



accessories for		370021	
	GEV No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No. —
reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance ±20%			

## solenoid valves with reducers



1

GEV No.	370245	Ref. No.	18010751
description	solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm input 16l/min t.max. 90°C TP plastic flow regulating valve inlet light brown		

## metal

## ASCO

## spare parts and accessories

## O-rings



1

GEV No.	371095	Ref. No.	02290016
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

## CEME

## solenoid valves



1

GEV No.	370632	Ref. No.	04100067
description	solenoid valve brass 3-ways 230VAC connection 1/8" L 28mm CEME type series 53 p max 12bar p min 0.1bar		



1

GEV No.	370238	Ref. No.	04100038
description	solenoid valve brass 3-ways coffee machine parts		

## LUCIFER

## spare parts and accessories

## valve bodies



1


GEV No.	370061	Ref. No.	NS0401
description	solenoid valve body LUCIFER-PARKER 3-ways outer cone		





**ODE**


**2-way**



1


<b>GEV No.</b>	370235	<b>Ref. No.</b>	04100012 04100022 (old version)
<b>description</b>	solenoid valve 2-ways 220/230 inlet 1/4" outlet 1/4" connection 1/4" L 40mm DN 2.5mm slide-on receptacle DIN -20° up to 130°C type series 21A2K0R25-XC membranes FKM (water) p max 30bar p min 0bar 50/60Hz brass		

**3-way**



1

<b>GEV No.</b>	370839	<b>Ref. No.</b>	04100054
<b>description</b>	solenoid valve brass 3-ways 230VAC connection 1/8" L 30mm DN 2.3mm ODE type series 31JN1XPV23 p max 5bar p min 0.1bar		




1

<b>GEV No.</b>	370838	<b>Ref. No.</b>	04100046
<b>description</b>	solenoid valve brass 3-ways 230VAC connection 1/8" L 30mm ODE type series 31JN1XPV12 p max 15bar p min 0.1bar		

**solenoid valves steam (water)**


**21J series**




1

<b>GEV No.</b>	370232	<b>Ref. No.</b>	04100042
<b>description</b>	solenoid valve brass 2-ways 230VAC connection 1/8" L 30mm DN 2.3mm -10 up to 140°C membranes FKM p max 18bar		


**31A series**



1

<b>GEV No.</b>	370237	<b>Ref. No.</b>	04100009
<b>description</b>	solenoid valve 3-ways 230VAC inlet 1/8" outlet 1/8" connection 1/8" DN 2.5mm slide-on receptacle DIN -10 up to 140°C ODE type series 31A coil type BDA membranes FKM (water/steam) p max 6bar p min 0.1bar		
<b>spare parts for</b>	370237		
	<b>GEV No.</b>	371150	<b>Ref. No.</b> —
	solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm		
<b>accessories for</b>	370237		
	<b>GEV No.</b>	371090	<b>Ref. No.</b> —
	power socket plug type DIN 43650A screw		

**4144XPV series**




1

<b>GEV No.</b>	370233	<b>Ref. No.</b>	04100008 04100045 04100066
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/8" DN 1.7mm -10 up to 140°C membranes FKM (water/steam) p max 15bar p min 0bar brass		


**PARKER**

**2-way**

**VE-140 series**



1






<b>GEV No.</b>	370821	<b>Ref. No.</b>	04100022
<b>description</b>	solenoid valve 2-ways 208-240 inlet 1/4" outlet 1/4" connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -10 up to 140°C type series VE-140 coil type ZB09 membranes ruby p max 8bar brass		
<b>spare parts for</b>	370821		
	<b>GEV No.</b>	371029	<b>Ref. No.</b> —
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		



3-way

VE-128 series





<b>GEV No.</b>	370057	<b>Ref. No.</b>	04100017
<b>description</b>	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm		
<b>spare parts for</b>	370057		
	<b>GEV No.</b>	370062	<b>Ref. No.</b> —
	solenoid valve body PARKER 3-ways outer cone		
	<b>GEV No.</b>	371029	<b>Ref. No.</b> —
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		
<b>accessories for</b>	370057		
	<b>GEV No.</b>	371090	<b>Ref. No.</b> —
	power socket plug type DIN 43650A screw		
	<b>GEV No.</b>	371095	<b>Ref. No.</b> 02290016
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
	<b>GEV No.</b>	371100	<b>Ref. No.</b> —
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

VE-141 series




<b>GEV No.</b>	374076	<b>Ref. No.</b>	04100063
<b>description</b>	solenoid valve 230VAC inlet 1/4" outlet 1/4" connection 1/4" L 40mm DN 2.5mm t.max. 140°C slide-on receptacle DIN -20° up to 130°C coil type ZB09 membranes FKM (water) p max 0bar p min 7bar 50Hz		



<b>GEV No.</b>	370234	<b>Ref. No.</b>	04100011
<b>description</b>	solenoid valve 3-ways 230VAC connection 1/8" DN 1.2mm slide-on receptacle DIN -20° up to 130°C PARKER type series VE-141 coil type ZB09 membranes FKM (water) p max 10bar		
<b>spare parts for</b>	370234		
	<b>GEV No.</b>	371029	<b>Ref. No.</b> —
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		
<b>accessories for</b>	370234		
	<b>GEV No.</b>	371090	<b>Ref. No.</b> —
	power socket plug type DIN 43650A screw		

solenoid valves (various)




<b>GEV No.</b>	370236	<b>Ref. No.</b>	04100024
<b>description</b>	solenoid valve 2-ways 230VAC inlet 1/4" outlet 1/4" controllable		
<b>accessories for</b>	370236		
	<b>GEV No.</b>	696700	<b>Ref. No.</b> 04100024.P
	handle ø 25mm hole ø 5.3x6mm L 7.5mm		



<b>GEV No.</b>	370634	<b>Ref. No.</b>	04100005
<b>description</b>	solenoid valve 2-ways 230VAC inlet 1/4" outlet 1/4" L 35mm CEME type series 66 p max 4.5bar 50/60Hz brass		

Solenoid valve - accessories



<b>GEV No.</b>	528952	<b>Ref. No.</b>	06200036 98021000
<b>description</b>	mounting plate for solenoid valve		
<b>accessories for</b>	528952		
	<b>GEV No.</b>	528954	<b>Ref. No.</b> 07300022
	nozzle hole ø 0.8mm thread M6 thread L 6mm brass		



<b>GEV No.</b>	371095	<b>Ref. No.</b>	02290016
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		



pressure switches

for warewashing

ø51mm with coded plug



1			
<b>GEV No.</b>	541784	<b>Ref. No.</b>	18010169
<b>description</b>	pressure control pressure range 50/20mbar ø 51mm pressure connection horizontal warewashing pressure connection ø 5.5mm at 250V 10A		



1			
<b>GEV No.</b>	541875	<b>Ref. No.</b>	18010442
<b>description</b>	pressure control pressure range 90/30mbar connection coded plug ø 51mm pressure connection ø 6mm at 250V 10A		

ø 58mm with male faston 6.3mm

with connection horizontal



1			
<b>GEV No.</b>	541010	<b>Ref. No.</b>	18000041
<b>description</b>	pressure control pressure range 50/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		



1			
<b>GEV No.</b>	541165	<b>Ref. No.</b>	18010422
<b>description</b>	pressure control pressure range 60/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

for coffee machines

ø 35mm



1			
<b>GEV No.</b>	541131	<b>Ref. No.</b>	09200014old
<b>description</b>	pressure control ø 35mm pressure range adjustable 0.2-0.9bar pressure connection vertical coffee machine parts connection 1-pole pressure connection 1/4"		

miscellaneous



1			
<b>GEV No.</b>	541477	<b>Ref. No.</b>	09200014
<b>description</b>	pressure control pressure range 0.6bar connection 1/4" 16A 1-pole type coffee machine parts		



1			
<b>GEV No.</b>	541021	<b>Ref. No.</b>	09200006 NS1201
<b>description</b>	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		

<b>accessories for</b>	541021		
<b>GEV No.</b>	550262	<b>Ref. No.</b>	—



flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm



**GEV No.** 890100 **Ref. No.** —  
PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm

electrodes




1			
<b>GEV No.</b>	400020	<b>Ref. No.</b>	09000005
<b>description</b>	level electrode 1/4" total length 150mm probe L 124mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		



1

<b>GEV No.</b>	400595	<b>Ref. No.</b>	73003011
<b>description</b>	level electrode 1/4" total length 72mm probe L 42mm insulated probe length 26mm connection male faston 6.3mm brass ø 2.5mm		



1

<b>GEV No.</b>	698661	<b>Ref. No.</b>	09000007
<b>description</b>	level electrode threaded total length 88mm probe L 34mm ø 2.5mm thread M10x1 T2: 1/4"		

## flow meters and flow sensors


### flow meters

#### GICAR



1

<b>GEV No.</b>	400004	<b>Ref. No.</b>	04900027
<b>description</b>	flow meter thread 1/4" stainless steel with LED plug connection approval NSF		

<b>accessories for</b>	400004			
	<b>GEV No.</b>	400256	<b>Ref. No.</b>	—
	plug GICAR for flow meter			

## motors

### gear motors

#### for ice-cube maker

#### for paddles



1

<b>GEV No.</b>	500407	<b>Ref. No.</b>	16000018
<b>description</b>	gear motor LIP type 123MR 8W 220/240V voltage AC 50/60Hz 50rpm turn direction counterclockwise shaft ø 4mm shaft intake ø 6.2mm groove width 2.3mm shaft L 8mm shaft ø 4mm W 74mm		

#### for drink dispensers



1

<b>GEV No.</b>	500909	<b>Ref. No.</b>	16300028 16300077
<b>description</b>	gear motor KENTA type CD79F 60/68W 115/230V 50/60Hz 33/40rpm shaft ø 6x12mm L 220mm W 70mm H 105mm for drink dispenser		

#### for automatic coffee machines



1

<b>GEV No.</b>	500316	<b>Ref. No.</b>	04600001
<b>description</b>	gear motor LIP type 066C 73W 220/240V voltage AC 50/60Hz 12rpm L 110mm W 70mm H 85mm for coffee machine		



**motors**

for coffee grinders

complete



1

<b>GEV No.</b>	500315	<b>Ref. No.</b>	04500031
<b>description</b>	motor 250W 230V 50Hz 1 phase shaft ø 12mm shaft length 36mm thread M10L 1360rpm type D001302 ø 120mm H 190mm capacitor 10µF RPM 0.25kW		

**pumps**




wash and rinse pumps

ALBA (C&A)

pumps








1

<b>GEV No.</b>	500941	<b>Ref. No.</b>	18010101 18010843
<b>description</b>	pump inlet ø 30mm outlet ø 30mm type IM32591 230V 50Hz 1 phase 0.45kW 0.6HP L 200mm rotation direction right capacitor 12.5µF auxiliary pressure connection 11mm supporting pressure open ALBA PUMPS (C&A)		
<b>spare parts for</b>	500941		
	<b>GEV No.</b>	365014	<b>Ref. No.</b> 18010104
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	<b>GEV No.</b>	509018	<b>Ref. No.</b> —
	O-ring EPDM thickness 3.53mm ID ø 107.5mm Qty 1 pcs		
	<b>GEV No.</b>	510692	<b>Ref. No.</b> 18010061
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		



1

<b>GEV No.</b>	500940	<b>Ref. No.</b>	18010835
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 2031 230V 50Hz 1 phase 0.75kW 1HP L 200mm rotation direction right connection plug connection capacitor 12.5µF auxiliary pressure connection 10mm supporting pressure open ALBA PUMPS (C&A)		
<b>spare parts for</b>	500940		
	<b>GEV No.</b>	365014	<b>Ref. No.</b> 18010104
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	<b>GEV No.</b>	509021	<b>Ref. No.</b> —
	impellor ø 102mm H 32mm shaft intake ø 9/8mm rotation direction right		
	<b>GEV No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	<b>GEV No.</b>	521531	<b>Ref. No.</b> —
	pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner height 24mm		
	<b>GEV No.</b>	521709	<b>Ref. No.</b> —
	O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs		

**drain pumps**

ASKOLL



1

<b>GEV No.</b>	500347	<b>Ref. No.</b>	18010653
<b>description</b>	drain pump 230V 34W		

PLASET



Image not available

1

<b>GEV No.</b>	500514	<b>Ref. No.</b>	18010378
<b>description</b>	drain pump inlet ø 30mm outlet ø 22mm 230V 34W		



booster pumps II

pump motors

clip connection



1	<b>GEV No.</b>	500317	<b>Ref. No.</b>	04500033
	<b>description</b>	pump motor RPM type C004320 120W 230V 50/60Hz connection clip capacitor 6µF		

pump heads

FLUID-O-TECH



1	<b>GEV No.</b>	500318	<b>Ref. No.</b>	01300004
	<b>description</b>	pump		



1	<b>GEV No.</b>	499153	<b>Ref. No.</b>	01300004
	<b>description</b>	pump head CB054 FLUID-O-TECH L 62mm 50l/h connection 3/8" GAS with modulator brass clip connection for coffee machine shaft ø 5x11mm NSF		



1	<b>GEV No.</b>	500174	<b>Ref. No.</b>	01300005	
	<b>description</b>	pump head PA104 FLUID-O-TECH L 82mm 100l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm NSF			
	<b>accessories for</b>	500174			
		<b>GEV No.</b>	520126	<b>Ref. No.</b>	—
		clamp for pump/motor			



1	<b>GEV No.</b>	500211	<b>Ref. No.</b>	01300004
	<b>description</b>	pump head PO054 FLUID-O-TECH L 82mm 50l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 11mm		



1	<b>GEV No.</b>	500064	<b>Ref. No.</b>	01300006	
	<b>description</b>	pump head PO204 FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm			
	<b>accessories for</b>	500064			
		<b>GEV No.</b>	520126	<b>Ref. No.</b>	—
		clamp for pump/motor			

accessories




1	<b>GEV No.</b>	365015	<b>Ref. No.</b>	04000043 15050009
	<b>description</b>	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1	<b>GEV No.</b>	365012	<b>Ref. No.</b>	04000010
	<b>description</b>	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		




vibration pumps





1

<b>GEV No.</b>	500319	<b>Ref. No.</b>	04800005
<b>description</b>	vibration pump 230V 53W 50Hz inlet $\varnothing$ 7 outlet $\varnothing$ 1/8" IT CEME type ET500 L 123mm brass		




1

<b>GEV No.</b>	500124	<b>Ref. No.</b>	04800005	
<b>description</b>	vibration pump type EX 5 230V 48W 50/60Hz inlet $\varnothing$ 6 outlet $\varnothing$ 1/8" IT flat seal ULKA brass L 123mm			
<b>accessories for</b>	500124			
	<b>GEV No.</b>	520152	<b>Ref. No.</b>	—
	hose connector Santoprene grommet $\varnothing$ 7mm grommet length 14mm			
	<b>GEV No.</b>	520330	<b>Ref. No.</b>	—
	bracket rubber dimensions 69x44x4mm			

condensators & interference suppression filters

operating capacitors

plastic




1

<b>GEV No.</b>	365015	<b>Ref. No.</b>	04000043 15050009
<b>description</b>	operating capacitor capacity 10 $\mu$ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

<b>GEV No.</b>	365014	<b>Ref. No.</b>	18010104
<b>description</b>	operating capacitor capacity 12.5 $\mu$ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		




1

<b>GEV No.</b>	365012	<b>Ref. No.</b>	04000010
<b>description</b>	operating capacitor capacity 6.3 $\mu$ F 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C $\varnothing$ 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

filters

interference suppression filters




1

<b>GEV No.</b>	365046	<b>Ref. No.</b>	18010415
<b>description</b>	interference suppression filter type 10S7E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm $\varnothing$ 40mm Hmm Wmm M8 plastic Qty 1 pcs		

fuses


fine fuses



1

<b>GEV No.</b>	358022	<b>Ref. No.</b>	16300112
<b>description</b>	fine fuse size $\varnothing$ 10x38mm 4A rated 500V type Gg fast-acting Qty 1 pcs		

thermal fuses




1

<b>GEV No.</b>	358012	<b>Ref. No.</b>	09500014
<b>description</b>	thermal fuse switch-off temp. 167°C nominalA cable length 160mm		

electric accessories

cables

PVC cable




1

<b>GEV No.</b>	550223	<b>Ref. No.</b>	04000090 04000540
<b>description</b>	PVC cable 5-pole 2.5mm <sup>2</sup> L 3000mm white conductor copper wire insulation PVC permanent temperature 70°C t.max. 70°C rated 300/500V test voltage 2000V		



## terminals

## connection terminals with screw/faston connections



1

<b>GEV No.</b>	550278	<b>Ref. No.</b>	04000310
<b>description</b>	power terminal block 3-pole max. 40A max 400V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section $6\text{mm}^2$		



1

<b>GEV No.</b>	550411	<b>Ref. No.</b>	18010390
<b>description</b>	power terminal block 6-pole max. 40A max 450V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section $6\text{mm}^2$		

## electronic magnets



1

<b>GEV No.</b>	370631	<b>Ref. No.</b>	04100052
<b>description</b>	electronic magnet 230V voltage AC 50Hz L 23mm W 19mm H 29mm		

## equipment-specific units

## for ice-cube maker

## ice chutes

## slide grates



1

<b>GEV No.</b>	692097	<b>Ref. No.</b>	16000515
<b>description</b>	slide grate for ice-cube maker L 160mm W 170mm H 60mm		

## pan mechanics

## sumps



1

<b>GEV No.</b>	695359	<b>Ref. No.</b>	16000440
<b>description</b>	sump for ice maker L 180mm W 180mm H 60mm EUROFRIGOR		

## for espresso machines

## filter holders

## filter holders standard

## filter holder without spout



1

<b>GEV No.</b>	525992	<b>Ref. No.</b>	N/A
<b>description</b>	filter holder suitable for NUOVA SIMONELLI without outlet mounting $\phi 82\text{mm}$ outlet 3/8" ID $\phi 61\text{mm}$ wedge height 11mm wedge position diagonal number of wedges 2 lever straight chrome-plated brass		

## filter holders short



1

<b>GEV No.</b>	527132	<b>Ref. No.</b>	49800002
<b>description</b>	filter holder mounting $\phi 80\text{mm}$ hole $\phi 8\text{mm}$ ID $\phi 62\text{mm}$		



1

<b>GEV No.</b>	529071	<b>Ref. No.</b>	98005001
<b>description</b>	filter holder mounting $\phi 82\text{mm}$ outlet 3/8" ID $\phi 61\text{mm}$ handle M10x1.5 wedge height 11mm wedge position diagonal number of wedges 2 lever straight chrome-plated brass		





1


<b>GEV No.</b>	526799	<b>Ref. No.</b>	06200086
<b>description</b>	filter holder mounting $\phi 82\text{mm}$ outlet 3/8" ID $\phi 61\text{mm}$ handle M10x1.5 wedge height 7mm wedge position diagonal number of wedges 2 lever inclined chrome-plated brass		








handles			
with external thread			
			
1			
<b>GEV No.</b>	111053	<b>Ref. No.</b>	N/A
<b>description</b>	handle ø 36mm thread M10x1.5 thread L 15mm L 126mm black		


with bore			
			
1			
<b>GEV No.</b>	525036	<b>Ref. No.</b>	05000840
<b>description</b>	handle ø 33mm L 117mm black aperture 12.5mm		

			
1			
<b>GEV No.</b>	527133	<b>Ref. No.</b>	05080014
<b>description</b>	handle ø 34mm aperture hexagon 20mm L 102mm black		

end caps			
			
1			
<b>GEV No.</b>	525037	<b>Ref. No.</b>	05000842
<b>description</b>	end cap ø 38mm black		

sleeves			
			
1			
<b>GEV No.</b>	525038	<b>Ref. No.</b>	05000844
<b>description</b>	sleeve ø 38mm L 31mm black		


screws			
			
1			
<b>GEV No.</b>	525029	<b>Ref. No.</b>	07300601
<b>description</b>	thread bolt thread M10 L 85mm thread L 12mm WS 13 SS		

spouts			
with thread 3/8"			
			
1			
<b>GEV No.</b>	529007	<b>Ref. No.</b>	06200008
<b>description</b>	filter holder spout thread 3/8" 2-way curved/short outlet distance 45mm		

filters			
for 1 cup			
			
1			
<b>GEV No.</b>	527135	<b>Ref. No.</b>	03000321
<b>description</b>	coffee filter ø 70mm mounting ø 61.2mm H 21mm cups 1 amount of coffee 6g		

for 2 cups			
			
1			
<b>GEV No.</b>	527136	<b>Ref. No.</b>	03000073 03000322 40300030
<b>description</b>	coffee filter ø 70mm mounting ø 61mm H 22mm cups 2		

blind filters			
			
1			
<b>GEV No.</b>	529023	<b>Ref. No.</b>	03000107
<b>description</b>	blind filter ø 70mm mounting ø 60mm H 18mm		

filter holder springs			
			
1			
<b>GEV No.</b>	529079	<b>Ref. No.</b>	08000017
<b>description</b>	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder		

## brewing units


## shower screens

## flat



1

<b>GEV No.</b>	527107	<b>Ref. No.</b>	03000067
<b>description</b>	shower screen $\varnothing$ 34mm hole $\varnothing$ 4.5mm		



1

<b>GEV No.</b>	527108	<b>Ref. No.</b>	03000069
<b>description</b>	shower screen $\varnothing$ 40mm hole $\varnothing$ 4.5mm flat		

## with upstand and central hole



1

<b>GEV No.</b>	527128	<b>Ref. No.</b>	03000066
<b>description</b>	shower screen		



1

<b>GEV No.</b>	529144	<b>Ref. No.</b>	03000066
<b>description</b>	shower screen $\varnothing$ 56.5mm H 4.5mm hole $\varnothing$ 5.3mm		

## filter holder gaskets

## flat

## with external notch



1

<b>GEV No.</b>	528405	<b>Ref. No.</b>	02280020.C
<b>description</b>	filter holder gasket D1 $\varnothing$ 73mm D2 $\varnothing$ 58mm H 7mm with outside notch Qty 1 pcs		

## standard



1

<b>GEV No.</b>	528069	<b>Ref. No.</b>	02280025
<b>description</b>	filter holder gasket D1 $\varnothing$ 72.5mm D2 $\varnothing$ 58mm H 4.5mm Qty 1 pcs		



1

<b>GEV No.</b>	528047	<b>Ref. No.</b>	02280020
<b>description</b>	filter holder gasket D1 $\varnothing$ 73mm D2 $\varnothing$ 58mm H 7mm Qty 1 pcs		

## with cone



1

<b>GEV No.</b>	528036	<b>Ref. No.</b>	40200004
<b>description</b>	filter holder gasket with cone D1 $\varnothing$ 70.5mm D2 $\varnothing$ 56mm H1 8.9mm H2 5.8mm Qty 1 pcs		



1

<b>GEV No.</b>	525021	<b>Ref. No.</b>	02280020.V
<b>description</b>	filter holder gasket with cone D1 $\varnothing$ 71mm D2 $\varnothing$ 56mm H1 8.2mm H2 5mm Qty 1 pcs		

## O-rings




1

<b>GEV No.</b>	510409	<b>Ref. No.</b>	18010746
<b>description</b>	O-ring EPDM thickness 5.34mm ID $\varnothing$ 56.52mm Qty 1 pcs		




brewing units with solenoid valve

producer-specific brewing units




1

<b>GEV No.</b>	525010	<b>Ref. No.</b>	70004010
<b>description</b>	brewing unit suitable for NUOVA SIMONELLI		



1

<b>GEV No.</b>	525011	<b>Ref. No.</b>	70004011
<b>description</b>	brewing unit suitable for NUOVA SIMONELLI		



1


<b>GEV No.</b>	525012	<b>Ref. No.</b>	78004000
<b>description</b>	brewing unit suitable for NUOVA SIMONELLI		



1

<b>GEV No.</b>	525013	<b>Ref. No.</b>	73004015
<b>description</b>	brewing unit suitable for NUOVA SIMONELLI		


**gaskets**



1

<b>GEV No.</b>	532554	<b>Ref. No.</b>	18010559
<b>description</b>	O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs		

**nozzles**




1

<b>GEV No.</b>	528831	<b>Ref. No.</b>	07300174
<b>description</b>	nozzle		



1

<b>GEV No.</b>	528954	<b>Ref. No.</b>	07300022
<b>description</b>	nozzle hole ø 0.8mm thread M6 thread L 6mm brass		



1

<b>GEV No.</b>	525018	<b>Ref. No.</b>	07300127
<b>description</b>	nozzle hole ø 2.5mm thread M8 thread L 8mm brass		



1

<b>GEV No.</b>	525017	<b>Ref. No.</b>	07300226
<b>description</b>	nozzle hole $\varnothing$ 2mm thread M8 thread L 8mm brass		



1

<b>GEV No.</b>	525019	<b>Ref. No.</b>	07300225
<b>description</b>	nozzle hole $\varnothing$ 3mm thread M8 thread L 8mm brass		



1

<b>GEV No.</b>	525020	<b>Ref. No.</b>	07300184
<b>description</b>	nozzle hole $\varnothing$ 4mm thread M8 thread L 8mm brass		

## components

## nozzles

## nozzle holders



1

<b>GEV No.</b>	528830	<b>Ref. No.</b>	07300173
<b>description</b>	nozzle holder		

## gaskets



1

<b>GEV No.</b>	528158	<b>Ref. No.</b>	02060022
<b>description</b>	flat gasket		

## water dispersions

## water dispersions

## group 3



1

<b>GEV No.</b>	525027	<b>Ref. No.</b>	07300183
<b>description</b>	water distributor $\varnothing$ 57.4mm H 7.5mm 8 holes hole $\varnothing$ 2mm mounting $\varnothing$ 6.6mm brass		



1

<b>GEV No.</b>	525028	<b>Ref. No.</b>	07300183.5
<b>description</b>	water distributor $\varnothing$ 57.4mm H 9.5mm 8 holes hole $\varnothing$ 2mm brass		

## 2-piece



1

<b>GEV No.</b>	525033	<b>Ref. No.</b>	98004000
<b>description</b>	flange hole $\varnothing$ 22mm $\varnothing$ 72.5mm		



1

<b>GEV No.</b>	529143	<b>Ref. No.</b>	07300124
<b>description</b>	water distributor hole $\varnothing$ 7mm 2mm brass $\varnothing$ 21.5mm		

## safety valves

## safety valves


## 1/4"





1


<b>GEV No.</b>	527125	<b>Ref. No.</b>	98013020
<b>description</b>	safety valve connection 1/4" triggering pressure 1.8bar		





1/8"			
			
1			
<b>GEV No.</b>	525032	<b>Ref. No.</b>	98120001
<b>description</b>	safety valve connection 1/8" triggering pressure 16.5bar		

3/8"			
			
1			
<b>GEV No.</b>	529346	<b>Ref. No.</b>	98013001
<b>description</b>	safety valve connection 3/8" IT triggering pressure 1.8bar sealed		


			
1			
<b>GEV No.</b>	527977	<b>Ref. No.</b>	98013022
<b>description</b>	safety valve connection 3/8" triggering pressure 1.8bar approval CE 0036		



			
1			
<b>GEV No.</b>	531134	<b>Ref. No.</b>	98250000000040
<b>description</b>	safety valve kit connection 3/8" triggering pressure 1.8bar approval CE 0035 sealed		

expansion valves			
			
1			
<b>GEV No.</b>	529378	<b>Ref. No.</b>	72012007
<b>description</b>	expansion valve T1: 1/4" ET T2: 1/4" ET L 37mm		

with hose connection			
			
1			
<b>GEV No.</b>	527127	<b>Ref. No.</b>	73012002
<b>description</b>	expansion valve T1: 1/8" ET hose ø 5mm L 28mm		

drain pans			
			
1			
<b>GEV No.</b>	525025	<b>Ref. No.</b>	05000018
<b>description</b>	drain pan L 100mm W 80mm H 60mm		

			
1			
<b>GEV No.</b>	525024	<b>Ref. No.</b>	05000403
<b>description</b>	drain pan L 100mm W 80mm ø 40mm		

aerators and air bleeders			
			
1			
<b>GEV No.</b>	529303	<b>Ref. No.</b>	01000023
<b>description</b>	aerator and air bleeder connection 1/4" only steam		
<b>spare parts for</b>	529303		
	<b>GEV No.</b>	528687	<b>Ref. No.</b>
			—
	 O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs		


boilers

boilers for espresso machines




1

<b>GEV No.</b>	525050	<b>Ref. No.</b>	75030046
<b>description</b>	boiler		







1

<b>GEV No.</b>	525054	<b>Ref. No.</b>	7903004
<b>description</b>	boiler		
<b>spare parts for</b>	525054		
	<b>GEV No.</b>	541131	<b>Ref. No.</b> 09200014old
	pressure control ø 35mm pressure range adjustable 0.2-0.9bar pressure connection vertical coffee machine parts connection 1-pole pressure connection 1/4"		



1

<b>GEV No.</b>	525493	<b>Ref. No.</b>	73003004
<b>description</b>	boiler 1200W 230V ø 120mm L 200mm		
<b>spare parts for</b>	525493		
	<b>GEV No.</b>	358012	<b>Ref. No.</b> 09500014
	thermal fuse switch-off temp. 167°C nominalA cable length 160mm		
	<b>GEV No.</b>	417195	<b>Ref. No.</b> 14100040
	heating element 1200W 230V heating circuits 1 thread 1" L 155mm W 22mm H 22mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 160mm number of thermostat sleeves 1 ther- mostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater flange with thread WS 30		
	<b>GEV No.</b>	541477	<b>Ref. No.</b> 09200014
	pressure control pressure range 0.6bar connection 1/4" 16A 1-pole type coffee machine parts		



1

<b>GEV No.</b>	531205	<b>Ref. No.</b>	78030092
<b>description</b>	boiler 2700W 230V ø 180mm L 280mm flange 4 hole flange brewing assemblys 2-group		





1

<b>GEV No.</b>	525051	<b>Ref. No.</b>	79030023
<b>description</b>	boiler brewing assemblys 2		

**gaskets**


perforated



1

<b>GEV No.</b>	528809	<b>Ref. No.</b>	02060026
<b>description</b>	boiler gasket D1 ø 140mm D2 ø 110mm thickness 2mm 5 holes graphite suitable for NUOVA SIMONELLI equiv. no. 0206026		

**accessories**




1

<b>GEV No.</b>	525035	<b>Ref. No.</b>	07300097
<b>description</b>	end cap ø 14mm L 14mm		

**steam/water taps**


steam/water taps

steam/water taps



1

<b>GEV No.</b>	529663	<b>Ref. No.</b>	98006000 98007000 98008000
<b>description</b>	steam/water tap		



1

<b>GEV No.</b>	529765	<b>Ref. No.</b>	75006031 75006032
<b>description</b>	steam/water tap		


**steam taps**

steam taps (complete)




1

<b>GEV No.</b>	527117	<b>Ref. No.</b>	80006000
<b>description</b>	steam tap complete		





1

<b>GEV No.</b>	525055	<b>Ref. No.</b>	73006010
<b>description</b>	steam tap inlet 3/8" pipe chrome-plated brass pipe length 170mm tube ø 8mm		



1

<b>GEV No.</b>	525049	<b>Ref. No.</b>	78006003	
<b>description</b>	steam tap inlet 3/8" pipe chrome-plated brass pipe length 210mm tube ø 10mm			
<b>spare parts for</b>	525049			
	<b>GEV No.</b>	528829	<b>Ref. No.</b>	75006015
	steam nozzle thread 1/8" ø 16mm L 28mm 4 holes bore ø 1.5mm SS			



1

<b>GEV No.</b>	529662	<b>Ref. No.</b>	75006005
<b>description</b>	steam tap mounting pos. left		



1

<b>GEV No.</b>	525057	<b>Ref. No.</b>	98006020
<b>description</b>	steam tap mounting pos. left/right without lever inlet 3/8" pipe SS pipe length 210mm tube ø 10mm		

accessories for 525057

<b>GEV No.</b>	525031	<b>Ref. No.</b>	98006022
----------------	--------	-----------------	----------



lever with holder mounting pos. left



<b>GEV No.</b>	525041	<b>Ref. No.</b>	98006021
----------------	--------	-----------------	----------

lever with holder mounting pos. right



1

<b>GEV No.</b>	527129	<b>Ref. No.</b>	73006010
----------------	--------	-----------------	----------

description steam tap with steam pipe

## components

## gasket supports



1

<b>GEV No.</b>	525034	<b>Ref. No.</b>	98008004
----------------	--------	-----------------	----------

description piston for steam-/water-tap hexagon 20 L 11mm

## union nuts



1

<b>GEV No.</b>	528827	<b>Ref. No.</b>	07300296
----------------	--------	-----------------	----------

description union nut

## screw connections



1

<b>GEV No.</b>	528816	<b>Ref. No.</b>	07300113
----------------	--------	-----------------	----------

description eye bolt



1

<b>GEV No.</b>	528819	<b>Ref. No.</b>	07300107
----------------	--------	-----------------	----------

description screw

## water taps

## water taps



1

<b>GEV No.</b>	529661	<b>Ref. No.</b>	75006004 75006005 75006009 75007000 75007007 78005000 78006000
----------------	--------	-----------------	--

description water tap



1

<b>GEV No.</b>	525056	<b>Ref. No.</b>	78007004
----------------	--------	-----------------	----------


description water tap inlet 3/8" pipe chrome-plated brass pipe length 95mm tube ø 10mm





steam/water pipes

steam pipes

1 


<b>GEV No.</b>	527119	<b>Ref. No.</b>	80006006 80006007
<b>description</b>	steam pipe		

1 


<b>GEV No.</b>	529769	<b>Ref. No.</b>	75006024 75006037
<b>description</b>	steam pipe		

1 

<b>GEV No.</b>	529882	<b>Ref. No.</b>	75006035	
<b>description</b>	steam pipe			
<b>accessories for</b>	529882			
	<b>GEV No.</b>	528828	<b>Ref. No.</b>	07300030 98006B02
	steam nozzle ø 15mm L 25mm 4 holes			

1 


<b>GEV No.</b>	529664	<b>Ref. No.</b>	75006010
<b>description</b>	steam pipe 1-group		

1 

<b>GEV No.</b>	529665	<b>Ref. No.</b>	75006008
<b>description</b>	steam pipe 2-4-group		

1 

<b>GEV No.</b>	529815	<b>Ref. No.</b>	75006012
<b>description</b>	steam pipe SS		

1 

<b>GEV No.</b>	525047	<b>Ref. No.</b>	78006005
<b>description</b>	steam pipe thread 1/8" L 200mm tube ø 10mm		

1 


<b>GEV No.</b>	525048	<b>Ref. No.</b>	98006010
<b>description</b>	steam pipe thread 3/8" L 190mm tube ø 10mm SS		

1 


<b>GEV No.</b>	525023	<b>Ref. No.</b>	75006037.1
<b>description</b>	steam pipe thread 3/8" SS		

1 

<b>GEV No.</b>	527130	<b>Ref. No.</b>	73006002
<b>description</b>	steam pipe thread M10x1 L 170mm tube ø 8mm		


1 

<b>GEV No.</b>	529864	<b>Ref. No.</b>	75006037
<b>description</b>	steam pipe without nozzle		


1 


<b>GEV No.</b>	529866	<b>Ref. No.</b>	78006001
<b>description</b>	steam pipe without nozzle		


nozzles for steam pipes

1 

<b>GEV No.</b>	529865	<b>Ref. No.</b>	75006038
<b>description</b>	nozzle		


			
1			
<b>GEV No.</b>	528828	<b>Ref. No.</b>	07300030 98006B02
<b>description</b>	steam nozzle ø 15mm L 25mm 4 holes		

			
1			
<b>GEV No.</b>	527131	<b>Ref. No.</b>	73006003 73006003.12
<b>description</b>	steam nozzle thread 1/8" ø 15mm L 27mm 4 holes bore ø 1.2mm chrome-plated brass		

			
1			
<b>GEV No.</b>	528829	<b>Ref. No.</b>	75006015
<b>description</b>	steam nozzle thread 1/8" ø 16mm L 28mm 4 holes bore ø 1.5mm SS		

nozzles for water pipes

nozzles for water pipes


			
1			
<b>GEV No.</b>	527121	<b>Ref. No.</b>	75006016
<b>description</b>	nozzle for water pipe		


water pipes

			
1			
<b>GEV No.</b>	527120	<b>Ref. No.</b>	80007005
<b>description</b>	water pipe		

			
1			
<b>GEV No.</b>	529767	<b>Ref. No.</b>	75007008
<b>description</b>	water pipe		


			
1			
<b>GEV No.</b>	529768	<b>Ref. No.</b>	75007005
<b>description</b>	water pipe		

			
1			
<b>GEV No.</b>	525044	<b>Ref. No.</b>	78007005
<b>description</b>	water pipe L 100mm bore ø 4mm tube ø 10mm		

			
1			
<b>GEV No.</b>	529668	<b>Ref. No.</b>	75007005 78007001
<b>description</b>	water pipe L 145mm bore ø 12mm tube ø 8mm		


			
1			
<b>GEV No.</b>	525045	<b>Ref. No.</b>	98007007
<b>description</b>	water pipe thread 3/8" ø 24mm L 120mm tube ø 10mm WS 22 SS		

			
1			
<b>GEV No.</b>	525046	<b>Ref. No.</b>	98007009
<b>description</b>	water pipe thread 3/8" ø 24mm L 65mm tube ø 8mm WS 22 SS		


			
1			
<b>GEV No.</b>	527118	<b>Ref. No.</b>	80007000
<b>description</b>	water pipe with adapter		


accessories


bushes


			
1			
<b>GEV No.</b>	528824	<b>Ref. No.</b>	07300293
<b>description</b>	bush D1 ø 8.5mm D2 ø 12mm H 6mm brass ID ø 7mm		





 <p>Image not available</p>			
1			
<b>GEV No.</b>	528825	<b>Ref. No.</b>	07300294
<b>description</b>	bush SS		


springs			
			
1			
<b>GEV No.</b>	528823	<b>Ref. No.</b>	08000027
<b>description</b>	compression spring ø 11.8mm L 16mm wire gauge ø 1.5mm		


tube handles			
			
1			
<b>GEV No.</b>	525042	<b>Ref. No.</b>	05000001
<b>description</b>	tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber		


			
1			
<b>GEV No.</b>	525043	<b>Ref. No.</b>	05000002
<b>description</b>	tube handle for pipe ø 8mm ø 13.5mm L 50mm rubber		


union nuts			
			
1			
<b>GEV No.</b>	528826	<b>Ref. No.</b>	07300295
<b>description</b>	union nut thread 3/8" L 21mm hole ø 12.5mm chrome-plated brass		


screw connections			
			
1			
<b>GEV No.</b>	531133	<b>Ref. No.</b>	07300466
<b>description</b>	double nipple for steam pipe thread 1/8" L 16mm ø 12mm ID ø 5mm		


			
1			
<b>GEV No.</b>	528821	<b>Ref. No.</b>	07300292
<b>description</b>	double nipple T1: 3/8" T2: M8 L 18mm stainless steel WS 22		

fine filters			
			
1			
<b>GEV No.</b>	528832	<b>Ref. No.</b>	98004001
<b>description</b>	fine filter flat ø 8mm		

intake valves			
accessories			
gaskets			
			
1			
<b>GEV No.</b>	528811	<b>Ref. No.</b>	02590009
<b>description</b>	gasket		

level glasses			
level glasses			
gaskets			
			
1			
<b>GEV No.</b>	529419	<b>Ref. No.</b>	02260024 964
<b>description</b>	gasket D1 ø 19mm D2 ø 11.5mm H 10.5mm water level glass suitable for NUOVA SIMONELLI equiv. no. 02260024		

level glasses (complete)			
			
1			
<b>GEV No.</b>	525039	<b>Ref. No.</b>	75010001
<b>description</b>	water level tube L 145mm ø 12mm thread 3/8"		

			
1			
<b>GEV No.</b>	525040	<b>Ref. No.</b>	98010030
<b>description</b>	water level tube L 195mm ø 12mm thread 3/8"		

level glass pipes			
			
1			
<b>GEV No.</b>	529421	<b>Ref. No.</b>	09000009
<b>description</b>	water level tube ø 12mm H 112mm ID ø 7.6mm		



1

<b>GEV No.</b>	526370	<b>Ref. No.</b>	09000009
<b>description</b>	water level tube ø 12mm H 112mm ID ø 9mm red		



1

<b>GEV No.</b>	529418	<b>Ref. No.</b>	09000010
<b>description</b>	water level tube ø 12mm H 135mm		

## non-return valves

### complete



1

<b>GEV No.</b>	529395	<b>Ref. No.</b>	98003016 98003018
<b>description</b>	non-return valve inlet 1/4" outlet 1/4" L 50mm		

## miscellaneous



1

<b>GEV No.</b>	525026	<b>Ref. No.</b>	07300166
<b>description</b>	flange L 32mm W 32mm		

## screw connections

### double nipples



1

<b>GEV No.</b>	520682	<b>Ref. No.</b>	07300017
<b>description</b>	double nipple brass thread 1/4" - 3/8" Qty 1 pcs		

## angle pieces



1

<b>GEV No.</b>	531101	<b>Ref. No.</b>	07300068
<b>description</b>	angle piece T1: 3/8" T2: 3/8" L 34mm brass Qty 1 pcs		

## for coffee grinders

### grinding burrs

#### grinding burrs straight

##### standard



1

<b>GEV No.</b>	527244	<b>Ref. No.</b>	15800045
<b>description</b>	grinding burrs pair turn direction right D1 ø 50mm ID ø 30mm H 7.5mm tooth spacing 2.5mm hole ø 4.5mm bore ø 7.5mm mounting ø 40 straight suitable for GAGGIA, BABY		



1

<b>GEV No.</b>	527113	<b>Ref. No.</b>	15050001
<b>description</b>	grinding burrs pair turn direction right D1 ø 64mm ID ø 37.5mm H 9mm tooth spacing 4mm hole ø 6mm bore ø 8.5mm mounting ø 49 straight		

## grinding burrs holders



1

<b>GEV No.</b>	527115	<b>Ref. No.</b>	15000043
<b>description</b>	grinding burr holder mounting pos. lower		



1

<b>GEV No.</b>	527114	<b>Ref. No.</b>	15000044
<b>description</b>	grinding burr holder mounting pos. upper		



dosing containers

levers

levers



1

<b>GEV No.</b>	111126	<b>Ref. No.</b>	05000039
----------------	--------	-----------------	----------

<b>description</b>	lever left
--------------------	------------

coffee beans containers

container lids



1

<b>GEV No.</b>	527112	<b>Ref. No.</b>	15000050
----------------	--------	-----------------	----------

<b>description</b>	lid for coffee beans container
--------------------	--------------------------------

coffee beans containers



1

<b>GEV No.</b>	527111	<b>Ref. No.</b>	01100002
----------------	--------	-----------------	----------

<b>description</b>	coffee beans container
--------------------	------------------------

<b>accessories for</b>	527111
------------------------	--------

<b>GEV No.</b>	527112	<b>Ref. No.</b>	15000050
----------------	--------	-----------------	----------

<b>description</b>	lid for coffee beans container
--------------------	--------------------------------



1


<b>GEV No.</b>	531165	<b>Ref. No.</b>	15010002
----------------	--------	-----------------	----------

<b>description</b>	coffee beans container complete ø 208mm H 280mm seat ø 52mm
--------------------	---

for cup coffee machines

brewing units


brewing units



1

<b>GEV No.</b>	527101	<b>Ref. No.</b>	80004041
----------------	--------	-----------------	----------

<b>description</b>	brewing unit complete
--------------------	-----------------------




## coffee spouts

## coffee spouts



## pistons


## pistons





grinding units

grinding units



1	<b>GEV No.</b> 527110	<b>Ref. No.</b> 0110001
<b>description</b> grinding unit complete for NUOVA SIMONELLI		

mechanical components



1	<b>GEV No.</b> 527109	<b>Ref. No.</b> 80004005
<b>description</b> mechanicsm complete		

milk foamers



1	<b>GEV No.</b> 527116	<b>Ref. No.</b> 01000112
<b>description</b> milk foamer suitable for NUOVA SIMONELLI Master1		

miscellaneous



1	<b>GEV No.</b> 696700	<b>Ref. No.</b> 04100024.P
<b>description</b> handle ø 25mm hole ø 5.3x6mm L 7.5mm		

for drink dispensers

augers



1	<b>GEV No.</b> 650054	<b>Ref. No.</b> 16300107
<b>description</b> auger for drink dispenser		

for tilting bratt pans

miscellaneous



1	<b>GEV No.</b> 523510	<b>Ref. No.</b> 15010034 15100086
<b>description</b> deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		

for dishwashers

containers

container lids



1	<b>GEV No.</b> 507020	<b>Ref. No.</b> 18010284
<b>description</b> container lid suitable for rinse aid container		




1	<b>GEV No.</b> 507050	<b>Ref. No.</b> 18010414
<b>description</b> lid for salt tank		

## dosing containers




1

<b>GEV No.</b>	507016	<b>Ref. No.</b>	18010224
<b>description</b>	rinse aid container		
<b>spare parts for</b>	507016		
	<b>GEV No.</b>	507020	<b>Ref. No.</b> 18010284
	container lid suitable for rinse aid container		

## salt tanks



1

<b>GEV No.</b>	524177	<b>Ref. No.</b>	18010512
<b>description</b>	lid $\phi$ 69mm H 20mm for salt tank ID $\phi$ 50mm		
<b>accessories for</b>	524177		
	<b>GEV No.</b>	524148	<b>Ref. No.</b> —
	O-ring EPDM thickness 3.53mm ID $\phi$ 40.86mm Qty 1 pcs		









1

<b>GEV No.</b>	510018	<b>Ref. No.</b>	18010413
<b>description</b>	nut $\phi$ 92mm H 10.5mm for salt tank ID $\phi$ 64mm		



1

<b>GEV No.</b>	510929	<b>Ref. No.</b>	18010059 18010520
<b>description</b>	salt tank $\phi$ 120mm H 117mm hose $\phi$ 10mm mounting $\phi$ 70mm overall height 157mm		
<b>spare parts for</b>	510929		
	<b>GEV No.</b>	506015	<b>Ref. No.</b> —
	O-ring EPDM thickness 3.53mm ID $\phi$ 39.69mm Qty 1 pcs		
	<b>GEV No.</b>	510018	<b>Ref. No.</b> 18010413
	nut $\phi$ 92mm H 10.5mm for salt tank ID $\phi$ 64mm		
	<b>GEV No.</b>	524177	<b>Ref. No.</b> 18010512
	lid $\phi$ 69mm H 20mm for salt tank ID $\phi$ 50mm		
<b>accessories for</b>	510929		
	<b>GEV No.</b>	510071	<b>Ref. No.</b> —
	flat gasket rubber ED $\phi$ 81mm ID $\phi$ 68mm thickness 3mm for salt tank Qty 1 pcs		
	<b>GEV No.</b>	510654	<b>Ref. No.</b> —
	gasket H 6mm D1 $\phi$ 82mm D2 $\phi$ 68mm		
	<b>GEV No.</b>	510883	<b>Ref. No.</b> —
	gasket rubber ED $\phi$ 86mm ID $\phi$ 66mm thickness 2mm for salt tank Qty 1 pcs		

## boilers

## boilers for dishwashers



1

<b>GEV No.</b>	507107	<b>Ref. No.</b>	18010027 18011017
<b>description</b>	boiler		






1

<b>GEV No.</b>	507108	<b>Ref. No.</b>	18010130
<b>description</b>	boiler		



1

<b>GEV No.</b>	507111	<b>Ref. No.</b>	18010832
<b>description</b>	boiler		



1

<b>GEV No.</b>	507112	<b>Ref. No.</b>	18010801
<b>description</b>	boiler ø 150mm L 425mm		




1

<b>GEV No.</b>	507047	<b>Ref. No.</b>	18011061
<b>description</b>	boiler ø 160mm L 440mm		

rotation plates

rotation plates




1

<b>GEV No.</b>	507321	<b>Ref. No.</b>	18010030
<b>description</b>	rotation plate ø 292mm		

softener cartridges

softening columns




1

<b>GEV No.</b>	530000	<b>Ref. No.</b>	18010522
<b>description</b>	softener 4-fold L 380mm W 180mm		

housing and bezels

fascias



1

<b>GEV No.</b>	502188	<b>Ref. No.</b>	18010770
<b>description</b>	control panel LTM1600 L 400mm W 50mm H 159mm black		




1

<b>GEV No.</b>	502253	<b>Ref. No.</b>	18010846
<b>description</b>	control panel warewashing L 310mm W 133mm H 7mm black		

hood mechanics for dishwashers


spring holders



1

<b>GEV No.</b>	507156	<b>Ref. No.</b>	18010725
<b>description</b>	spring holder hood mechanics		

linkage



1






<b>GEV No.</b>	507158	<b>Ref. No.</b>	18010726
<b>description</b>	tie bar for hood spring		

## air traps

## air traps



1

<b>GEV No.</b>	507171	<b>Ref. No.</b>	18010077
<b>description</b>	air trap		
<b>accessories for</b>	507171		
	<b>GEV No.</b>	507052	<b>Ref. No.</b> 18010648
	hexagonal nut thread 3/4" Qty 1 pcs		
	<b>GEV No.</b>	507078	<b>Ref. No.</b> 18010227 18010750
	flat gasket rubber ED ø 25mm ID ø 14.5mm thickness 2.5mm Qty 1 pcs		
	<b>GEV No.</b>	507080	<b>Ref. No.</b> 18010371
	flat gasket rubber ED ø 39mm ID ø 25mm thickness 1.5mm Qty 1 pcs		
	<b>GEV No.</b>	507172	<b>Ref. No.</b> 18010217
	connection angle for air trap		
	<b>GEV No.</b>	507173	<b>Ref. No.</b> 18010226
	nut for connection angle for air trap		



1

<b>GEV No.</b>	524917	<b>Ref. No.</b>	LTM1600
<b>description</b>	air trap ø 60.5mm H 110mm thread 3/4" hose ø 6mm plastic		

## air trap accessories



1

<b>GEV No.</b>	507172	<b>Ref. No.</b>	18010217
<b>description</b>	connection angle for air trap		



1

<b>GEV No.</b>	507173	<b>Ref. No.</b>	18010226
<b>description</b>	nut for connection angle for air trap		

## door mechanics

## door bumpers




1

<b>GEV No.</b>	507490	<b>Ref. No.</b>	18011009
<b>description</b>	door bumper H 10mm silicone L 33mm W 15mm		

## door shafts




1

<b>GEV No.</b>	507039	<b>Ref. No.</b>	18010045
<b>description</b>	door shaft		
<b>accessories for</b>	507039		
	<b>GEV No.</b>	507040	<b>Ref. No.</b> 18010045
	retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm		



1

<b>GEV No.</b>	507026	<b>Ref. No.</b>	18011052
<b>description</b>	door shaft L 175mm		
<b>accessories for</b>	507026		
	<b>GEV No.</b>	507015	<b>Ref. No.</b> —
	retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm for shaft ø 8-11mm		

## locks



1

<b>GEV No.</b>	506157	<b>Ref. No.</b>	18000017
<b>description</b>	door catch catch		



1

<b>GEV No.</b>	507011	<b>Ref. No.</b>	18010003
<b>description</b>	door catch complete door locking catch		


## miscellaneous





1

<b>GEV No.</b>	346945	<b>Ref. No.</b>	18010171
<b>description</b>	angle piece		




			
1			
<b>GEV No.</b>	507034	<b>Ref. No.</b>	18010394
<b>description</b>	fastening angle for microswitch		

			
1			
<b>GEV No.</b>	507031	<b>Ref. No.</b>	18011011
<b>description</b>	fixing plate for door		


			
1			
<b>GEV No.</b>	507012	<b>Ref. No.</b>	18010812
<b>description</b>	spacer ring bush		


screw connections


			
1			
<b>GEV No.</b>	507057	<b>Ref. No.</b>	18010188
<b>description</b>	nut thread 1 1/2" H 14mm WS 60 ø 65mm		


			
1			
<b>GEV No.</b>	507058	<b>Ref. No.</b>	18010099
<b>description</b>	screw connection thread 1 1/4" H 14mm WS 55		


washing and rinsing systems


			
1			
<b>GEV No.</b>	507177	<b>Ref. No.</b>	18010023
<b>description</b>	hose connector brass straight		

			
1			
<b>GEV No.</b>	507054	<b>Ref. No.</b>	18010180 18010614
<b>description</b>	nut thread 3/8" H 10mm brass WS 20 Qty 1 pcs		

			
1			
<b>GEV No.</b>	517414	<b>Ref. No.</b>	18010640
<b>description</b>	rinse arm support ø 20mm H 44mm thread 1/4"/M10x1 WS 23		

			
1			
<b>GEV No.</b>	507175	<b>Ref. No.</b>	18010335
<b>description</b>	screw connection for rinse arm		

			
1			
<b>GEV No.</b>	507224	<b>Ref. No.</b>	18010472
<b>description</b>	slide ring		

			
1			
<b>GEV No.</b>	507235	<b>Ref. No.</b>	18010496
<b>description</b>	wash pipe		

## knobs

### producer-specific knobs

#### NUOVA SIMONELLI



1			
<b>GEV No.</b>	111014	<b>Ref. No.</b>	0500064
<b>description</b>	handle ø 45mm shaft ø 5x5mm shaft rectangular		

### steam/water taps

#### steam/water taps



1			
<b>GEV No.</b>	111127	<b>Ref. No.</b>	98008006
<b>description</b>	knob ø 48mm black		

### miscellaneous



1			
<b>GEV No.</b>	112016	<b>Ref. No.</b>	05000174
<b>description</b>	knob universal ø 49mm shaft ø 8x6.5mm		

## handles and hand wheels

### lever handles



1			
<b>GEV No.</b>	111132	<b>Ref. No.</b>	05000022
<b>description</b>	lever		



1			
<b>GEV No.</b>	525031	<b>Ref. No.</b>	98006022
<b>description</b>	lever with holder mounting pos. left		



1			
<b>GEV No.</b>	525041	<b>Ref. No.</b>	98006021
<b>description</b>	lever with holder mounting pos. right		



1			
<b>GEV No.</b>	111316	<b>Ref. No.</b>	05000815
<b>description</b>	slide shaft ø 6mm		

### accessories



1			
<b>GEV No.</b>	525030	<b>Ref. No.</b>	07300355
<b>description</b>	bracket L 41mm W 26mm ID ø 16.5mm brass		

## fittings for catering equipment

### drain taps

#### accessories




1			
<b>GEV No.</b>	540222	<b>Ref. No.</b>	18010148
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		



## equipment feet and end caps


### equipment feet with stem

 <p>1</p>			
<b>GEV No.</b>	802040	<b>Ref. No.</b>	15050013
<b>description</b>	equipment foot ø 20mm H 10mm mounting ø 11mm overall height 23mm rubber Qty 1 pcs		

## DERBY RUOTE

### spare parts and accessories


#### miscellaneous

 <p>1</p>			
<b>GEV No.</b>	700134	<b>Ref. No.</b>	00300018
<b>description</b>	nut SS thread M8 self-locking		

## baskets


### warewashing baskets

#### plastic baskets round

 <p>1</p>			
<b>GEV No.</b>	970812	<b>Ref. No.</b>	18010068 18010069
<b>description</b>	mix basket ED ø 367mm H 173mm seat ø 280mm mesh type wide-meshed/plastic		


#### plastic baskets square

##### mix baskets

 <p>1</p>			
<b>GEV No.</b>	971078	<b>Ref. No.</b>	18010901
<b>description</b>	mix basket L 400mm W 400mm H 150mm		

### accessories



#### cutlery inserts



 <p>1</p>			
<b>GEV No.</b>	970349	<b>Ref. No.</b>	18010579
<b>description</b>	cutlery insert L 130mm W 57mm ømm H 110mm		



## gaskets



### O-rings

#### EPDM

  <p>1</p>			
<b>GEV No.</b>	361304	<b>Ref. No.</b>	02280032
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		

  <p>1</p>			
<b>GEV No.</b>	524421	<b>Ref. No.</b>	15100176
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 2.78mm Qty 1 pcs		

  <p>1</p>			
<b>GEV No.</b>	529491	<b>Ref. No.</b>	02280012
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 23.52mm Qty 1 pcs		

  <p>1</p>			
<b>GEV No.</b>	517035	<b>Ref. No.</b>	18010555
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs		

<b>GEV No.</b>	505045	<b>Ref. No.</b>	02280007
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		

<b>GEV No.</b>	507309	<b>Ref. No.</b>	18010302
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs		

<b>GEV No.</b>	510303	<b>Ref. No.</b>	18010162
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		

<b>GEV No.</b>	504590	<b>Ref. No.</b>	18010207
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs		

<b>GEV No.</b>	525022	<b>Ref. No.</b>	02280033
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 75.92mm Qty 1 pcs		

<b>GEV No.</b>	505073	<b>Ref. No.</b>	18010322
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs		

<b>GEV No.</b>	530293	<b>Ref. No.</b>	02280010
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 8.73mm Qty 1 pcs		

<b>GEV No.</b>	507314	<b>Ref. No.</b>	18010033
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 32.99mm		

**accessories for** 507314


<b>GEV No.</b>	507314	<b>Ref. No.</b>	18010033
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 32.99mm		

<b>GEV No.</b>	528223	<b>Ref. No.</b>	02280004
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 11.91mm Qty 1 pcs		


<b>GEV No.</b>	507315	<b>Ref. No.</b>	18010035
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 42.52mm		

<b>GEV No.</b>	507313	<b>Ref. No.</b>	02280011
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs		


<b>GEV No.</b>	512111	<b>Ref. No.</b>	18010342
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 45.69mm Qty 1 pcs		


**GEV No.** 540222 **Ref. No.** 18010148  
**description** O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs




**GEV No.** 361080 **Ref. No.** 02280037  
**description** O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs




**GEV No.** 523012 **Ref. No.** 17000032  
**description** O-ring EPDM thickness 3.53mm ID ø 57.15mm Qty 1 pcs



**GEV No.** 532130 **Ref. No.** 17000032  
**description** O-ring EPDM thickness 3.53mm ID ø 68.26mm Qty 10 pcs




**GEV No.** 510409 **Ref. No.** 18010746  
**description** O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs




**GEV No.** 508109 **Ref. No.** 18010602  
**description** O-ring EPDM thickness 5.34mm ID ø 69.22mm Qty 1 pcs


silicone




**GEV No.** 532554 **Ref. No.** 18010559  
**description** O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs




**GEV No.** 529422 **Ref. No.** 2280032  
**description** O-ring silicone thickness 1.78mm ID ø 11.11mm Qty 1 pcs




**GEV No.** 532588 **Ref. No.** 02000003  
**description** O-ring silicone thickness 1.78mm ID ø 12.42mm Qty 1 pcs




**GEV No.** 526403 **Ref. No.** 02280014  
**description** O-ring silicone thickness 1.78mm ID ø 3.69mm Qty 1 pcs



**GEV No.** 532246 **Ref. No.** 02280018  
**description** O-ring silicone thickness 2.62mm ID ø 13.95mm Qty 10 pcs




**GEV No.** 532513 **Ref. No.** 16300040  
**description** O-ring silicone thickness 2.62mm ID ø 15.88mm Qty 1 pcs food-safe white



1


<b>GEV No.</b>	527123	<b>Ref. No.</b>	02290020
<b>description</b>	O-ring silicone thickness 3.53mm ID ø 34.52mm Qty 1 pcs		



1


<b>GEV No.</b>	532317	<b>Ref. No.</b>	02290021
<b>description</b>	O-ring silicone thickness 3.53mm ID ø 34.52mm Qty 10 pcs		

**Viton**




1

<b>GEV No.</b>	371095	<b>Ref. No.</b>	02290016
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		



1

<b>GEV No.</b>	528291	<b>Ref. No.</b>	02280016
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 11.91mm Qty 1 pcs		




1

<b>GEV No.</b>	528155	<b>Ref. No.</b>	02280009
<b>description</b>	O-ring Viton thickness 3.53mm ID ø 32.93mm Qty 1 pcs		


**sealing washers**

**fibre gaskets**



1


<b>GEV No.</b>	507332	<b>Ref. No.</b>	02060029
<b>description</b>	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		



1


<b>GEV No.</b>	510405	<b>Ref. No.</b>	18010760
<b>description</b>	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1/4" Qty 1 pcs		

**rubber gaskets**




1

<b>GEV No.</b>	507075	<b>Ref. No.</b>	18010936
<b>description</b>	flat gasket rubber ED ø 15mm ID ø 10mm thickness 2mm Qty 1 pcs		




1

<b>GEV No.</b>	507078	<b>Ref. No.</b>	18010227 18010750
<b>description</b>	flat gasket rubber ED ø 25mm ID ø 14.5mm thickness 2.5mm Qty 1 pcs		




1

<b>GEV No.</b>	507080	<b>Ref. No.</b>	18010371
<b>description</b>	flat gasket rubber ED ø 39mm ID ø 25mm thickness 1.5mm Qty 1 pcs		



1


<b>GEV No.</b>	521124	<b>Ref. No.</b>	18000026
<b>description</b>	flat gasket rubber ED ø 52mm ID ø 42mm thickness 6mm Qty 1 pcs		



1

<b>GEV No.</b>	507045	<b>Ref. No.</b>	18010150
<b>description</b>	flat gasket rubber ED ø 78mm ID ø 68mm thickness 3mm Qty 1 pcs		

**PTFE gaskets**





1


<b>GEV No.</b>	528157	<b>Ref. No.</b>	02060021
<b>description</b>	flat gasket ED ø 33.5mm ID ø 24mm thickness 1.5mm		






			
1			
<b>GEV No.</b>	526400	<b>Ref. No.</b>	02060021
<b>description</b>	flat gasket PTFE ED ø 33mm ID ø 24.5mm thickness 1.5mm Qty 1 pcs		

			
1			
<b>GEV No.</b>	526402	<b>Ref. No.</b>	02060015
<b>description</b>	flat gasket PTFE ED ø 67mm ID ø 54mm thickness 2mm Qty 1 pcs		

silicone gaskets			
			
1			
<b>GEV No.</b>	507335	<b>Ref. No.</b>	18010029
<b>description</b>	flat gasket silicone ED ø 42mm ID ø 29mm thickness 3.5mm Qty 1 pcs		

### special gaskets


group gaskets			
			
1			
<b>GEV No.</b>	528156	<b>Ref. No.</b>	02060019
<b>description</b>	group gasket L 102mm W 31mm thickness 3mm fibre suitable for NUOVA SIMONELLI		


			
1			
<b>GEV No.</b>	526372	<b>Ref. No.</b>	02060019
<b>description</b>	group gasket L 92mm W 30mm thickness 2mm hole distance 72mm PTFE		


gaskets for wash arm support			
			
1			
<b>GEV No.</b>	507255	<b>Ref. No.</b>	18010173
<b>description</b>	gasket D1 ø 45mm D2 ø 85mm thickness 2mm cork with 4 screw holes wash arm support equiv. no. LS02		


### springs



#### torsion springs



			
1			
<b>GEV No.</b>	507030	<b>Ref. No.</b>	18011006
<b>description</b>	torsion spring mounting pos. left for door		

			
1			
<b>GEV No.</b>	507029	<b>Ref. No.</b>	18011007
<b>description</b>	torsion spring mounting pos. right for door		


			
1			
<b>GEV No.</b>	507027	<b>Ref. No.</b>	18011032
<b>description</b>	torsion spring ø 17mm L2 38mm wire gauge ø 2mm mounting pos. right L1 10mm L3 70mm Qty 1 pcs for door		


			
1			
<b>GEV No.</b>	507028	<b>Ref. No.</b>	18011031
<b>description</b>	torsion spring ø 17mm L2 70mm wire gauge ø 2mm mounting pos. left L1 10mm L3 38mm for door		


			
1			
<b>GEV No.</b>	690081	<b>Ref. No.</b>	15320007
<b>description</b>	torsion spring ø 19.4mm L2 36mm wire gauge ø 3.3mm mounting pos. left L1 42mm L3 36mm Qty 1 pcs		
<b>accessories for</b>	690081		
		<b>GEV No.</b>	690080
		<b>Ref. No.</b>	15320008
	torsion spring ø 19.4mm L2 37mm wire gauge ø 3.4mm mounting pos. right L1 42mm L3 37mm Qty 1 pcs		


			
1			
<b>GEV No.</b>	690080	<b>Ref. No.</b>	15320008
<b>description</b>	torsion spring ø 19.4mm L2 37mm wire gauge ø 3.4mm mounting pos. right L1 42mm L3 37mm Qty 1 pcs		
<b>accessories for</b>	690080		
	<b>GEV No.</b>	690081	<b>Ref. No.</b> 15320007
	torsion spring ø 19.4mm L2 36mm wire gauge ø 3.3mm mounting pos. left L1 42mm L3 36mm Qty 1 pcs		


compression springs

			
1			
<b>GEV No.</b>	528810	<b>Ref. No.</b>	08000005 08000007
<b>description</b>	compression spring ø 11.5mm L 25mm wire gauge ø 1.8mm		


			
1			
<b>GEV No.</b>	528823	<b>Ref. No.</b>	08000027
<b>description</b>	compression spring ø 11.8mm L 16mm wire gauge ø 1.5mm		

			
1			
<b>GEV No.</b>	528817	<b>Ref. No.</b>	08000013
<b>description</b>	compression spring ø 20.4/15.9mm L 17mm wire gauge ø 1.7mm cone-shaped		


			
1			
<b>GEV No.</b>	507038	<b>Ref. No.</b>	18010045
<b>description</b>	compression spring ø 8.8mm L 31mm wire gauge ø 0.7mm		


			
1			
<b>GEV No.</b>	528818	<b>Ref. No.</b>	08000030
<b>description</b>	compression spring ø 9.8mm L 15mm wire gauge ø 1.1mm		


tension springs


			
1			
<b>GEV No.</b>	507157	<b>Ref. No.</b>	18010932
<b>description</b>	tension spring ø 37mm total length 875mm wire gauge ø 4.5mm L1 305mm L2 570mm for hood		

manometers


			
1			
<b>GEV No.</b>	541233	<b>Ref. No.</b>	09100003
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541410	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541222	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541226	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		



 <p>1</p>			
<b>GEV No.</b>	541227	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		


## dosing pumps

### membrane dosing pumps

#### self-priming






#### SEKO


#### spare parts


 <p>1</p>			
<b>GEV No.</b>	361304	<b>Ref. No.</b>	02280032
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		


#### self-priming with supporting pressure

#### OMNIWASH

 <p>1</p>			
<b>GEV No.</b>	361054	<b>Ref. No.</b>	18010067
<b>description</b>	dosing pump rinse aid pressure connection ø 6mm suction connection ø 6mm auxiliary pressure connection 10mm		
<b>spare parts for</b>	361054		
	<b>GEV No.</b>	361308	<b>Ref. No.</b> 18010066
	membrane rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm		
	<b>GEV No.</b>	361348	<b>Ref. No.</b> 18010072
	lip valve rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm		
<b>accessories for</b>	361054		
	<b>GEV No.</b>	520252	<b>Ref. No.</b> —
	nylon hose ID ø 6mm ED ø 8mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C white		
	<b>GEV No.</b>	520278	<b>Ref. No.</b> —
	PVC hose ID ø 6mm ED ø 8mm L 2m thickness 1mm t.max. 60°C transparent		

 <p>1</p>			
<b>GEV No.</b>	361348	<b>Ref. No.</b>	18010072
<b>description</b>	lip valve rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm		


 <p>1</p>			
<b>GEV No.</b>	361308	<b>Ref. No.</b>	18010066
<b>description</b>	membrane rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm		


SEKO			
 <p>1</p>			
<b>GEV No.</b>	361304	<b>Ref. No.</b>	02280032
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		


### accessories

#### hose couplings


#### metal

 <p>1</p>			
<b>GEV No.</b>	361171	<b>Ref. No.</b>	07300362
<b>description</b>	screw pipe fitting straight nickel-plated brass thread 1/4" hose ø 4/6mm Qty 1 pcs		

 <p>1</p>			
<b>GEV No.</b>	361173	<b>Ref. No.</b>	07300376
<b>description</b>	screw pipe fitting straight nickel-plated brass thread 1/8" hose ø 4/6mm Qty 1 pcs		


 <p>1</p>			
<b>GEV No.</b>	361182	<b>Ref. No.</b>	18010386
<b>description</b>	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		




			
1			
<b>GEV No.</b>	361181	<b>Ref. No.</b>	00300005
<b>description</b>	nut thread 1/8" H 4.5mm nickel-plated brass WS 14 Qty 1 pcs		

industrial hoses

Niplaflex hoses


			
1			
<b>GEV No.</b>	530562	<b>Ref. No.</b>	18010021
<b>description</b>	pressure hose ID ø 13mm ED ø 21mm L 5m operating p. 10bar burst p. 30bar t.max. 110°C		

pressure control hoses

			
1			
<b>GEV No.</b>	530560	<b>Ref. No.</b>	18011018
<b>description</b>	pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C		

formed hoses

form L




			
1			
<b>GEV No.</b>	507090	<b>Ref. No.</b>	18010039
<b>description</b>	formed hose warewashing L-shape equiv. no. GA18		

			
1			
<b>GEV No.</b>	507095	<b>Ref. No.</b>	18010137
<b>description</b>	formed hose warewashing L-shape equiv. no. GA38		


hoses


supply hoses


PVC supply hoses

			
1			
<b>GEV No.</b>	520010	<b>Ref. No.</b>	18010170
<b>description</b>	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
<b>accessories for</b>	520010		
	<b>GEV No.</b>	520053	<b>Ref. No.</b>
			—
	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		
	<b>GEV No.</b>	520054	<b>Ref. No.</b>
			—
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

drain hoses

			
1			
<b>GEV No.</b>	507329	<b>Ref. No.</b>	18010379
<b>description</b>	drain hose DN19 L 1500mm A int. ø 19mm A ext. ø 24mm B int. ø 21mm B ext. ø 28mm outer hose ø 24mm		

			
1			
<b>GEV No.</b>	507207	<b>Ref. No.</b>	18010155
<b>description</b>	drain hose DN24 L 1500mm A int. ø 24mm A ext. ø 28mm B int. ø 24mm B ext. ø 28mm outer hose ø 28mm		

			
1			
<b>GEV No.</b>	507211	<b>Ref. No.</b>	18010156
<b>description</b>	drain hose DN26 L 1500mm A int. ø 33mm A ext. ø 40mm B int. ø 32mm B ext. ø 40mm outer hose ø 35mm		





1

<b>GEV No.</b>	507097	<b>Ref. No.</b>	18010819
<b>description</b>	formed hose warewashing L-shape equiv. no. GA538		




1

<b>GEV No.</b>	507103	<b>Ref. No.</b>	18010739
<b>description</b>	formed hose warewashing L-shape equiv. no. GASA8		




1

<b>GEV No.</b>	507205	<b>Ref. No.</b>	18010037
<b>description</b>	formed hose warewashing L-shape equiv. no. GS120 hose int. ø 25mm		



1


<b>GEV No.</b>	507213	<b>Ref. No.</b>	18010831
<b>description</b>	formed hose warewashing L-shape equiv. no. GS520		



1

<b>GEV No.</b>	507216	<b>Ref. No.</b>	18010829
<b>description</b>	formed hose warewashing L-shape equiv. no. GSMP55		

with branch



1

<b>GEV No.</b>	507327	<b>Ref. No.</b>	18010822
<b>description</b>	formed hose warewashing equiv. no. GLMSIC4 with piggyback		

form S



1

<b>GEV No.</b>	507241	<b>Ref. No.</b>	18010740
<b>description</b>	formed hose S-shape warewashing		

miscellaneous



1

<b>GEV No.</b>	507149	<b>Ref. No.</b>	18010124
<b>description</b>	formed hose warewashing equiv. no. GL4T22		

## fittings, hose and pipe connectors


### hose connectors

without screw connection



1

<b>GEV No.</b>	504583	<b>Ref. No.</b>	18010749
<b>description</b>	Y-piece plastic hose ø 12-12-12mm		




1	<b>GEV No.</b> 507174	<b>Ref. No.</b>	18010825
<b>description</b>	T-piece plastic hose ø 4-4-4mm 3-way		

## fittings

### double nipples



1	<b>GEV No.</b> 520662	<b>Ref. No.</b>	07300012
<b>description</b>	double nipple brass thread 1/4" - 1/4" Qty 1 pcs		




1	<b>GEV No.</b> 520682	<b>Ref. No.</b>	07300017
<b>description</b>	double nipple brass thread 1/4" - 3/8" Qty 1 pcs		



1	<b>GEV No.</b> 520663	<b>Ref. No.</b>	07300015
<b>description</b>	double nipple brass thread 3/8" - 3/8" Qty 1 pcs		


### angle pieces



1	<b>GEV No.</b> 531101	<b>Ref. No.</b>	07300068
<b>description</b>	angle piece T1: 3/8" T2: 3/8" L 34mm brass Qty 1 pcs		

## T-pieces

### nickel-plated brass




1	<b>GEV No.</b> 520385	<b>Ref. No.</b>	07300718
<b>description</b>	T-piece thread 1/8" IT - 1/8" IT - 1/8" IT nickel-plated brass L 35mm		



1	<b>GEV No.</b> 520806	<b>Ref. No.</b>	07300209
<b>description</b>	T-piece thread 3/8" ET - 3/8" ET - 3/8" IT nickel-plated brass L 52.5mm		


## hose connectors

### plastic




1	<b>GEV No.</b> 519277	<b>Ref. No.</b>	05000015
<b>description</b>	hose connector plastic angled thread 1/4" hose ø 10mm Qty 1 pcs		

### nickel-plated brass






1	<b>GEV No.</b> 361171	<b>Ref. No.</b>	07300362
<b>description</b>	screw pipe fitting straight nickel-plated brass thread 1/4" hose ø 4/6mm Qty 1 pcs		





1	<b>GEV No.</b> 361173	<b>Ref. No.</b>	07300376
<b>description</b>	screw pipe fitting straight nickel-plated brass thread 1/8" hose ø 4/6mm Qty 1 pcs		




producer-specific

			
1			
<b>GEV No.</b>	507061	<b>Ref. No.</b>	18010757
<b>description</b>	elbow connection		
<b>accessories for</b>	507061		
	<b>GEV No.</b>	507075	<b>Ref. No.</b> 18010936
	flat gasket rubber ED ø 15mm ID ø 10mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	507330	<b>Ref. No.</b> —
	nut thread M10x1 H 7mm WS 13 stainless steel Qty 1 pcs		

			
1			
<b>GEV No.</b>	507210	<b>Ref. No.</b>	18010136
<b>description</b>	hose connector		

			
1			
<b>GEV No.</b>	507194	<b>Ref. No.</b>	18010718
<b>description</b>	hose connector thread 3/8" angled L 23mm		

			
1			
<b>GEV No.</b>	507105	<b>Ref. No.</b>	18010461
<b>description</b>	manifold 4-way hose ø 13-13-13-13mm plastic		

**water cycle components**

pressure reduction valves

pressure reduction valves

producer-specific

			
1			
<b>GEV No.</b>	541185	<b>Ref. No.</b>	01000163
<b>description</b>	pressure controller Metal Work series Bit MRA connection 1/4" default settingbar setting range 0-8bar p max 13bar t.max. 50°C plastic thread 1/4"		

**ancillary products**

silicone

food-grade silicones

			
1			
<b>GEV No.</b>	890113	<b>Ref. No.</b>	11600003
<b>description</b>	silicone S27 food-safe cartridge 310ml transparent		
<b>description</b>	<p>OTTOSEAL S 27 - cartridge 300ml - transparent</p> <p>Used for sealing in the food sector, e. g. in dairies, abattoirs, beverage and food production plants, canteen kitchens etc. and sealing in the drinking water area between ceramic coatings.</p> <ul style="list-style-type: none"> <li>- 1-component acetate-curing silicone sealant</li> <li>- Tested for applications in the food and drinking water sector</li> <li>- Good chemical resistance, e. g. to diluted acids and bases</li> <li>- High resistance to notches, tension and tearing</li> <li>- Excellent weathering, ageing and UV-resistance</li> <li>- Temperature range -40°C to + 180°C</li> </ul>		

clamps


double wire clamps

			
1			
<b>GEV No.</b>	560344	<b>Ref. No.</b>	18010911
<b>description</b>	hose clamp ø 7-9mm wire gauge ø 1mm Qty 1 pcs		

**measuring equipment**

thermometers

built-in thermometers

			
1			
<b>GEV No.</b>	541086	<b>Ref. No.</b>	18010767
<b>description</b>	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm		

## fastening material

## screws

## sheet metal screws



1

<b>GEV No.</b>	560498	<b>Ref. No.</b>	15030055
<b>description</b>	screw $\varnothing$ 2.2mm L 6.5mm zinc-plated Qty 1 pcs intake Phillips for plastic		

## countersunk screws



1

<b>GEV No.</b>	560220	<b>Ref. No.</b>	00300021
<b>description</b>	countersunk screw thread M6 L 20mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head $\varnothing$ 11mm		

## flat-headed bolts



1

<b>GEV No.</b>	560371	<b>Ref. No.</b>	00000089
<b>description</b>	flat-headed bolt thread M4 thread L 12mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head $\varnothing$ 8mm head thickness 3mm		

## hexagonal screws



1

<b>GEV No.</b>	510990	<b>Ref. No.</b>	00000094
<b>description</b>	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		

## cylinder head bolts

## DIN 912/ISO 4762



1

<b>GEV No.</b>	560452	<b>Ref. No.</b>	00000164
<b>description</b>	cylinder head bolt thread M3 thread L 16mm L 19mm SS Qty 1 pcs DIN 912/ISO 4762		

## nuts

## hexagonal nuts

## DIN 934 / ISO 4032/8673



1

<b>GEV No.</b>	560129	<b>Ref. No.</b>	00000003
<b>description</b>	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1

<b>GEV No.</b>	517174	<b>Ref. No.</b>	37320800
<b>description</b>	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

## DIN 985



1

<b>GEV No.</b>	560141	<b>Ref. No.</b>	00300023
<b>description</b>	hexagonal nut thread M5 H 5.4mm SS WS 8 Qty 20 pcs DIN/ISO DIN 985 self-locking		

## hexagonal nuts inch thread



1

<b>GEV No.</b>	507052	<b>Ref. No.</b>	18010648
<b>description</b>	hexagonal nut thread 3/4" Qty 1 pcs		



1

<b>GEV No.</b>	361182	<b>Ref. No.</b>	18010386
<b>description</b>	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		





1

<b>GEV No.</b>	361181	<b>Ref. No.</b>	00300005
<b>description</b>	nut thread 1/8" H 4.5mm nickel-plated brass WS 14 Qty 1 pcs		






			
1			
<b>GEV No.</b>	520234	<b>Ref. No.</b>	18010648
<b>description</b>	nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs		

			
1			
<b>GEV No.</b>	507054	<b>Ref. No.</b>	18010180 18010614
<b>description</b>	nut thread 3/8" H 10mm brass WS 20 Qty 1 pcs		

washers

washers


miscellaneous

			
1			
<b>GEV No.</b>	507114	<b>Ref. No.</b>	18010332
<b>description</b>	disc D1 ø 30mm D2 ø 17mm thickness 3mm		

fasteners


clamps


double wire clamps

			
1			
<b>GEV No.</b>	560344	<b>Ref. No.</b>	18010911
<b>description</b>	hose clamp ø 7-9mm wire gauge ø 1mm Qty 1 pcs		

retaining rings

DIN 6799


			
1			
<b>GEV No.</b>	507040	<b>Ref. No.</b>	18010045
<b>description</b>	retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm		

			
1			
<b>GEV No.</b>	518557	<b>Ref. No.</b>	08000015
<b>description</b>	retaining ring E D1 ø 5mm D2 ø 11mm SS DIN 6799 thickness 0.7mm		

consumables


sealants and adhesives

food-grade silicones

			
1			
<b>GEV No.</b>	890113	<b>Ref. No.</b>	11600003
<b>description</b>	silicone S27 food-safe cartridge 310ml transparent		
<b>description</b>	<p>OTTOSEAL S 27 - cartridge 300ml - transparent                      Used for sealing in the food sector, e. g. in dairies, abattoirs, beverage and food production plants, canteen kitchens etc. and sealing in the drinking water area between ceramic coatings.</p> <ul style="list-style-type: none"> <li>- 1-component acetate-curing silicone sealant</li> <li>- Tested for applications in the food and drinking water sector</li> <li>- Good chemical resistance, e. g. to diluted acids and bases</li> <li>- High resistance to notches, tension and tearing</li> <li>- Excellent weathering, ageing and UV-resistance</li> <li>- Temperature range -40°C to + 180°C</li> </ul>		

cleaning agents

detergents for milk foamers

			
1			
<b>GEV No.</b>	802111	<b>Ref. No.</b>	13200012
<b>description</b>	detergents for milk foamers bottle PULY MILK Plus approval NSF 1000ml		



fuses

fine fuses

ø10x38mm 500V



1

<b>GEV No.</b>	358022	<b>Ref. No.</b>	16300112
<b>description</b>	fine fuse size ø10x38mm 4A rated 500V type Gg fast-acting Qty 1 pcs		

thermal fuses



1

<b>GEV No.</b>	358012	<b>Ref. No.</b>	09500014
<b>description</b>	thermal fuse switch-off temp. 167°C nominalA cable length 160mm		



solenoid valves	23
supply hoses	60
switches and momentary switches	8
system switches (ROLD)	11

**T**

terminals	32
thermal fuses	66
thermostats	7
time relays	16
timers	14
transformers	16

**V**

vibration pumps	31
-----------------	----

**W**

wash and rinse pumps	29
washers	65
water cycle components	63