



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

PARRY

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



energy regulators

EGO

1-circuit



GEV No.	380019	Ref. No.	SATT37071
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.13_series



GEV No.	375484	Ref. No.	N/A
description	thermostat t.max. 260°C temperature range 48-260°C 1-pole NO 16A probe ø 3mm probe L 160mm capillary pipe 1580mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.18_series



GEV No.	375989	Ref. No.	TMST18032
description	thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NO 16A probe ø 6mm probe L 118mm capillary pipe 890mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	375483	Ref. No.	N/A
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole NO 16A probe ø 3mm probe L 158mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.34_series



GEV No.	375396	Ref. No.	N/A TMST34034
description	thermostat t.max. 190°C temperature range 95-190°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1480mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270°		

safety thermostats

55.13_series




GEV No.	390911	Ref. No.	TMST07000
description	safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 670mm capillary pipe isolated 180mm gland nut probe screw connection M8x1		

1 electric components



55.32_series

E-G-O





GEV No.	375600	Ref. No.	N/A
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolatedmm gland nut		

gas thermostats

ROBERTSHAW



GEV No.	580064	Ref. No.	N/A
description	gas thermostat type RGIST 2x160 t.max. 190°C 90-190°C gas inlet 3/4" gas outlet 3/4" thermocouple connection ASA 11/32 capillary pipe 1200mm probe ø 6mm probe L 160mm gland nut 3/8" ROBERTSHAW pipe input ø 3/4" pipe output ø 3/4"		
spare parts for	580064		
	GEV No.	580067	Ref. No. —
	thermostat type RG6A11Y 90-190°C gas inlet ø3mm gas outlet ø3mm thermocouple connection pilot connection capillary pipe 1200mm probe ø 6mm probe L 170mm gland nut 3/8" BSP shaft ø 6.4x4.8mm shaft L 31/31mm shaft flat left		
	GEV No.	580068	Ref. No. —
	piezoelectric igniter suitable for ROBERTSHAW		

ignition parts

pilot burners

ROBERTSHAW

pilot burners

universal series with electrodes



GEV No.	106094	Ref. No.	RMPILOT7000
description	pilot burner ROBERTSHAW type 6S14-2R 3 flames natural gas code 26 for pipe ø 1/4" CCT		



GEV No.	106097	Ref. No.	PILOT3WAY
description	pilot burner ROBERTSHAW type 6SH24-6 3 flames natural gas code 26 for pipe ø 1/4" CCT		

thermocouples

accessories

interrupters



GEV No.	580046	Ref. No.	N/A
description	extension for interruptor L 18" - 455mm		

C

control thermostats 3

E

energy regulators 3

G

gas thermostats 4

P

pilot burners 4

S

safety thermostats 3

T

thermocouples 4

thermostats 3