

Test Report

Report No.: TS20061581



Verify authenticity

YUHUAN JIANGLIN PLUMBING HOSE &

Applicant

PARTS INC.

Address

2 JINDIFU ROAD, YUHUAN ECONOMIC DEVELOPMENT ZONE, ZHEJIANG, CHINA

Report Date

2020-07-03



Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 1/15

CIIOHZOV

Test Report

| Applicant | YUHUAN JIANGLIN PLUMBING HOSE & PARTS INC. | | | | |
|----------------------|--|--|--|--|--|
| Address | 2 JINDIFU ROAD, YUHUAN ECONOMIC DEVELOPMENT ZONE, ZHEJIANG, CHINA | | | | |
| Sample Name | flexible hoses | | | | |
| Type/ Model | 2° state state class state class state class state class | | | | |
| Material/Colour | Copper, stainless steel, silica gel | | | | |
| Other Info. | I show of an open of a show of a | | | | |
| Sample Received Date | 2020-06-30 | | | | |
| Test Period | 2020-06-30~ 2020-07-03 | | | | |
| Test Requirement | Two hundred and five (205) Substances of Very High Concern (SVHC) analysis. SVHC list is based on the publication by European Chemical Agency (ECHA), regarding regulation (EC) No 1907/2006 concerning the REACH (205 SVHCs are less than the concentration limit of 0.1 % weight by weight (w/w).). | | | | |
| Test Method | CIRS-TC-SVHC001, CIRS-TC-SVHC002, CIRS-TC-SVHC003, CIRS-TC-SVHC004, CIRS-TC-SVHC005, CIRS-TC-SVHC006 | | | | |
| Test Results | The concentrations of the 205 SVHCs defined in Article 57 of REACH Regulat in No.002 are exceed the concentration limit of 0.1 % weight by weight (w/w - Lead | | | | |

Prepared by:

Meng Qi

Reviewed by:

Li Xneferg s

Accredited Signatory by:

hi Chenghai

Meng Qi

Li Xuefeng

Li Changhai Issue date: 2020-07-03

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 2/15

220

Test Component(s):

| No. | Sample Serial No. | Test Component(s) | Type/Model | Material/Colour | Other Info. |
|-----|-------------------|--------------------------|------------|-----------------|-------------|
| 001 | TS20061581001 | flexible hoses-non metal | 6 1 50 | | S 1 |
| 002 | TS20061581002 | flexible hoses-metal | 1 | 1 | الحكي |

Photo(s):



Overview



TS20061581002 (Mixed)



TS20061581001 (Mixed)

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 3/15

Test Result(s):

| No. | Test Item(s) | CAS No. | MDL | Test Result(s) | | |
|-----|--|---|-----|----------------|------|--|
| 10. | rest ttem(s) | CAD INO. | MDL | 001 | 002 | |
| 1 | Anthracene | 120-12-7 | 100 | N.D. | N.D. | |
| 2 | 4,4'- Diaminodiphenylmethane(MDA) | 101-77-9 | 100 | N.D. | N.D. | |
| 3 | 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) | 81-15-2 | 100 | N.D. | N.D. | |
| 4 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane | 25637-99-4, 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8) | 100 | N.D. | N.D. | |
| 5 | Alkanes, C10-13,chloro (Short ChainChlorinated Paraffins) | 85535-84-8 | 100 | N.D. | N.D. | |
| 6 | Dibutyl phthalate(DBP) | 84-74-2 | 100 | N.D. | N.D. | |
| 7 | Bis (2-ethylhexyl) phthalate (DEHP) | 117-81-7 | 100 | N.D. | N.D. | |
| 8 | Benzyl butyl phthalate(BBP) | 85-68-7 | 100 | N.D. | N.D. | |
| 9 | Cobalt dichloride | 7646-79-9 | 100 | N.D. | N.D. | |
| 10 | Bis(tributyltin)oxide(TBTO) | 56-35-9 | 100 | N.D. | N.D. | |
| 11 | Sodium dichromate | 7789-12-0, 10588-01-9 | 100 | N.D. | N.D. | |
| 12 | Lead hydrogen arsenate | 7784-40-9 | 100 | N.D. | N.D. | |
| 13 | Diarsenic trioxide | 1327-53-3 | 100 | N.D. | N.D. | |
| 14 | Diarsenic pentaoxide | 1303-28-2 | 100 | N.D. | N.D. | |
| 15 | Triethyl arsenate | 15606-95-8 | 100 | N.D. | N.D. | |
| 16 | Anthracene oil | 90640-80-5 | 100 | N.D. | N.D. | |
| 17 | Anthracene oil, anthracene paste, distn. lights | 91995-17-4 | 100 | N.D. | N.D. | |
| 18 | Anthracene oil, anthracene paste, anthracene fraction | 91995-15-2 | 100 | N.D. | N.D. | |
| 19 | Anthracene oil, anthracene-low | 90640-82-7 | 100 | N.D. | N.D. | |
| 20 | Anthracene oil, anthracene paste | 90640-81-6 | 100 | N.D. | N.D. | |
| 21 | Pitch, coal tar, high temp. | 65996-93-2 | 100 | N.D. | N.D. | |
| 22 | Acrylamide | 79-06-1 | 100 | N.D. | N.D. | |
| 23 | 2,4-Dinitrotoluene | 121-14-2 | 100 | N.D. | N.D. | |
| 24 | Diisobutyl phthalate | 84-69-5 | 100 | N.D. | N.D. | |
| 25 | Tris(2-chloroethyl)phosphate | 115-96-8 | 100 | N.D. | N.D. | |
| 26 | Lead chromate | 7758-97-6 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 4/15

| No. | Test Item(s) | CAS No. | MDL - | Test Result(s) | | |
|-----|--|--|-------|----------------|------|--|
| 10. | | CAS 110. | | 001 | 002 | |
| 27 | Lead chromate molybdate sulphate red(C.I. Pigment Red 104) | 12656-85-8 | 100 | N.D. | N.D. | |
| 28 | Lead sulfochromate yellow (C.I. Pigment Yellow 34) | 1344-37-2 | 100 | N.D. | N.D. | |
| 29 | Trichloroethylene | 79-01-6 | 100 | N.D. | N.D. | |
| 30 | Boric acid | 10043-35-3, 11113-50-1 | 100 | N.D. | N.D. | |
| 31 | Disodium tetraborate, anhydrous | 1303-96-4, 1330-43-4, 12179-04-3 | 100 | N.D. | N.D. | |
| 32 | Tetraboron disodium heptaoxide, hydrate | 12267-73-1 | 100 | N.D. | N.D. | |
| 33 | Sodium chromate | 7775-11-3 | 100 | N.D. | N.D. | |
| 34 | Potassium chromate | 7789-00-6 | 100 | N.D. | N.D. | |
| 35 | Ammonium dichromate | 7789-09-5 | 100 | N.D. | N.D. | |
| 36 | Potassium dichromate | 7778-50-9 | 100 | N.D. | N.D. | |
| 37 | Chromium trioxide | 1333-82-0 | 100 | N.D. | N.D. | |
| 38 | 2-Ethoxyethanol | 110-80-5 | 100 | N.D. | N.D. | |
| 39 | 2-Methoxyethanol | 109-86-4 | 100 | N.D. | N.D. | |
| 40 | Cobalt(II) diacetate | 71-48-7 | 100 | N.D. | N.D. | |
| 41 | Cobalt (II) carbonate | 513-79-1 | 100 | N.D. | N.D. | |
| 42 | Cobalt dinitrate | 10141-05-6 | 100 | N.D. | N.D. | |
| 43 | Cobalt (II) sulphate | 10124-43-3 | 100 | N.D. | N.D. | |
| 44 | Acids generated from chromium trioxide and their oligomers. Group containing: Chromic acid, Dichromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid | 7738-94-5, 13530-68-2 | 100 | N.D. | N.D. | |
| 45 | 2-Ethoxyethyl acetate | 111-15-9 | 100 | N.D. | N.D. | |
| 46 | Strontium chromate | 7789-06-2 | 100 | N.D. | N.D. | |
| 47 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | 68515-42-4 | 100 | N.D. | N.D. | |
| 48 | Hydrazine | 7803-57-8 302-01-2 | 100 | N.D. | N.D. | |
| 49 | N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone | 872-50-4 | 100 | N.D. | N.D. | |
| 50 | 1,2,3-trichloropropane | 96-18-4 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 5/15

| No. | Test Item(s) | CAS No. | MDL | Test R | esult(s) |
|-----|--|--------------|-----|--------|----------|
| NO. | | CAS NO. | MDL | 001 | 002 |
| 51 | 1, 2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich | 71888-89-6 | 100 | N.D. | N.D. |
| 52 | Calcium arsenate | 7778-44-1 | 100 | N.D. | N.D. |
| 53 | Bis(2-methoxyethyl) ether | 111-96-6 | 100 | N.D. | N.D. |
| 54 | Potassium hydroxyoctaoxodizincatedichromate | 11103-86-9 | 100 | N.D. | N.D. |
| 55 | Lead dipicrate | 6477-64-1 | 100 | N.D. | N.D. |
| 56 | N,N-dimethylacetamide | 127-19-5 | 100 | N.D. | N.D. |
| 57 | Arsenic acid | 7778-39-4 | 100 | N.D. | N.D. |
| 58 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 100 | N.D. | N.D. |
| 59 | Trilead diarsenate | 3687-31-8 | 100 | N.D. | N.D. |
| 60 | 1,2-dichloroethane | 107-06-2 | 100 | N.D. | N.D. |
| 61 | Pentazinc chromate octahydroxide | 49663-84-5 | 100 | N.D. | N.D. |
| 62 | 4-(1,1,3,3-tetramethylbutyl)phenol | 140-66-9 | 100 | N.D. | N.D. |
| 63 | Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 100 | N.D. | N.D. |
| 64 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 100 | N.D. | N.D. |
| 65 | Lead diazide, Lead azide | 13424-46-9 | 100 | N.D. | N.D. |
| 66 | Lead styphnate | 15245-44-0 | 100 | N.D. | N.D. |
| 67 | 2,2'-dichloro-4,4'-methylenedianiline | 101-14-4 | 100 | N.D. | N.D. |
| 68 | Phenolphthalein | 77-09-8 | 100 | N.D. | N.D. |
| 69 | Dichromium tris(chromate) | 24613-89-6 | 100 | N.D. | N.D. |
| 70* | Aluminosilicate Refractory Ceramic Fibres | 9 <u>-</u> 4 | 100 | N.D. | N.D. |
| 71* | Zirconia Aluminosilicate, Refractory Ceramic Fibres | STIN- SOUT | 100 | N.D. | N.D. |
| 72 | 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme) | 112-49-2 | 100 | N.D. | N.D. |
| 73 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 100 | N.D. | N.D. |
| 74 | Diboron trioxide | 1303-86-2 | 100 | N.D. | N.D. |
| 75 | Formamide | 75-12-7 | 100 | N.D. | N.D. |
| 76 | Lead (II) bis (methanesulfonate) | 17570-76-2 | 100 | N.D. | N.D. |
| 77 | 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-t riazinane-2,4,6-trione (TGIC) | 2451-62-9 | 100 | N.D. | N.D. |
| 78 | 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine- 2,4,6-(1H,3H,5H)-trione (β-TGIC) | 59653-74-6 | 100 | N.D. | N.D. |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 6/15

| No. | Test Item(s) | CAS No. | MDL | Test Result(s) | | |
|------|--|---------------------------------------|------|----------------|------|--|
| 140. | Test Item(s) | CAS NO. | WIDL | 001 | 002 | |
| 79 | 4,4'-bis (dimethylamino) benzophenone (Michler's ketone) | 90-94-8 | 100 | N.D. | N.D. | |
| 80 | N, N, N', N' –tetramethyl -4,4' -methylenedianiline (Michler's base) | 101-61-1 | 100 | N.D. | N.D. | |
| 81** | [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien- 1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) | 548-62-9 | 100 | N.D. | N.D. | |
| 82** | [4-[[4-anilino-1-naphthyl]][4-(dimeth ylamino)phenyl]methylene]cyclohex a-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) | 2580-56-5 | 100 | N.D. | N.D. | |
| 83** | α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methan ol (C.I. Solvent Blue 4) | 6786-83-0 | 100 | N.D. | N.D. | |
| 84** | 4,4'-bis(dimethylamino)-4"-(methyla mino)trityl alcohol | 561-41-1 | 100 | N.D. | N.D. | |
| 85 | Bis(pentabromophenyl) ether (decabromodiphenylether; DecaBDE) | 1163-19-5 | 100 | N.D. | N.D. | |
| 86 | Pentacosafluorotridecanoic acid | 72629-94-8 | 100 | N.D. | N.D. | |
| 87 | Tricosafluorododecanoic acid | 307-55-1 | 100 | N.D. | N.D. | |
| 88 | Henicosafluoroundecanoic acid | 2058-94-8 | 100 | N.D. | N.D. | |
| 89 | Heptacosafluorotetradecanoic acid | 376-06-7 | 100 | N.D. | N.D. | |
| 90 | Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) | 123-77-3 | 100 | N.D. | N.D. | |
| 91 | Cyclohexane-1,2-dicarboxylic anhydride; cis-cyclohexane-1,2-dicarboxylic anhydride; trans-cyclohexane-1,2-dicarboxylic anhydride | 85-42-7, 13149-00-3, 14166-21-3 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 7/15

| No. | Test Item(s) | CAS No. | MDL | Test | Result(s) |
|------|---|----------------------------|-----------|------------------|-------------|
| 190. | | | MIDL | 001 | 002 |
| 61 | Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, | 25550-51-0, | ALLAND AN | L'IESTITAS CROCO | ting car |
| 92 | Hexahydro-1-methylphthalic anhydride, | 19438-60-9, 48122-14-1, | 100 | N.D. | N.D. |
| | Hexahydro-3-methylphthalic anhydride | 57110-29-9 | Nº Cat | | ing centres |
| 93 | 4-Nonylphenol, branched and linear | 2º 1 | 100 | N.D. | N.D. |
| 94 | 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated | le se | 100 | N.D. | N.D. |
| 95 | Methoxyacetic acid | 625-45-6 | 100 | N.D. | N.D. |
| 96 | N,N-dimethylformamide | 68-12-2 | 100 | N.D. | N.D. |
| 97 | Dibutyltin dichloride (DBTC) | 683-18-1 | 100 | N.D. | N.D. |
| 98 | Lead monoxide (Lead oxide) | 1317-36-8 | 100 | N.D. | N.D. |
| 99 | Orange lead (Lead tetroxide) | 1314-41-6 | 100 | N.D. | N.D. |
| 100 | Lead bis(tetrafluoroborate) | 13814-96-5 | 100 | N.D. | N.D. |
| 101 | Trilead bis(carbonate)dihydroxide | 1319-46-6 | 100 | N.D. | N.D. |
| 102 | Lead titanium trioxide | 12060-00-3 | 100 | N.D. | N.D. |
| 103 | Lead titanium zirconium oxide | 12626-81-2 | 100 | N.D. | N.D. |
| 104 | Silicic acid, lead salt | 11120-22-2 | 100 | N.D. | N.D. |
| 105 | Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped | 68784-75-8 | 100 | N.D. | N.D. |
| 106 | 1-bromopropane (n-propyl bromide) | 106-94-5 | 100 | N.D. | N.D. |
| 107 | Methyloxirane (Propylene oxide) | 75-56-9 | 100 | N.D. | N.D. |
| 108 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 100 | N.D. | N.D. |
| 109 | Diisopentylphthalate (DIPP) | 605-50-5 | 100 | N.D. | N.D. |
| 110 | N-pentyl-isopentylphthalate | 776297-69-9 | 100 | N.D. | N.D. |
| 111 | 1,2-diethoxyethane | 629-14-1 | 100 | N.D. | N.D. |
| 112 | Acetic acid, lead salt, basic | 51404-69-4 | 100 | N.D. | N.D. |
| 113 | Lead oxide sulfate | 12036-76-9 | 100 | N.D. | N.D. |
| 114 | [Phthalato(2-)]dioxotrilead | 69011-06-9 | 100 | N.D. | N.D. |
| 115 | Dioxobis(stearato)trilead | 12578-12-0 | 100 | N.D. | N.D. |
| 116 | Fatty acids, C16-18, lead salts | 91031-62-8 | 100 | N.D. | N.D. |
| 117 | Lead cynamidate | 20837-86-9 | 100 | N.D. | N.D. |
| 118 | Lead dinitrate | 10099-74-8 | 100 | N.D. | N.D. |
| 119 | Pentalead tetraoxide sulphate | 12065-90-6 | 100 | N.D. | N.D. |
| 120 | Pyrochlore, antimony lead yellow | 8012-00-8 | 100 | N.D. | N.D. |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 8/15

| No. | Test Item(s) | CAS No. | MDL | Test Result(s) | | |
|-----------------------|--|-------------|------------|----------------|-----------|--|
| 190. | | | IVIDL | 001 | 002 | |
| 121 | Sulfurous acid, lead salt, dibasic | 62229-08-7 | 100 | N.D. | N.D. | |
| 122 | Tetraethyllead | 78-00-2 | 100 | N.D. | N.D. | |
| 123 | Tetralead trioxide sulphate | 12202-17-4 | 100 | N.D. | N.D. | |
| 124 | Trilead dioxide phosphonate | 12141-20-7 | 100 | N.D. | N.D. | |
| 125 | Furan | 110-00-9 | 100 | N.D. | N.D. | |
| 126 | Diethyl sulphate | 64-67-5 | 100 | N.D. | N.D. | |
| 127 | Dimethyl sulphate | 77-78-1 | 100 | N.D. | N.D. | |
| 128 | 3-ethyl-2-methyl-2-(3-methylbutyl)- 1,3-oxazolidine | 143860-04-2 | 100 | N.D. | N.D. | |
| 129 | Dinoseb (6-sec-butyl-2,4-dinitrophenol) | 88-85-7 | 100 | N.D. | N.D. | |
| 130 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 100 | N.D. | N.D. | |
| 131 | 4,4'-oxydianiline and its salts | 101-80-4 | 100 | N.D. | N.D. | |
| 132 | 4-aminoazobenzene | 60-09-3 | 100 | N.D. | N.D. | |
| 133 | 4-methyl-m-phenylenediamine (toluene-2,4-diamine) | 95-80-7 | 100 | N.D. | N.D. | |
| 134 | 6-methoxy-m-toluidine (p-cresidine) | 120-71-8 | 100 | N.D. | N.D. | |
| 135 | Biphenyl-4-ylamine | 92-67-1 | 100 | N.D. | N.D. | |
| 136 | o-aminoazotoluene [(4-o-tolylazo-o-toluidine]) | 97-56-3 | 100 | N.D. | N.D. | |
| 137 | o-toluidine | 95-53-4 | 100 | N.D. | N.D. | |
| 138 | N-methylacetamide | 79-16-3 | 100 | N.D. | N.D. | |
| 139 | Cadmium | 7440-43-9 | 100 | N.D. | N.D. | |
| 140 | Cadmium oxide | 1306-19-0 | 100 | N.D. | N.D. | |
| 141 | Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 | 100 | N.D. | N.D. | |
| 142 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 100 | N.D. | N.D. | |
| 143 | Dipentyl phthalate (DPP) | 131-18-0 | 100 | N.D. | N.D. | |
| 144 | 4-Nonylphenol, branched and linear, ethoxylated[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated | STINC Color | 100 | N.D. | N.D. | |
| r fe st | covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] | and the me | a Teachtra | er C. | TEST ORSE | |
| 145 | Cadmium sulphide | 1306-23-6 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 9/15

| No. | Test Item(s) | CAS No. | MDL | Test Result(s) | | |
|-----|--|---|------|----------------|------|--|
| NO. | Test Item(s) | CAS NO. | MIDL | 001 | 002 | |
| 146 | Dihexyl phthalate (DHXP) | 84-75-3 | 100 | N.D. | N.D. | |
| 147 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis (azo)]bis(4-aminonaphthalene-1-sulp honate) (C.I. Direct Red 28) | 573-58-0 | 100 | N.D. | N.D. | |
| 148 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl) azo] [1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo) naphthalene-2,7-disulphonate(C.I. Direct Black 38) | 1937-37-7 | 100 | N.D. | N.D. | |
| 149 | Imidazolidine-2-thione; 2-imidazoline-2-thiol | 96-45-7 | 100 | N.D. | N.D. | |
| 150 | Lead di(acetate) | 301-04-2 | 100 | N.D. | N.D. | |
| 151 | Trixylyl phosphate | 25155-23-1 | 100 | N.D. | N.D. | |
| 152 | Cadmium chloride | 10108-64-2 | 100 | N.D. | N.D. | |
| 153 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 68515-50-4 | 100 | N.D. | N.D. | |
| 154 | Sodium peroxometaborate | 7632-04-4 | 100 | N.D. | N.D. | |
| 155 | Sodium perborate; perboric acid, sodium salt | 100 - | 100 | N.D. | N.D. | |
| 156 | Cadmium fluoride | 7790-79-6 | 100 | N.D. | N.D. | |
| 157 | Cadmium sulphate | 10124-36-4; 31119-53-6 | 100 | N.D. | N.D. | |
| 158 | 2-benzotriazol-2-yl-4,6-di-tert-butylp henol (UV-320) | 3846-71-7 | 100 | N.D. | N.D. | |
| 159 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpe ntylphenol (UV-328) | 25973-55-1 | 100 | N.D. | N.D. | |
| 160 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5 -dithia-4-stannatetradecanoate (DOTE) | 15571-58-1 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd

Add:1/F,No.4 Building, Huaye Hi-Tech Industrial Park, No.1180, Bin'an Road, Binjiang District, Hangzhou 310052, China Hotline:4006-721-723 Tel:+86 571-8720 6535 Fax:+86 571-8990 0719 E-mail:test@cirs-group.com Website:www.cirs-ck.com

20



Date: 2020-07-03

Page 10/15

IC IC

| No | Test Item(s) CAS No. MD | CASNO | MDI | Test Result(s) | | |
|-----|---|--------------------------------------|--------------------|----------------|--------------------|--|
| No. | | MIDL | 001 | 002 | | |
| | reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5 -dithia-4-stannatetradecanoate and | | 51110 50 | | ETING CON | |
| 161 | 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2- oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3 | A TESTITE CON | 100 | N.D. | N.D. | |
| | ,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) | | olle ste | | JRD JRD III | |
| ł | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; | and at the f | 25-5 ⁶⁶ | S. Steatte | 5 ⁹⁶ .0 | |
| 162 | 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | 68515-51-5; 68648-93-1 | 100 | N.D. | N.D. | |
| 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex -3-en-1-yl)-5-methyl-1,3-dioxane [1]; 5-sec-butyl-2-(4,6-dimethylcyclohex -3-en-1-yl)-5-methyl-1,3-dioxane [2]; [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] | onest instruction | 100 | N.D. | N.D. | |
| 164 | Nitrobenzene | 98-95-3 | 100 | N.D. | N.D. | |
| 65 | 2,4-di-tert-butyl-6-(5-chlorobenzotr iazol-2-yl) phenol (UV-327) | 3864-99-1 | 100 | N.D. | N.D. | |
| 66 | 2-(2H-benzotriazol-2-yl)-4-(tert-bu tyl)-6-(sec-butyl) phenol (UV-350) | 36437-37-3 | 100 | N.D. | N.D. | |
| .67 | 1,3-propanesultone | 1120-71-4 | 100 | N.D. | N.D. | |
| 168 | Perfluorononan-1-oic-acid and its sodium and ammonium salts | 375-95-1 21049-39-8 4149-60-4 | 100 | N.D. | N.D. | |
| 69 | Benzo[def]chrysene (Benzo[a]pyrene) | 50-32-8 | 100 | N.D. | N.D. | |
| 70 | Bisphenol A (BPA) | 80-05-7 | 100 | N.D. | N.D. | |
| 171 | Perfluorononan-1-kwai-acid and its sodium and ammonium salts | 335-76-2, 3108-42-7, 3830-45-3 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 11/15

| No. | Test Item(s) | CAS No. | MDL | Test Result(s) | | |
|------|---|--|---------------------|------------------|-----------|--|
| 140. | Test Item(s) | | MIDL | 001 | 002 | |
| 500 | 4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a | SCONTESTICESC | STING ST | L'ILSTITUTES CON | STING CON | |
| 172 | carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and | A Contract of the cost | 100 | N.D. | N.D. | |
| 3 | well-defined substances which include any of the individual isomers or a combination thereof] | STHO CONTRO | CIR ^{SECT} | ING CONTEST | CHRS-CR. | |
| 173 | p-(1,1-Dimethylpropyl)phenol | 80-46-6 | 100 | N.D. | N.D. | |
| 174 | Perfluorohexane-1-sulphonic acid and its salts (PFHxS) | AN THE | 100 | N.D. | N.D. | |
| 175 | Benzo(a)anthracene | 56-55-3 1718-53-2 | 100 | N.D. | N.D. | |
| 176 | Cadmium carbonate | 513-78-0 | 100 | N.D. | N.D. | |
| 77 | Cadmium hydroxide | 21041-95-2 | 100 | N.D. | N.D. | |
| 78 | Cadmium nitrate | 10022-68-1 10325-94-7 | 100 | N.D. | N.D. | |
| 179 | Chrysene | 218-01-9 1719-03-5 | 100 | N.D. | N.D. | |
| 180 | 1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo[12.2.1.16,9. 02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof] | store and a set of the | 100 | N.D. | N.D. | |
| 181 | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear | Constanting | 100 | N.D. | N.D. | |
| 182 | Octamethylcyclotetrasiloxane (D4) | 556-67-2 | 100 | N.D. | N.D. | |
| 183 | Decamethylcyclopentasiloxane (D5) | 541-02-6 | 100 | N.D. | N.D. | |
| 184 | Dodecamethylcyclohexasiloxane (D6) | 540-97-6 | 100 | N.D. | N.D. | |
| 185 | Lead | 7439-92-1 | 100 | N.D. | 9480 | |
| 186 | Disodium octaborate | 12008-41-2 | 100 | N.D. | N.D. | |

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 12/15

| No. | Test Item(s) | CAS No. | MDL | Test Result(s) | | |
|------|---|---------------------------------|------|----------------|------|--|
| 190. | Test Item(s) | CAS NO. | MIDL | 001 | 002 | |
| 187 | Benzo[ghi]perylene | 191-24-2 | 100 | N.D. | N.D. | |
| 188 | Terphenyl hydrogenated | 61788-32-7 | 100 | N.D. | N.D. | |
| 189 | Ethylenediamine (EDA) | 107-15-3 | 100 | N.D. | N.D. | |
| 190 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA) | 552-30-7 | 100 | N.D. | N.D. | |
| 191 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 100 | N.D. | N.D. | |
| 192 | 2,2-bis(4'-hydroxyphenyl)-4- methylpentane | 6807-17-6 | 100 | N.D. | N.D. | |
| 193 | Benzo[k]fluoranthene | 207-08-9 | 100 | N.D. | N.D. | |
| 194 | Fluoranthene | 206-44-0 | 100 | N.D. | N.D. | |
| 195 | Phenanthrene | 85-01-8 | 100 | N.D. | N.D. | |
| 196 | Pyrene | 129-00-0 | 100 | N.D. | N.D. | |
| 197 | 1,7,7-trimethyl-3- (phenylmethylene) bicyclo[2.2.1]heptan-2-one | 15087-24-8 | 100 | N.D. | N.D. | |
| 198 | 2-methoxyethyl acetate | 110-49-6 | 100 | N.D. | N.D. | |
| 199 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) | CIRS | 100 | N.D. | N.D. | |
| 200 | 2,3,3,3-tetrafluoro-2-(heptafluoropro poxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) | 100 - 200 - 200 - 200 - 200 | 100 | N.D. | N.D. | |
| 201 | 4-tert-butylphenol | 98-54-4 | 100 | N.D. | N.D. | |
| 202 | Perfluorobutane sulfonic acid (PFBS) and its salts | Star Star | 100 | N.D. | N.D. | |
| 203 | Diisohexyl phthate | 71850-09-4 | 100 | N.D. | N.D. | |
| 204 | 2-methy-1- (4-methylthiophenyl) -2-morpholinobutyropan-1-one | 71868-10-5 | 100 | N.D. | N.D. | |
| 205 | 2-benzyl-2-dimethylamine-4'-morph olinobutyrophenone | 119313-12-1 | 100 | N.D. | N.D. | |

Remarks:

1. Unit: mg/kg. 1000mg/kg = 1000ppm= 0.1%. N.D. = Not detected (<MDL); MDL= Method Detection Limits.

- 2. *: Be covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures:
 - (70*) Aluminosilicate Refractory Ceramic Fibres

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

- a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges
- b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm)
- c) alkaline oxide and alkali earth oxide (Na₂O+K₂O+CaO+MgO+BaO) content less or equal to 18% by weight
- (71*) Zirconia Aluminosilicate Refractory Ceramic Fibres
 - a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges
 - b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm).
 - c) alkaline oxide and alkali earth oxide (Na₂O+K₂O+CaO+MgO+BaO) content less or equal to 18% by weight
- 3. ** (Items 81, 82, 83, 84) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] is identified as a substance meeting the criteria of Article 57 (a) of Regulation (EC) 1907/2006 (REACH) owing to its classification as carcinogen category 1A or 1B.
- 4. The substances are tested by in-house methods: CIRS-TC-SVHC001, CIRS-TC-SVHC002, CIRS-TC-SVHC003, CIRS-TC-SVHC004, CIRS-TC-SVHC005 and CIRS-TC-SVHC006 which refer to the methods listed below:
- 1) US EPA 3540C:1996 Soxhlet Extraction
- 2) US EPA 3550C:2007 Ultrasonic Extraction
- 3) US EPA 8270E:2018 Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry
- 4) EN 14372:2004 Child use and care articles-Cutlery and feeding utensils-Safety requirements and tests
- 5) ISO 14362-1:2017 Textiles Methods for determination of certain aromatic amines derived from Azo colorants Part 1: Detection of the use of certain Azo colorants accessible with and without extracting the fibres
- 6) ISO 14362-3:2017 Textiles. Methods for determination of certain aromatic amines derived from Azo colorants. Part 3:Detection of the use of certain Azo colorants, which may release 4-aminoazobenzene
- 7) ISO 18219:2015 Leather. Chemical tests. Determination of short-chain chlorinated paraffins
- 8) ISO 16189:2013 Footwear-Critical substances potentially present in footwear and footwear components -Test method to quantitatively determine dimethylformamide in footwear materials
- 9) EN 71-3:2019 Safety Of Toys Part 3: Migration Of Certain Elements Annex G: Method of analysis for organic tin
- 10) AfPS GS 2014:01 PAK Testing and assessment of polycyclic aromatic hydrocarbons (PAHs) in the course of awarding the GS mark
- 11) IEC 62321-6:2015 Polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatograhy -mass spectometry (GC-MS)
- 12) EPA 8061A:1996 Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD)
- 13) US EPA 8260B:1996 Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)
- 14) EPA 5021A:2014 Volatile Organic Compounds in Soils and Other Solid Matrices Using Equilibrium Headspace Analysis

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Page 14/15

- 15) CNS 15493-2015 Safety requirements of plastic puzzle ground mat
- 16) US EPA 3050B:1996 Acid Digestion of Sediments, Sludges, and Soils
- 17) US EPA 3052:1996 Microwave Assisted Acid Digestion of Siliceous and Organically Based Matrices
- 18) US EPA 3051A:2007 Microwave Assisted Acid Digestion of Sediments, Sludges, Soils, and Oils
- 19) US EPA 6010D:2018 Inductively Coupled Plasma-Optical Emission Spectrometry
- 20) ISO 17075-1:2017 Leather-Chemical tests-Determination of chromium(VI) content
- 21) US EPA 3060A:1996 Alkaline Digestion for Hexavalent Chromium
- 22) US EPA 7196A:1992, IEC 62321-7-1:2015, IEC 62321-7-2:2017 Chromium, Hexavalent (Colorimetric)
- 23) ISO 3613:2010 Test methods—Metallic and other inorganic coatings Chromate conversion coatings on zinc, cadmium, aluminium-zinc alloys and zincaluminium alloys
- 24) ASTM D7065:2017 Standard Test Method for Determination of Nonylphenol,Bisphenol A,p-tert-Octylphenol,Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry
- 25) ISO 18218-2:2015 Leather Determination of ethoxylated alkylphenols. Part 2:Indirect
- 26) SN/T 1850.1-2006 Determination of alkylphenol polyethoxylates in textiles. Part 1:High performance liquid chromatography method
- 27) US EPA 8321B:2007 Solvent-extractable nonvolatile compounds by high-performance liquid chromatography/ thermospray/ mass spectrometry (HPLC/TS/MS) or ultraviolet(UV) detection
- 28) DIN 54231:2005 Textiles Detection of disperse dyestuffs
- 29) GB/T 29609-2013 Rubber-Determination of phenol and biphenyl-A
- 5. Because it is difficult to detect the substances (CoCl₂, C₂₄H₅₄OSn₂, Na₂Cr₂O₇, PbAsHO₄, As₂O₃, As₂O₅, Triethyl arsenate PbCrO₄, Lead chromate molybdate sulphate red (C.I. Pigment Red 104), Lead sulfochromate yellow (C.I. Pigment Yellow 34), Triethyl arsenate, H₃BO₃, Na₂B₄O₇, Na₂B₄O₇•7H₂O, Na₂CrO₄, K₂CrO₄, (NH₄)₂Cr₂O₇, K₂Cr₂O₇, CrO₃, Co(CH₃COO)₂, CoCO₃, Co(NO₃)₂, CoSO₄, SrCrO₄, Calcium arsenate, Potassium hydroxyoctaoxodizincatedichromate, Lead dipicrate, Arsenic acid, Trilead diarsenate, Pentazinc chromate octahydroxide, Lead diazide, Lead azide, Lead styphnate, Diboron trioxide, Lead (II) bis (methanesulfonate), Aluminosilicate Refractory Ceramic Fibres, Zirconia Aluminosilicate, Refractory Ceramic Fibres, Dichromium tris(chromate), Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid, Dibutyltin dichloride (DBTC), Lead monoxide (Lead oxide), Orange lead (Lead tetroxide), Lead bis(tetrafluoroborate), Trilead bis(carbonate)dihydroxide, Lead titanium trioxide, Lead titanium zirconium oxide, Silicic acid, lead salt, (Silicic acid (H2Si2O5), barium salt (1:1), lead-doped), (Acetic acid, lead salt, basic), Lead oxide sulfate, [Phthalato(2-)]dioxotrilead, Dioxobis(stearato)trilead, (Fatty acids, C16-18, lead salts), Lead cynamidate, Lead dinitrate, Pentalead tetraoxide sulphate, (Pyrochlore, antimony lead yellow), (Sulfurous acid, lead salt, dibasic), Tetraethyllead, Tetralead trioxide sulphate, Trilead dioxide phosphonate, Cadmium oxide, Cadmium sulphide, Lead di(acetate), Cadmium chloride, Sodium peroxometaborate, (Sodium perborate; perboric acid, sodium salt), Cadmium fluoride, Cadmium sulphate, Cadmium carbonate, Cadmium hydroxide, Cadmium nitrate, Disodium octaborate) via direct tests but via converting them into detectable elements, we consider that all the relative elements exist in the form of their compounds when having the test.

Hangzhou C&K Testing Technic Co., Ltd



Date: 2020-07-03

Statement:

I This report is invalid without the signature of accredited signatory. Any alteration to this report is also invalid. II This report is invalid without the special seal of inspection & testing and across-page seal.

III This report shall not be part copy without written approval of Hangzhou C&K Testing Technic Co., Ltd..

IV Any commercial activity such as advertising or propaganda is not allowed without authorization of Hangzhou C&K Testing Technic Co., Ltd..

V The test results shown in this report refer only to the sample submitted by applicant.

- VI Please respond to Hangzhou C&K Testing Technic Co., Ltd. within fifteen working days upon receipt of this report if there is any objection.
- VII Hangzhou C&K Testing Technic Co., Ltd. guarantee that we shall not disclose information such as the commercial information, technical documents or test report to any third party.

VIII The applicant should undertake the legal responsibility that result from providing untruth information. IX This report is not prove to society without the seal of China Metrology Accreditation, only for quality control.

The end of report

Hangzhou C&K Testing Technic Co., Ltd