



Murotti Angelo srl

Version no. 1

Revision date 25/08/2015

ASCOR EXPRESS L11.3 Special

Printed on 25/08/2015

Page no. 1/12

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and the company/undertaking

1.1. Product identification

Name **ASCOR EXPRESS L11.3 Special**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description/Use **Special detergent for cappuccino maker cleaning - NSF**

1.3. Details of the supplier of the safety data sheet

Company name **Murotti Angelo srl**
Address **Via Caduti di Sabbiuno, 69**
City and Country **40053 Loc. Bazzano- VALSAMOGGIA (BO)**
Italy
tel. 051 832255
fax 051 832956

e-mail of the competent person,
person responsible for the safety data sheet **murotti.ascor@libero.it**

1.4. Emergency telephone number

For urgent information contact **Poison Center: 02/66101029- Company headquarters: tel 051/832255**

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and amendments). Therefore the product requires a safety data sheet according to the provisions of Regulation (EC) 1907/2006 and subsequent amendments. Further information on health and/or environmental hazards can be found in sections 11 and 12 of this sheet.

Classification and hazard statements:

Eye irritant, category 2 **H319** Causes serious eye irritation.

2.2. Labeling elements.

Danger identification pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments.



Warnings: **Warning**

**ASCOR EXPRESS L11.3 Special**

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear eye and face protection.
P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists, get medical advice.

The classification of this product, which has an extremely high pH value, is based on the results of appropriate in-vitro tests.

2.3. Other hazards.

According to the available data, the product does not contain PBT or vPvB substances in a percentage higher than 0.1%.

SECTION 3. Ingredients/composition information.**3.1. Substances.**

Information non applicable.

3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).
TETRASODIUM ETHYLENEDIAMINETETRAACETATE CAS. 64-02-8 EC. 200-573-9 INDEX. 607-428-00-2 Nr. Reg. 01-2119486762-27	3 - 8	Acute Tox. 4 H302, Acute Tox. 4 H332, Eye Dam. 1 H318
Alcan C6-C8 (div. numeration),1-sulphonic acid, sodium salt CAS. - EC. 939-625-8 INDEX. - Nr. Reg. 01-2119985168-23-0000	0 - 5	Eye Irrit. 2 H319, Skin Irrit. 2 H315

Note: Upper range value excluded.

The full text of the hazard statements (H) is given in section 16 of the sheet.

SECTION 4. First aid measures.**4.1. Description of first aid measures.**



ASCOR EXPRESS L11.3 Special

There are no known episodes of injury to product users. If required, adopt the following general measures:

INHALATION: Take the person outside. If the person stops breathing, perform artificial respiration. Seek medical advice immediately.

INGESTION: Seek medical advice immediately. Induce vomiting only if directed to do so by the doctor. Never give anything by mouth if the person is unconscious.

EYES and SKIN: Wash with plenty of water. If the irritation persists, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed.

There are no known health hazards caused by exposure to the product.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures

5.1. Extinguishing media.

APPROPRIATE EXTINGUISHING MEDIA

Use conventional extinction equipment: carbon dioxide, foam, powder and nebulized water.

INAPPROPRIATE EXTINGUISHING MEDIA

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Avoid inhaling any combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Cool the containers with jets of water to prevent product decomposition and the development of substances that are potentially hazardous for the health. Always wear full fire protection equipment. Collect all water used to extinguish the fire; this must not be drained into the mains sewer. Dispose of contaminated water used to extinguish the fire and other fire residues in compliance with the laws in force.

EQUIPMENT

Normal firefighting clothing, such as self-contained, open-circuit compressed air breathing apparatus (EN 137), flameproof suit (EN469), flameproof gloves (EN 659) and Fire Brigade boots (HO A29 or A30).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



ASCOR EXPRESS L11.3 Special

Use breathing equipment if powders or vapours are released into the air. These indications are valid for both workers during handling and emergency interventions.

6.2. Environmental precautions

Do not allow the product to penetrate into sewers, surface and ground waters.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material Collect as much material as possible and eliminate the rest using jets of water. Contaminated material must be disposed of in compliance with the provisions laid down in point 13.

6.4. Reference to other sections

Any information concerning personal protection and disposal are given in sections 8 and 13.

SECTION 7. Handling and storage

DO NOT store in containers other than the original one; risk of fatal errors if exchanged for foodstuffs.

7.1. Precautions for safety handling

DO NOT store in containers other than the original one; risk of fatal errors if exchanged for foodstuffs.

Consult all sections of this safety data sheet before handling the product. Avoid release to the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Store the product in clearly labeled containers. Keep the containers away from any incompatible materials, check section 10.

7.3. Specific end use(s)

Information not available.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

**ASCOR EXPRESS L11.3 Special**

Information not available.

8.2. Exposure controls**EYE PROTECTION**

It is recommended to wear protective airtight goggles (ref. standard EN 166).

HAND PROTECTION

In the case of foreseen prolonged contact with the product, it is recommended to protect the hands with penetration-resistant work gloves (ref. standard EN 374).

In choosing the material of the work gloves, the handling process of the product and any other derivate products must also be assessed. Also consider that latex gloves may cause allergic reactions.

RESPIRATORY PROTECTION

It is recommended to use a P type filter face mask (ref. standard EN 149), or equivalent device, the class (1, 2 or 3) and effective need of which must be defined according to the result of the risk assessment.

Comply with ordinary safety measures applied to the handling of chemical substances.

ENVIRONMENTAL EXPOSURE CONTROLS

Production process emissions, including those from ventilation equipment, must be checked in order to comply with environmental protection regulations.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Not available.
Color	Not available.
Odor	Not available.
Olfactory threshold.	Not available.
pH.	10.84 (sol.1%)
Melting or freezing point	Not available.
Initial boiling point	Not available.
Boiling interval	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability of solids and gases	Not available.
Lower flammability limit	Not available.
Upper flammability limit	Not available.
Lower explosive limit	Not available.
Upper explosive limit	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.050 Kg/l
Solubility	Not available.
Partition coefficient: n-octanol/water	Not available.
Ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.

9.2. Other information

VOC (Directive 1999/13/EC):	0.05 %	-	0.54	g/liter.
VOC (volatile carbon):	0.03 %	-	0.28	g/liter.



ASCOR EXPRESS L11.3 Special

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Strong reducing and oxidizing agents, strong acids and alkalies, high temperature materials.

10.6. Hazardous decomposition products

Information not available.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

If no experimental toxicological data is available for the product, any health hazards have been assessed according to the properties of the contained substances, in line with the criteria laid down in the reference regulations for the classification. Therefore consider the concentration of any single hazardous substances referred to in sect. 3, to assess the toxicological effects deriving from exposure to the product.

Acute effects: contact with eyes causes irritation; symptoms may include: reddening, oedema, pain and lacrimation. Ingestion can cause health problems, including abdominal pain, heartburn, nausea and vomiting.

SECTION 12. Ecological information

12.1. Toxicity



ASCOR EXPRESS L11.3 Special

Information not available.

12.2. Persistence and degradability

The product contains substances that meet the biodegradability requirements of Reg 648/04/EC.

12.3. Bioaccumulative potential

Information not available.

12.4. Mobility in the soil

Information not available.

12.5. Results of PBT and vPvB assessment

According to the available data, the product does not contain PBT or vPvB substances in a percentage higher than 0.1%.

12.6. Other adverse effects

Information not available.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

The product must be disposed of by an authorized waste management company, in compliance with the national and any local laws. Do not release the product into the ground, the sewers or waterways under any circumstances.

SECTION 14. Transport information

14.1. UN number.

Not applicable.

14.2. UN shipping number.

Not applicable.

14.3. Transport hazard classes.



ASCOR EXPRESS L11.3 Special

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for users.

Not applicable.

14.7. Bulk transport according to annex II of MARPOL 73/78 and the IBC code.

Information non applicable.

15.2. Chemical safety assessment

SECTION 15. Regulatory information

No chemical safety assessment was drawn up for the mixture or the substances contained therein.

Composition (648/04/EC): less than 5%: phosphonates, anionic tensioactives, non-ionic tensioactives; 5%-15%: EDTA.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category. None.

Restrictions to the product or the substances contained therein according to Annex XVII Regulation (EC) 1907/2006.

Product.
Point. 3

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorization (Annex XIV REACH).

**ASCOR EXPRESS L11.3 Special**

None.

Substances subject to export notification Reg. (EC) 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Health controls.

Workers exposed to this hazardous chemical agent must have their health monitored in accordance with the provisions of art. 41 of Italian Law (D.Lgs.) 81 of 9 April 2008 unless the worker's health and safety risk is deemed to be irrelevant, according to the provisions of art. 224 par. 2.

D.Lgs. 152/2006 and amendments.

Emissions:

SECTION 16. Other information

Hazard statements (H) referred to in sections 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritant, category 2
Skin Irrit. 2	Skin irritant, category 2
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

KEY:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Half maximal effective concentration in the tested population
- EC NUMBER: Identification number in ESIS (European Chemical Substances Information System)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals
- IATA DGR: Dangerous Goods Regulations of the International Air Transport Association
- IC50: Half maximal inhibitory concentration in the tested population
- IMDG: International Maritime Dangerous Goods Code
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in Annex VI of the CLP
- LC50: Lethal concentration 50%
- LD50: Lethal dose 50%



Murotti Angelo srl

Version no. 1

Revision date 25/08/2015

ASCOR EXPRESS L11.3 Special

Printed on 25/08/2015

Page no. 10/12

- OEL: Occupational exposure level
- PBT: Persistent Bioaccumulative and Toxic according to REACH
- PEC: Predicted environmental concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- TLV: Threshold Limit Value
- TLV CEILING: Absolute exposure limit that should not be exceeded at any time.
- TWA STEL: Spot exposure limit
- TWA: Time weighted average exposure
- VOC: Volatile organic compound
- vPvB: Very Persistent and very Bio-accumulative according to REACH
- WGK: Water hazard class (Germany).

GENERAL REFERENCES:

1. Regulation (EU) 1907/2006 of the European Parliament (REACH)
 2. Regulation (EU) 1272/2008 of the European Parliament (CLP)
 3. Regulation (EU) 790/2009 of the European Parliament (I Atp.) CLP)
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 of the European Parliament (II Atp.) CLP)
 6. Regulation (EU) 618/2012 of the European Parliament (III Atp.) CLP)
 7. Regulation (EU) 487/2013 of the European Parliament (IV Atp.) CLP)
 8. Regulation (EU) 944/2013 of the European Parliament (V Atp.) CLP)
 9. Regulation (EU) 605/2014 of the European Parliament (VI Atp.) CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - ECHA Agency website

User notes:

The information contained in this sheet is based on the knowledge available to the producer on the date of the last version. It is the user's responsibility to satisfy himself that the information is complete and suitable for his own particular use.

The document must not be interpreted as a guarantee of any specific properties of the product.

As the use of the product is not under the direct control of the producer, the user is responsible for ensuring compliance with all hygiene and safety laws and provisions in force. No liability shall be accepted for improper use.


Train staff appropriately in the use of chemical products.

ASCOR EXPRESS L1...3 SPECIAL has NSF marking NON FOOD COMPOUNDS- Program listed A1- Registration NR 141130.

Amendments compared to the previous version.

Modifications have been made to the following sections:

01 / 02 / 03 / 04 / 06 / 07 / 08 / 10 / 11 / 12 / 13 / 14 / 15 / 16.

	Murotti Angelo srl	Version no. 1
	ASCOR EXPRESS L11.3 Special	Revision date 25/08/2015 Printed on 25/08/2015 Page no. 11/12

APPENDIX: EXPOSURE SCENARIOS - No.1


PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.



OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature Dilute if required with tap water at a maximum temperature of 45 °C. Local exhaust ventilation (LEV) is not required; generally efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation	Use gloves and protective goggles. See sect. 8 for specifications. Staff must be trained appropriately in use and maintenance 
---	--

GENERAL ADVICE


Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water.

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS
The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.
The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS
The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses
PC 35: Washing and cleaning products (including solvent-based products)
PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
ERC 8a: Wide dispersive indoor use of processing aids in open systems

	Murotti Angelo srl	Version no. 1
	ASCOR EXPRESS L11.3 Special	Revision date 25/08/2015 Printed on 25/08/2015 Page no. 12/12

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1)

Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washing)



OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature Local exhaust ventilation (LEV) is not required; generally efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation	Personal protective equipment is not required.
---	--

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS
The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.
The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS
The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SU 22: Professional uses
PC 35: Washing and cleaning products (including solvent-based products)
PROC 2: Use in closed, continuous process with occasional controlled exposure
ERC 8a: Wide dispersive indoor use of processing aids in open systems