according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 1/9



etolit Entkalker Pulver

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit Entkalker Pulver

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau Germany

Telephone: +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168

E-mail: info@etol.de **Website:** www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	Calculation method.
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 2/9



etolit Entkalker Pulver

hazard statements for health hazards		
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	

Hazard statements	for environmental hazards
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information: -

Precautionary statements Prevention		
P280	Wear protective gloves and eye/face protection.	

Precautionary stat	ements Response
P337 + P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 5329-14-6	sulphamic acid	50 - 100
EC No.: 226-218-8	Aquatic Chronic 3, Eye Irrit. 2, Skin Irrit. 2	weight-%
REACH No.: 01-2119488633-28	Warning H315-H319-H412	

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 3/9



etolit Entkalker Pulver

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Full water jet

Dry extinguishing powder

Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Nitrogen oxides (NOx) Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe dust.

Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection High efficiency particulate air filter (HEPA filter)

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 4/9



etolit Entkalker Pulver

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class (TRGS 510, Germany): 13 – Non-combustible solids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m³ ⑤ Mass fraction (wt %): 0

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sulphamic acid CAS No.: 5329-14-6 EC No.: 226-218-8	70.5 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment





Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material:NBR (Nitrile rubber) > 0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Particle filter device (DIN EN 143)

8.2.3. Environmental exposure controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 5/9



etolit Entkalker Pulver

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Powder Colour: white

Odour: odourless

Safety relevant basis data

parameter		at °C	Method	Remark
рН	= 1.2			10 g/l
Melting point	200 °C			
Freezing point	not determined			
Initial boiling point and boiling range	not determined			
Decomposition temperature	not determined			
Flash point	not applicable			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not applicable			
Vapour pressure	not determined			
Vapour density	not determined			
Density	= 1.2 g/cm ³	20 °C		
Relative density	not determined			
Bulk density	≈ 1.2 g/cm ³	20 °C		
Water solubility	completely miscible	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

Alkali (lye)

Oxidising agent, strong

10.6. Hazardous decomposition products

Nitrogen oxides (NOx)

Sulphur oxides

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 6/9



etolit Entkalker Pulver

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
sulphamic acid CAS No.: 5329-14-6 EC No.: 226-218-8	LD ₅₀ oral: =3,160 mg/kg (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
sulphamic acid CAS No.: 5329-14-6 EC No.: 226-218-8	LC ₅₀ : =70.3 mg/l 4 d (fish-, Pimephales promelas (fathe ad minnow))

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
sulphamic acid	not applicable	
CAS No.: 5329-14-6		
EC No.: 226-218-8		

12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
sulphamic acid	0.1	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 7/9



etolit Entkalker Pulver

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
CAS No.: 5329-14-6		
EC No.: 226-218-8		

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
sulphamic acid CAS No.: 5329-14-6 EC No.: 226-218-8	The substance in the mixture does not meet the PBT/ vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29 *	Detergents containing hazardous substances

^{*:} Evidence for disposal must be provided.

Waste code packaging:

15 01 10 *	packaging containing residues of or contaminated by dangerous substances	

^{*:} Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN number o	r ID number		
UN 2967	UN 2967	UN 2967	UN 2967
14.2. UN proper shipping name			
SULPHAMIC ACID	SULPHAMIC ACID	SULPHAMIC ACID	SULPHAMIC ACID
14.3. Transport hazard class(es)			
		<u> </u>	***
8	8	8	8
14.4. Packing grou	p		
III	III	III	III

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 8/9



etolit Entkalker Pulver

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.5. Environmenta	l hazards		
No	No	No	No
14.6. Special preca	utions for user		
Special provisions:	Special provisions:	Special provisions:	Special provisions:
Limited quantity (LQ): 5 Kg	Limited quantity (LQ): 5 Kg	Limited quantity (LQ): 5 Kg	Excepted Quantities (EQ):
Excepted Quantities (EQ): E1	Excepted Quantities (EQ): E1	Excepted Quantities (EQ): E1	Remark:
Hazard identification number (Kemler	Classification code-:	EmS-No.: F-A, S-B Remark:	
No.): 80	Remark:		
Classification code-: C2			
tunnel restriction code-: (E)			
Remark:			

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 (Detergents regulation): -

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Water hazard class

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.1.	Product identifier	
1.2.	. Relevant identified uses of the substance or mixture and uses advised against	
8.1.	Control parameters	
14.6.	6. Special precautions for user	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	

en / DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2021 Print date: 19 Apr 2021

Version: 8.1 Page 9/9



etolit Entkalker Pulver

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	Calculation method.
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version