according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 1/8



etolit Clean

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit Clean

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol-Werk Eberhard Tripp GmbH & Co.OHG

Labor

Allerheiligenstr. 12 77728 Oppenau

Germany

Telephone: +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168

E-mail: info@etol.de **Website:** www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories		Classification proc edure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1A)	H314: Causes severe skin burns and eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

Hazard components for labelling:

potassium hydroxide

hazard s	nents for physical hazards	
H290	May be corrosive to metals.	

hazard statements	for health hazards
H314	Causes severe skin burns and eye damage.

Supplemental Hazard information (EU): -

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 2/8



etolit Clean

Precautionary statements Prevention		
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

Precautionary statements Response		
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 1310-58-3 EC No.: 215-181-3 INDEX No.: 019-002-00-8	potassium hydroxide Skin Corr. 1A, Acute Tox. 4 Danger H302-H314	5 – 25 Wt %
REACH No.: 01-2119487136-33		

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed Skin corrosion/irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 3/8



etolit Clean

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Carbon dioxide (CO2) Extinguishing powder

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water (with cleaning agent)

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 4/8



etolit Clean

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class: 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
potassium hydroxide	1 mg/m³	① DNEL worker
CAS No.: 1310-58-3		② DNEL long-term inhalative (local)
Alkyl amidopropyl betaine	44 mg/m³	① DNEL worker
		② DNEL long-term inhalative (systemic)
Alkyl amidopropyl betaine	12.5 mg/kg	① DNEL worker
		② DNEL long-term dermal (systemic)

Substance name	PNEC Value	① PNEC type
Alkyl amidopropyl betaine	0.0135 mg/l	① PNEC aquatic, freshwater
Alkyl amidopropyl betaine	0.00135 mg/l	① PNEC aquatic, marine water
Alkyl amidopropyl betaine	3,000 mg/l	① PNEC sewage treatment plant (STP)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment







Eye/face protection:

Eye glasses with side protection

Skin protection:

Tested protective gloves must be worn DIN EN 374 Suitable material: NBR (Nitrile rubber) >0,3mm Breakthrough time (maximum wearing time) 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn

8.2.3. Environmental exposure controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 5/8



etolit Clean

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid Colour: red

Odour: characteristic

Safety relevant basis data

parameter		at °C	method	Remark
рН	14	20 °C		
Melting point/freezing point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature (°C):	not determined			
Flash point	not applicable			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	= 1.1 g/cm ³	20 °C		
Bulk density	not determined			
Water solubility (g/L)	completely misc ible	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Materials to avoid:

Acid

Light metals

10.6. Hazardous decomposition products

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 6/8



etolit Clean

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
1310-58-3	potassium hydroxide	LD₅₀ oral: =273 mg/kg (Rat)

Skin corrosion/irritation:

Causes severe burns.

Eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29 * municipal wastes: Detergents containing dangerous substances

Waste code packaging:

15 01 10 packaging containing residues of or contaminated by dangerous substances

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

^{*:} Evidence for disposal must be provided.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 7/8



etolit Clean

Appropriate disposal / Package:

Completely emptied packages can be recycled.

13.2. Additional information

No data available

SECTION 14: Transport information

Land transport (ADR/ RID)	Inland waterway craf t (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN-No.			
1814	1814	1814	1814
14.2. UN proper ship	pping name		
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport haza	ard class(es)		
(E	ű. é	42	(E)
8	8	8	8
14.4. Packing group			_1
II	II	II	II
14.5. Environmenta	l hazards		
No	No	No	No
14.6. Special precau	itions for user		
Special provisions: Limited quantity (LQ): Hazard identificati on number (Kemler No.): Classification code: - tunnel restriction co de: E Remark:	Special provisions: Limited quantity (LQ): Classification code: - Remark:	Special provisions: Limited quantity (LQ): EmS-No.: Remark:	Special provisions: Limited quantity (LQ): Remark:

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

wgk.

1 - schwach wassergefährdend

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016 Print date: 29-Mar-2016

Version: 5 Page 8/8



etolit Clean

15.2. Chemical Safety Assessment

No data available

15.3. Additional information

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories		Classification proc edure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1A)	H314: Causes severe skin burns and eye damage.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.