



SAFETY DATA SHEET

Cleaning tablet for coffee equipment

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Cleaning tablet for coffee equipment

Product no.

23002

Unique formula identifier (UFI)

T7HW-0TUE-J003-EMQG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

lujoCLEAN - cleaning products for coffee machines

Weidenstraße 13

82386 Huglfing

Germany

Tel: +49 (0) 88 02 913 747 -0

Fax: +49 (0) 88 02 913 747 -1

www.lujoclean.com

E-mai

info@lujoclean.com

Revision

03/02/2023

SDS Version

1.0

1.4. Emergency telephone number

Tel. +49 89 96290-441

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes serious eye damage. (H318)

Safety statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)





Prevention

Wear eye protection/protective clothing. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

_

Disposal

JP.

Hazardous substances

Disodium carbonate, compound with hydrogen peroxide (2:3)

Additional labelling

UFI: T7HW-0TUE-J003-EMQG

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Disodium carbonate, compound with hydrogen peroxide (2:3)	CAS No.: 15630-89-4 EC No.: 239-707-6 REACH: 01-2119457268-30-XXXX Index No.:	25-50%	Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318 (SCL: 25.00 %) Eye Irrit. 2, H319 (SCL: 7.50 %)	
sodium carbonate	CAS No.: 497-19-8 EC No.: 207-838-8 REACH: 01-2119485498-19-XXXX Index No.: 011-005-00-2	10-30%	Eye Irrit. 2, H319	
Citric acid	CAS No.: 77-92-9 EC No.: 201-069-1 REACH: 01-2119457026-42-XXXX Index No.:	1-20%	Eye Irrit. 2, H319 STOT SE 3, H335	
Silicic acid, sodium salt CAS No.: 1344-09-8 EC No.: 215-687-4 REACH: 01-2119448725-31-XXXX Index No.:		1-5%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Alkoholalkoxylat	CAS No.: EC No.: REACH: Index No.:	1-5%	Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004

≥ 30%

- Oxygen-based bleaching Agents
- · Phosphates





- < 5%
- · Non-ionic surfactants
- · Phosphonates

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eve contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Information Centre (NPIC) on +353 (0) 1 809 256 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions





Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Minor spills are collected with a cloth. Collection and disposal of the material shall be done with minimum creation of dust. Sweep and collect. Shall be contained in suitable and tightly closed disposal containers.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 15 to 25°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the "List of Chemical Agents and Occupational Exposure Limit Values" with an occupational exposure limit.

DNEL

Disodium carbonate, compound with hydrogen peroxide (2:3)

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Dermal	6.4 mg/cm ²
Long term – Local effects - Workers	Dermal	12.8 mg/cm ²
Short term – Local effects - General population	Dermal	6.4 mg/cm ²
Short term – Local effects - Workers	Dermal	12.8 mg/cm ²
Long term – Local effects - Workers	Inhalation	5 mg/m³

Silicic acid, sodium salt

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	800 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	1.59 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.38 mg/m ³
Long term – Systemic effects - Workers	Inhalation	5.61 mg/m ³
Long term – Systemic effects - General population	Oral	800 μg/kgbw/day

sodium carbonate

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Inhalation	5 mg/m³
Long term – Local effects - Workers	Inhalation	10 mg/m³

PNEC

Disodium carbonate, compound with hydrogen peroxide (2:3)



1 mg/L

348 mg/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Route of exposure Duration	on of Exposure PNEC
Freshwater	35 μg/L
Intermittent release (freshwater)	35 μg/L
Marine water	35 μg/L
Sewage treatment plant	16.24 mg/L
Silicic acid, sodium salt	
Route of exposure Duration	on of Exposure PNEC
Freshwater	7.5 mg/L
Intermittent release (freshwater)	7.5 mg/L

8.2. Exposure controls

Sewage treatment plant

Marine water

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

8.3. Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards	
No specific requirements				

Skin protection

an protection			
Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
No special when used as intended	-	-	-	
Butyl	0,7	> 480	EN374-2, EN374-3, EN388, EN421	
Nitrile	0,5	> 480	EN374-2, EN374-3, EN388	

Eye protection





Type Standards

Safety glasses with side EN166 shields.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Tablets

Colour

White

Odour / Odour threshold

Characteristic

рΗ

Testing not relevant or not possible due to the nature of the product.

pH in solution

10 (1%)

Density (g/cm³)

Not applicable - product is a solid

Relative density

Not applicable - product is a solid

Kinematic viscosity

Not applicable - product is a solid

Particle characteristics

Testing not relevant or not possible due to the nature of the product.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to solids.

Boiling point (°C)

Does not apply to solids.

Vapour pressure

Not applicable

Relative vapour density

Does not apply to solids.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Not applicable - product is a solid

Auto-Ignition (°C)

Not applicable - product is a solid

Flammability (°C)

Not applicable - product is a solid

Lower and upper explosion limit (% v/v)

Not applicable - product is a solid

Solubility

Solubility in water

Soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (q/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information





VOC (g/L)

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance

Disodium carbonate, compound with hydrogen peroxide (2:3)

Test method

Species Route of exposure

Oral LD50

Test Result

1034 mg/kg

Other information

Product/substance

Disodium carbonate, compound with hydrogen peroxide (2:3)

OECD 402 Test method Species Rabbit Dermal Route of exposure Test LD50

Result

>2000 mg/kg Other information

Product/substance

sodium carbonate

Test method **Species**

Rat Oral

Route of exposure Test

LD50 2800 mg/kg

Result Other information

sodium carbonate

Product/substance Test method **Species** Route of exposure

Rabbit Dermal LD50

Result Other information

Test

>2000 mg/kg

Product/substance

sodium carbonate

Test method Species

OECD 403 Rat

Route of exposure Test

Inhalation LD50





Result 2,3 mg/L Other information Product/substance Citric acid Test method **OECD 401 Species** Rat Route of exposure Oral Test LD50 Result 5400 mg/kg Other information Product/substance Citric acid Test method **OECD 401** Species Rat Route of exposure Oral LD50 Test 11700 mg/kg Result Other information Product/substance Citric acid **OECD 402** Test method **Species** Rat Route of exposure Dermal Test LD50 >2000 mg/kg Result Other information Product/substance Silicic acid, sodium salt Test method **Species** Rat Route of exposure Oral Test LD50 >2000 mg/kg Result Other information Product/substance Silicic acid, sodium salt Test method Species Route of exposure Dermal Test LD50 >5000 mg/kg Result Other information Product/substance Silicic acid, sodium salt Test method **Species** Route of exposure Inhalation Test LC50 >2060 mg/m³ Result Other information Product/substance Alkoholalkoxylat **OECD 423** Test method Species Rat Route of exposure Oral Test LD50 >300-<2000 mg/kg Result Other information Skin corrosion/irritation Product/substance Disodium carbonate, compound with hydrogen peroxide (2:3) Test method

Rabbit

Species

Duration





Result No adverse effect observed (Not irritating) Other information Product/substance sodium carbonate Test method **OECD 404** Species Rabbit Duration No adverse effect observed (Not irritating) Result Other information Product/substance Citric acid **OECD 404** Test method Species Rabbit Duration Result No adverse effect observed (Not irritating) Other information Product/substance Silicic acid, sodium salt Test method **Species** Duration Result Adverse effect observed (Irritating) Other information Product/substance Alkoholalkoxylat Test method **OECD 404** Species Rabbit Duration Result No adverse effect observed (Not irritating) Other information Serious eye damage/irritation Disodium carbonate, compound with hydrogen peroxide (2:3) Product/substance Test method **OECD 405** Species Rabbit Duration No adverse effect observed (Not irritating) Result Other information Product/substance sodium carbonate **OECD 404** Test method Rabbit **Species** Duration Result No adverse effect observed (Not irritating) Other information Product/substance Citric acid Test method **OECD 405 Species** Rabbit Duration Result Adverse effect observed (Irritating) Other information Product/substance Silicic acid, sodium salt Test method Species Duration Result Adverse effect observed (Irritating) Other information Alkoholalkoxylat Product/substance Test method **OECD 405**

Species Duration Rabbit





Result Adverse effect observed (Irritating)

Other information

Causes serious eye damage.

Respiratory sensitisation

Product/substance Disodium carbonate, compound with hydrogen peroxide (2:3)

Test method **OECD 406 Species** Guinea pig

Result No adverse effect observed (not sensitising)

sodium carbonate

Citric acid

Other information

Product/substance

Test method Species

Result Other information No adverse effect observed (not sensitising)

Product/substance

Test method Species Result

No adverse effect observed (not sensitising)

Other information

Skin sensitisation

Product/substance Disodium carbonate, compound with hydrogen peroxide (2:3)

Test method **OECD 406 Species** Guinea pig

No adverse effect observed (not sensitising) Result

Other information

Product/substance

sodium carbonate Test method

Species Result Other information

No adverse effect observed (not sensitising)

Germ cell mutagenicity

Product/substance Test method

sodium carbonate

Species Conclusion

No adverse effect observed

Other information

Product/substance Citric acid Test method **OECD 475** Species Rat

Conclusion Other information No adverse effect observed

Product/substance Test method

Citric acid **OECD 471**

Species Conclusion Other information Bacteria, S. typhimurium No adverse effect observed

Carcinogenicity

Conclusion

Product/substance Test method

Species Route of exposure Target organ Duration Test Result

Citric acid

No adverse effect observed





Disodium carbonate, compound with hydrogen peroxide (2:3)

Other information

Reproductive toxicity

Product/substance

Test method Species Duration

Result Conclusion

Test

No adverse effect observed

sodium carbonate

Product/substance

Other information

Test method Species Duration Test Result

Conclusion No adverse effect observed

Citric acid

Other information

STOT-single exposure

Product/substance
Test method
Species
Route of exposure
Target organ
Duration
Test
Result

Silicic acid, sodium salt

Conclusion
Other information

Adverse effect observed

OECD 408

Citric acid

Rat

Rat

STOT-repeated exposure

Product/substance
Test method

Species Route of exposure Target organ Duration

Test NOAEL
Result 100 ppm

Conclusion
Other information

Product/substance Test method

Species Route of exposure Target organ

Duration 7 days
Test NOAEL
Result 4000 mg/kg

Conclusion
Other information

Product/substance Test method Species

Route of exposure Target organ

Duration 7 days
Test LOAEL
Result 8000 mg/kg
Conclusion

Other information

Citric acid

Rat





Product/substance

Test method

Rat

Silicic acid, sodium salt

Species

Route of exposure

Target organ Duration

Test

NOAEL >159 mg/kg

Result Conclusion Other information

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

Endocrine disrupting properties

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method

Disodium carbonate, compound with hydrogen peroxide (2:3)

Species

Compartment

Crustacean, Daphnia magna

Duration

48 hours EC50

Test Result

4,9 mg/L

Other information

Disodium carbonate, compound with hydrogen peroxide (2:3)

Product/substance Test method **Species**

Algae, Skeletonema costatum

Compartment Duration 72 hours Test EC50 Result 2,62 mg/L

Other information

Disodium carbonate, compound with hydrogen peroxide (2:3)

Product/substance Test method **Species**

Fish, Pimephales promelas

Compartment Duration Test Result

96 hours LC50 70,7 mg/L

Other information

Product/substance

Disodium carbonate, compound with hydrogen peroxide (2:3)

Test method Species

Crustacean, Daphnia pulex

Compartment Duration Test

48 hours NOEC 2 mg/L

Result Other information

Product/substance

Disodium carbonate, compound with hydrogen peroxide (2:3)

Test method **OECD 209**





Species

Bacteria

. Compartment

15 minutes

Duration Test

EC50

Result

466 mg/L

Other information

Product/substance Test method

sodium carbonate

Species

Fish, Lepomis macrochirus

Compartment Duration

96 hours

Test Result LC50 300 mg/L

Other information

Product/substance

sodium carbonate

Test method Species

Crustacean, Daphnia magna

Compartment Duration

48 hours

Test

EC50

Result

200-265 mg/L

Other information

Product/substance

Citric acid **OECD 203**

Test method Species

Fish, Leuciscus idus

Compartment Duration

96 hours

Test

LC50

Result Other information 440-706 mg/L

Product/substance

Citric acid

Test method

OECD 202

Species

Crustacean, Daphnia magna

Compartment Duration

24 hours EC50

Test Result

1535 mg/L

Other information

Citric acid

Product/substance Test method Species

. Compartment Duration

Algae, Scenedesmus quadricauda

Test Result

EC5

Other information

640 mg/L

Product/substance

Citric acid

Test method **Species**

Algae, Scenedesmus quadricauda

Compartment Duration Test

7 days NOEC

Result Other information 425 mg/L

Product/substance

Citric acid

Test method **Species** Compartment

Bacteria, Pseudomonas putida





Duration

16 hours

Test

Result

>10000 mg/L

Other information

Product/substance Silicic acid, sodium salt Test method **OECD 203**

Species

Fish, Brachydanio rerio

Compartment

Duration 96 hours Test LC50 Result >100 mg/L

Other information

Product/substance

Test method Species

Crustacean, Daphnia magna

Silicic acid, sodium salt

Compartment Duration Test

48 hours EC50 >100 mg/L

Result Other information

Product/substance

Silicic acid, sodium salt

Test method **Species** Compartment Duration Test

Bacteria 48 hours

Result Other information EC0 >1000 mg/L

Product/substance Test method Species

Alkoholalkoxylat **OECD 203**

Compartment

Fish, Brachydanio rerio

Duration Test

Result

96 hours LC50 >10-100 mg/L

Other information

Product/substance Test method **Species**

Alkoholalkoxylat **OECD 202**

. Compartment Duration 48 hours

Test Result

Test

EC50

Other information

>10-100 mg/L

Product/substance Test method

Alkoholalkoxylat

Species

Algae, Desmodesmus subspicatus

Crustacean, Daphnia magna

Compartment Duration

72 hours NOEC >0,1-1 mg/L

Result Other information

12.2. Persistence and degradability

Product/substance Citric acid Biodegradable Yes Test method **OECD 301 E** 100 Result





Product/substance Alkoholalkoxylat

Biodegradable Yes

Test method OECD 301 B Result >60

12.3. Bioaccumulative potential

Product/substance Disodium carbonate, compound with hydrogen peroxide (2:3)

Test method

Potential bioaccumulation No

LogPow No data available. BCF No data available.

Other information

Product/substance sodium carbonate

Test method

Potential bioaccumulation No

LogPow No data available. BCF No data available.

Other information

Product/substance Citric acid

Test method

Potential bioaccumulation No LogPow (-1,8)-(-0,2) BCF No data available.

Other information

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

20 01 29* Detergents containing dangerous substances

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group





** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Protection of Young Persons (Employment) Act, 1996

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H272, May intensify fire; oxidiser.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue





GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

QM lujoCLEAN

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IE-en